

Ramagundam Fertilizers & Chemicals Limited

(A Joint venture company of NFL, EIL & FCIL)
Site Office: Fertilizer City,
Ramagundam-505210,
Dist.- Peddapalli, Telangana

BIDS ARE INVITED

"ANNUAL RATE CONTRACT FOR MISCELLANEOUS CIVIL MAINTENANCE WORKS AT TOWNSHIP PREMISES, RFCL Ramagundam"

Tender no.: RFCL /SITE-Tender/Civil/TWSP-Maint./2024/38

e-Tender No: 57402

Nov-2024

A. granath

TABLE OF CONTENTS

This Tender Document (AS ISSUED TO CONTRACTOR) Consists of the following:

Sr. no.	Description	Page No.
1	INSTRUCTIONS TO TENDERERS FOR E-TENDERING	3-8
2	Notice Inviting Tender	9-11
3	Definition of Terms (Annexure-I)	12-13
4	Eligibility Criteria (Annexure-II)	14-15
5	Declaration Form I (Annexure III)	16
6	Declaration Form II (Annexure IV)	17-18
7	E-Banking Mandate Form (Annexure-V)	19
8	Scope of work, Time Schedule (Annexure-VI)	20-25
9 5	Special Terms & Conditions (Annexure-VII)	26-29
10	General Terms & conditions (Annexure- VIII)	30-48
11	Security Deposit cum Performance Bank Guarantee (Annexure-IX)	49-50
12	Proforma for Indemnity Bond (Annexure X)	51
13	Form of Contract (Annexure XI)	52-55
14	Certificate of Compliance (Annexure XII)	56
15	Schedule of Quantities & Rates (Annexure-XIII)	57-78
16	Undertaking on party's letter head (Annexure XIV)	79
17	Checklist for bidders (Annexure XV)	80-81
18	Bid Evaluation Criteria (Annexure XVI)	82
19	BID SECURITY (EMD) FORMAT (Annexure XVII)	83
	TOTAL SHEETS OF TENDER	83

NOTE: The bidders shall satisfy themselves before submitting that no page or document listed above is missing from the tender Issued to him / them.

A. Arabaka



Ramagundam Fertilizers and Chemicals Ltd. रामागुण्डम फर्टिलाइज़र्स एण्ड केमिकल्स लिमिटेड

(A Joint Venture Company of NFL, EiL & FCIL)

Site office: Fertilizers Plant Ramagundam – 505210, Distt: Peddapally, Telengana Telephone: +91 8728 257488 E mail: rfcl.ramagundam@rfcl.co.in

CIN No. U24100DL2015PLC276753

Tender No.: RFCL /SITE-Tender/Civil/TWSP-Maint./2024/38

Date: 15.11.2024

INSTRUCTIONS TO TENDERERS FOR E-TENDERING

1. Mode of Tendering:

Ramagundam Fertilizers and Chemicals Ltd. (A Joint Venture of NFL, EIL, FCIL, HTAS, GAIL & Govt. of Telangana) has decided to award "ANNUAL RATE CONTRACT FOR MISCELLANEOUS CIVIL MAINTENANCE WORKS AT TOWNSHIP PREMISES, RFCL Ramagundam" through e-tendering. The NIT will be posted on website https://rfcl.abcprocure.com from where the registered vendors will be able to download the tender documents for participation in the tender and submit their bids online. The tender submission, tender closing and opening will be done electronically and online. The NIT shall also be posted on company's homepage i.e., www.rfcl.co.in.

RFCL has appointed M/s. e-Procurement Technologies Ltd, Ahmedabad as service provider for carrying out e-Procurement. Also, as per IT ACT 2000, use of digital signature certificate shall be mandatory for participating in e-tendering process.

It is presumed that accordingly, you can submit your bid and participate in this tender as per the requirements of the system. However, in case of any help/clarification, you may contact any one of the following:

a) RAMAGUNDAM FERTILIZERS AND CHEMICALS LTD

Mr. BK Vittal Kumar, AGM (C)

RFCL, Fertilizers City, Ramagundam → 505210 Mob No. 6305223416

E mail: vital.kumar@rfcl.co.in

Mr. A. Bharath, AM(C)

RFCL, Fertilizers City, Ramagundam - 505210 Mob No. 9642828291 E mail: abharath@rfcl.co.in

b) M/s. e-Procurement Technologies Limited

1	Approval of Profile & DSC Verification	Help Desk	+91 - 63532 17080, +91-90990 90830	info@abcprocure.com dsc@abcprocure.com
2	e-Tender Submission	Help Desk	+91 9904406300, +91 9510812960, +91 9265562821, +91 6354919566	support@abcprocure.com
3	e-Auction related Queries	Help Desk	+91 - 98799 96111, 99044 07997, 95108 13415	



Monday to Friday - 10:00AM to 07:30PM (IST)

1st, 3rd and 5th Saturday - 10:00AM to 06:00PM (IST)

2nd and 4th Saturday - Holiday

2. (a) <u>Pre-Requisites for System using e-Procurement sites</u>:

- (b) Bidders are strongly advised to refer Minimum System Requirement document uploaded on https://rfcl.abcprocure.com under download section prior registration and Participating in e-Tenders invited by RFCL.
- (c) For Quick Bidder Manual, you can refer this link https://youtu.be/-E5fiZVYnfg for Tender Submission OR download "Bidder Manual" from https://rfcl.abcprocure.com website **OR** Contact us.

(d) Pre-Requisites for DSC Registration:

- > The Vendor becomes a valid Vendor only after the registration of the DSC
- > Vendors need to possess a valid DSC for participating in e-Tendering (class III DSC)
- Vendors need to procure DSC 24 hrs prior to Registration on https://rfcl.abcprocure.com
- > It can be procured from any of the Certifying Authority registered under CCA India.eg Sify, nCode, eMudra etc
- > DSC can also be procured from the e-tendering service provider i.e. e-Procurement Technologies Ltd.
- Respective DSC Drivers needs to be installed.
- > DSC needs to be physically inserted into the system.
- > DSC should appear in the Browser.
- > Vendor should map the DSC with their Log-ID immediately after registration, Email Verification.

(e) Pre-Requisites for Login Credentials:

For registration on the e-tender site https://rfcl.abcprocure.com, one can be guided by the "Instructions to Vendors" available under the download section of the homepage of the website. As the first step, bidder shall have to click the "Register" link and fill in the requisite information in the "Bidder Registration Form". Kindly remember your email id (which will also act as the login ID) and the password entered therein. Once you complete this process correctly, you shall get a system generated mail. Thereafter, login in to the portal using your credentials. When you log in for the first time, system will ask you to add your Digital Signature Certificate. Digital Signature Certificate Class 3 Signing + Encryption is mandatory to attach at the time of Registration and to log-in. Bidders should ensure that DSC is in the name of registered firm and person only. If attached DSC does not match with the registered profile then DSC will not be verified and profile will not be approved. Once you have added the Digital vendor administrator Certificate, please inform the Signature info@abcprocure.com, dsc@abcprocure.com, Contact no.: +91 - 63532 17080, +91-90990 90830 for approval. Once approved, bidders can login in to the system as and when required.

3. All the vendors participating in the online e-procurement have to abide by the process involved in the entire workflow of the e-procurement.

april -

- 4. As a pre-requisite for participation in the tender, vendors are required to obtain a valid Digital Certificate of Class III (having both signing and encryption certificates) as per Indian IT Act from the licensed Certifying Authorities operating under the Root Certifying Authority of India (RCIA), Controller of Certifying Authorities (CCA). The cost of obtaining the digital certificate shall be borne by the vendor.
- 5. Corrigendum/amendment, if any, shall be notified on the site https://rfcl.abcprocure.com. In case any corrigendum/amendment is issued after the submission of the bid, then such vendors who have submitted their bids, shall be intimated about the corrigendum/amendment by a system-generated email. It shall be assumed that the information contained therein has been taken into account by the vendor. They have the choice of making changes in their bid before the due date and time.
- 6. Vendors are required to complete the entire process online on or before the due date/time of closing of the tender
- 7. Directions for submitting online offers, electronically, against e-procurement tenders directly through internet:
 - (i) Vendors are advised to log on to the website (https://rfcl.abcprocure.com) and arrange to register themselves at the earliest
 - (ii) The system time (IST) that will be displayed on e-Procurement web page shall be the time considered for determining the expiry of due date and time of the tender and no other time shall be taken into cognizance.
 - (iii) Vendors are advised in their own interest to ensure that their bids are submitted in eProcurement system well before the closing date and time of bid.
 - (iv) If the vendor intends to change/revise the bid already submitted, they shall have to withdraw their bid already submitted, change / revise the bid and submit once again (if this feature "Bid Withdraw" is enabled in e-tender event). However, if the vendor is not able to complete the submission of the changed/revised bid within due date & time, the system would consider it as no bid has been received from the vendor against the tender and consequently the vendor will be out of contention. The process of change / revise may do so any number of times till the due date and time of submission deadline. However, no bid can be modified after the deadline for submission of bids.
 - (v) Once the entire process of submission of online bid is complete, they will get an automail from the system stating you have successfully submitted your bid in the following tender with tender details.
 - (vi) Bids / Offers shall not be permitted in e-procurement system after the due date / time of tender. Hence, no bid can be submitted after the due date and time of submission has elapsed.
 - (vii) No manual bids/offers along with electronic bids/offers shall be permitted except those specifically indicated.
- 8. No responsibility will be taken by RFCL and/or the e-procurement service provider for any delay due to connectivity and availability of website. They shall not have any liability to vendors for any interruption or delay in access to the site irrespective of the cause. It is advisable that vendors who are not well conversant with e-tendering procedures, start filling up the tenders much before the due date

ans

/ time so that there is sufficient time available with him/her to acquaint with all the steps and seek help if they so require. Even for those who are conversant with this type of e-tendering, it is suggested to complete all the activities ahead of time. It should be noted that the individual bid becomes viewable only after the opening of the bid on/after the due date and time. Please be reassured that your bid will be viewable only to you and nobody else till the due date/ time of the tender opening. The non-availability of viewing before due date and time is true for e-tendering service provider as well as RFCL officials.

- 9. RFCL and/or the e-procurement service provider shall not be responsible for any direct or indirect loss or damages and or consequential damages, arising out of the bidding process including but not limited to systems problems, inability to use the system, loss of electronic information etc. In case of any clarification pertaining to e-procurement process, the vendor may contact the following agencies / personnel:
- 10. RFCL is not responsible for any mistake made by the vendor at the time of bidding process. In case any vendor submits an invalid bid due to any reason including typing mistake / human error, such invalid bid will be disqualified and such vendor shall not be allowed to further participate in that tender. The remaining process shall be completed considering the other valid bids.
- 11. For submitting price bid through e-Auction, the successful Pre-qualified Vendors will have to use a Class III Digital Signature Certificate issued by any India CA approved by CCA of India as per IT Act 2000.
- 12. It is mandatory for the vendors to use the Digital Signature Certificate in all their bidding Process. It is the entire responsibility of the vendors to protect their own login id and Password and keep their digital certificate safe so that is not misused by any other person.

13. Tender Schedule:

The notice of issue of enquiry and detailed schedule for downloading the NIT documents, submission of bids, tender closing, tender opening, and subsequent clarification/amendment in schedule etc. shall be available on the above-mentioned website against this tender.

Tender Schedule-

<u>ender Sc</u>	<u>:neaule</u> -	
Sr. No.	Tender Stage	Date & Time
1.	Start Tender Document Download	15-11-2024 1700HRS
2.	Pre-Bid Meeting	22-11-2024 1100HRS
3.	End Tender Document Download	06.12.2024 1500HRS
4.	Due/ last date of submission Bids	06.12.2024 1530HRS
5.	Techno-commercial Bids Opening	06.12.2024 1545HRS
6.	Price Bid Opening	To be intimated



Note: After expiry of date & time for a particular activity as mentioned above, that particular activity cannot be done unless the schedule for the same is extended/ amended. Similarly, no activity can be done before start date & time specified for that particular activity unless the schedule for the same is preponed/amended.

14. The activity defined for vendors are Download of Tender document, Bids Preparation, Uploading of bids. During the Download sequence, the vendors who have been invited will be able to download the main tender document and the supporting documents.

15. Tender Opening:

The tenders will be opened electronically by us from our RFCL Site Office in the presence of authorized representatives of Vendors who wish to attend the bid opening. The submission of bids may however be done by vendors from their office or from place of their choice. However, bids can't be submitted after the bid submission due date & time as per the schedule.

- 16. RFCL takes no responsibility for delay, loss or non-receipt of EMD sent by post/courier.
- 17. RFCL reserves the right to reject or accept any tender without giving any reason.

 The bids not accompanied with the requisite Earnest Money may not be opened.

18. SYSTEM FAILURES AND REMEDIAL MEASURES THEREOF/ COURSE OF ACTION TO BE FOLLOWED

RFCL shall make all out efforts to rectify the problem(s) leading to system failure during the live tendering. However, in case the system could not be restored within the reasonable time period as deemed fit by RFCL, the following remedial measures shall be taken under such an eventuality:

1.	Tender is prepared and released but	The due date of closing/opening shall be
i de la companya de l	vendors are not able to submit their bids.	extended suitably.
2.	Bids have been submitted but the	The due date of opening shall be extended suitably.
	same cannot be opened by RFCL.	
3.	Bids including price bid have	Under such eventuality, the reverse auction event
	been opened and reverse	shall be rescheduled and the new schedule shall be
F (4.0)	auctioning could not start.	informed to all the bidders
		who have participated in the tender & submitted
y Tithe		their bids online.

19. Name & Address of Contact person:

Mr. BK Vittal Kumar, AGM (C)

RFCL, Fertilizers City,

Ramagundam - 505210

Mob No. 6305223416

E mail: vital.kumar@rfcl.co.in

20. **GST Nos.**

Unit	GST NO.
Ramagundam, Telangana	36AAHCR2335P1ZY



- 21. The rates should be quoted as per price bid given in the enquiry only. Quotation should be valid for a minimum period of **120 days** from the date of opening of the tender (Technical bid). The rates should be quoted both in figures and in words.
- 22. Your GST Registration No. and Permanent Account No., allotted by the concerned Department should be mentioned in the quotation positively.
- 23. The offers submitted by MSE, shall be considered in Accordance with Public Procurement Policy for MSEs of March 2012. The parties claiming benefits Under MSEs policy must enclose requisite valid Registration Certificate as per said policy along with their offer. Please also indicate whether the MSEs owned by SC/ST Entrepreneurs. If yes, please attach relevant certificate issued by authorities concerned. However, RFCL reserve the right to cancel the order (if any) and blacklist/debar a firm in case it is determined that the firm benefitted wrongly from the Public Procurement Policy.

Note: Since this is a Works contract, hence bidders registered under National small scale industries/MSE/Start-ups are not exempted from submission of EMD. Submission of EMD is mandatory for all bidders.

Thanking You

For & On Behalf of Ramagundam Fertilizers and Chemicals Limited

Mr. BK Vittal Kumar,

AGM (C)



Ramagundam Fertilizers and Chemicals Ltd. रामागुण्डम फर्टिलाइज़र्स एण्ड केमिकल्स लिमिटेड

(A Joint Venture Company of NPL, EIL & FCIL)

Site office: Fertilizers Plant Ramagundam – 505210, Distt: Peddapally, Telengana Telephone: +91 8728 257488 E mail: rfcl.ramagundam@rfcl.co.in

CIN No. U24100DL2015PLC276753

Tender No.: RFCL /SITE-Tender/Civil/TWSP-Maint./2024/38

Date: 15.11.2024

		NOTICE INVITING TENDER
To	,	
-		<u>. </u>
-		
Sub:	ANNUAL RATE CONTRACT PREMISES, RFCL Ramagun	FOR MISCELLANEOUS CIVIL MAINTENANCE WORKS AT TOWNSHIP
Dear	Sirs,	
Seale	ed Bids are invited for the wo	ork as detailed below:
1.	Name of Work	"ANNUAL RATE CONTRACT FOR MISCELLANEOUS CIVI
		MAINTENANCE WORKS AT TOWNSHIP PREMISES, RFC Ramagundam."
2.	Earnest Money Deposit	Bidder to submit Earnest Money of Rs 50,000.00 (Rupee
		Fifty Thousand Only) as per payment modes as stipulate
		as per clause no. 18 of Annexure-VII. Bidders who fail t
		submit EMD as per tender requirement may please not that their bids are liable to summary rejection.
	and the state of t	Note: Since this is a Works contract hence bidder

Note: Since this is a Works contract hence bidders registered under National small scale industries/MSE/Start-ups are not exempted from submission of EMD. Submission of EMD is mandatory for all bidders.

The period of completion shall be 12 months from the start date mentioned in Letter of Award and extendable as per provisions of the GTCC.

4. Validity of the Tender 120 days from the Date of Opening of Tender.

Period of Completion

- 5. All request for interpretation, clarification & queries in connection with tender shall be addressed in writing to Issuing Authority i. e. AGM (Civil) RFCL Site, Ramagundam at least 3 (Three) days prior to the closing date of the tender.
- 6. The rate should be quoted in the Units given in the Schedule of Rates.
- 7. Ramagundam Fertilizers & Chemicals Ltd., Ramagundam reserves the right to reject any or all Bids without assigning any reasons whatsoever and it also does not bind itself to accept the Lowest Tender.

, John

8. Procedure for Submission of Tender:

The Tender shall be submitted in Three Parts as under:

8.1 Step No. 1:

Will be 'EMD' and shall contain Earnest Money Deposit as per Clause No. 2 above.

8.2 Step No. 2:

Will be 'Techno Commercial bid (unpriced)' shall contain NIT duly signed, documents & all other declarations required as per Tender.

Documents as stated in Annexure-II for meeting the eligibility & evaluation criteria.

Duly Filled Performa's of Techno Commercial Bid.

Unpriced SOR Performa mentioning "quoted" in all pages with signature and stamp.

8.3 Step No. 3:

Will be 'Price Bid/Schedule of Rates' and shall contain the item wise rates only as per Schedule of Rates Performa.

All the procedure of filling the tender will be as on E Tender basis only.

8.4 RFCL's Site bank details:

EMD can be deposited in RFCL's account through RTGS/NEFT & details of the transaction with UTR No. to be submitted (uploaded) along with technical bid for verification.

RFCL's site bank Details for RTGS/NEFT are as follows:

a) Beneficiary Name : M/S RAMAGUNDAM FERTILIZERS AND

CHEMICALS LIMITED.

b) Name of bank : STATE BANK OF INDIA

c) Branch FERTILIZER CITY, RAMAGUNDAM (61777)

d) Account Number : 36727029257 e) IFSC No. : SBIN0061777

Alternatively, the bidder can submit the EMD in the form of Crossed Demand Draft favouring Ramagundam Fertilizers and Chemicals Ltd. and issued by any scheduled/nationalized bank payable at Ramagundam or in the form of Bank Guarantee Format of EMD-BG as per Annexure-XVII. The charges, if any, for online payment or for DD or for BG submission of EMD will be borne by bidder. In case of submission of EMD by DD or in the form of BG, it should be ensured by the tenderer that the scan copy of the DD /BG is uploaded with E —Tender & original DD or Original BG should be received by RFCL before opening of techno-commercial bids for verification of the details of DD/BG given online by the tenderer.

9. Opening of Tender:

The Tender shall be opened as under E tender process:

Step No. 1: Parties who have submitted/uploaded the details of EMD will be opened first, on the scheduled date of opening of tender.

Step No. 2: "Techno Commercial Bid (Unpriced)" shall then be opened of only those parties who have submitted the **EMD**.

Step No. 3: 'Price Bid/Schedule of Rates' shall be opened after meeting the eligibility criteria of **Techno-Commercial Bid**(unpriced) and whose bids determined to be technically and commercially responsive. The date of opening of Price Bid/SOR will be intimated to technically selected tenderers separately.

10. No condition or deviation should be mentioned by Bidder in Price Bid. Offers where the party has mentioned any condition or deviation in Price Bid shall be out rightly rejected.

10 James

- 11. This letter shall form part of the contract document and shall be signed and returned along with the tender documents.
- 12. Every communication by tenderers shall be made in the English Language. All other information such as documents and drawings supplied by the Bidder will also be in English Language as will be any further information supplied by RFCL.
- 13. Bids containing erasures and alterations of the tender documents are liable to be rejected unless these are authenticated by the persons signing the tender documents.
- 14. "Bidders may ensure that tender documents/offer have been signed by appropriate/authorized representative for the Company. Withdrawal of offer/non-acceptance of orders placed based on offers submitted by bidder's on their letter head: will not be allowed on the grounds that offer was not signed by authorized person." in such case EMD shall be forfeited.
- 15. One person will be allowed to represent only one company during discussion/negotiation with RFCL. If same person is representing different companies with authorization letter from more than one company, such person will be allowed to represent only the first company called for negotiation.
- 16. The rates of all the items in the Schedule of quantities are based on latest DSR-2023 excluding profit margin and Rate of few items are from in-house RFCL rates excluding profit/service margin.
- 17. The Contractor shall satisfy himself about the nature of job to be executed by physical inspection of the site of work at RFCL Ramagundam before offering their quotation.
- 18. All pages shall be initialed at the lower right hand corner and signed wherever required in the tender papers by the tenderers or by person holding power of attorney authorizing him to sign on behalf of the tenderer before submission of tender.

Thanking you,

Yours faithfully,

for M/s. Ramagundam Fertilizers & Chemicals Ltd.

BK Vittal Kumar

Assistant General Manager (C)

E-mail: vittal.kumar@rfcl.co.in

Mob: 8618485406

Enclosures: Annexure I- XVII

DEFINITIONS OF TERMS

In the contract documents herein defined where the context so admits, the following words and expression will have the meanings assigned to them respectively:

- 1. "The RFCL" means the RAMAGUNDAM FERTILIZERS AND CHEMICALS LIMITED, incorporated in India, having its corporate office at Wing- A, Kribhco Bhawan, Sector-1, Noida, Uttar Pradesh, Pin Code- 201301.
- 2. The "ENGINEER-IN-CHARGE" shall mean the person designated as such by RFCL and shall include those who are expressly authorized by him to act for and on his behalf for operation of this contract.
- 3. The "WORK" shall mean the works to be executed in accordance with the contract or part thereof as the case may be and shall include all extra, additional, altered or substituted works as required for purpose of the contract.
- 4. "CONSTRUCTION EQUIPMENT" means all appliances and equipment of whatsoever nature for the use in or for the execution, completion operation or maintenance of the work unless intended to form part of permanent work.
- 5. "SITE" means the areas in which the work is to be performed by the Contractor and shall include a part or portion of the site on which the permanent work is proposed to be constructed.
- 6. The "TENDER DOCUMENTS" shall consist of Short Tender Notice, General Instructions to the Tender, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, Time Schedule Tender Form, Performa or Agreement Form Schedule of Rates, and Addendum/Addenda to Tender Documents.
- 7. "THE CONTRACTOR" means any person or persons or firm or company whose Tender has been accepted by RFCL with the concurrence of the RFCL, and the legal personal representatives, successors and permitted assigns of such person, persons firm or company.
- 8. The "CONTRACT" shall mean the Agreement between RFCL and the Contractor for the execution of the works including therein all contract documents.
- 9. The "SPECIFICATIONS" shall mean the various Technical specifications attached and referred to in the Tender documents. It shall also include the latest addition of relevant Indian Standard Specifications published before entering into contract.
- 10. "The DRAWINGS" shall include Maps, Plans and Tracings OR Prints thereof with any modifications approved, in writing by the Engineer-in-charge and such other drawings as may, from time to time, be furnished or approved in writing by the Engineer-in-charge.
- 11. The "CONTRACT DOCUMENTS" shall consist of Agreement, Tender documents& Specifications as defined in Clause 6, 8 & 9 above, Acceptance of Tender and further amendments.
- 12. The "ALTERATION ORDER" means an order given in writing by the Engineer-in-charge to affect additions to or deletion from and alterations in the works.

A. efragrater

- 13. The "COMPLETION CERTIFICATE" shall mean the Certificate to be issued by the Engineer-incharge when the works have been completed to his satisfaction.
- 14. The "FINAL CERTIFICATE" in relation to a work means the Certificate issued by the RFCL after the period of defect liability is over.
- 15. The "PERIOD OF DEFECT LIABILITY" in relation to work means the specified period from the date of issue of Completion Certificate upto the date of issue of Final Certificate during which the Contractor stand responsible for rectifying all defects that may appear in the works.
- 16. 'ZERO DATE' shall mean the date of issue of LETTER OF ACCEPTANCE (LOA) or issue of WORK ORDER, whichever is earlier.
- 17. "GTCC" means General Terms & Conditions of Contract.
- 18. "Working Day" means a day other than a Sunday or a public holiday on which RFCL is open for business.
- 19. "Week" means a period of any consecutive seven days.





ELIGIBILITY CRITERIA

		The state of the s
Sl. No.	Conditions	Documents required (To be submitted along with Technical bid)
1.	Bidder should be Contractor having executed at least 1(one) similar Civil Construction and/or maintenance works in Public and/or Private Sector establishments of heavy industries like Fertilizer/Chemicals/Oil & Gas/ Renewable or Non-renewable Power/Metallurgy/Mining during last 7 (Seven) years.	i)Bidder must submit the copy of valid industrial License issued by Statutory authority for being a manufacturer along with ISO certificate/ GST Registration certificate / Udyog Aadhaar / certificate issued by statutory authority/NSIC certificate or equivalent certificate.
	"Similar" means Civil Construction and/or Maintenance works involving Earthwork with Plain or Reinforced Cement Concrete Works/ Brick Masonry/ RCC Corrosion Protection Works/Public Health related/Sanitary works etc.	ii)In case the manufacturer wants to quote through their authorized dealer/distributor or their authorized dealer wants to quote separately then authorization certificate
	Note: "The last 7 years shall be counted from last date of the preceding month in which tender has been Issued."	from the manufacturer is required in addition to (i) above. The Authorization certificate should be issued for specific tender/enquiry. iii)Authorization letter from the company
		on behalf of the person signing the document be provided with technical bid. iv)For Proprietorship firm - Name of the proprietor to be mentioned. Affidavit of proprietorship in original duly notarized
		(Latest) v)For partnership firms -Affidavit in originals duly notarized, confirming the current status of the firm along with names of the partners. Copy of partnership deed duly notarized (latest) to be submitted. vi)For Transport unions/Co-operative societies/Registered societies- Copy of
		Registration certificate /Copy of Resolution of members/Authority letter to participate in the tender.
2.	Bidder should have successfully completed similar work(s) as defined above during immediate last 7 years as mentioned below: One work having value not less than ₹32,13,897/-(exclusive GST)	Copy of Work Completion Certificate along with copy of Work Order from the organization where the work is
	or Two works each having value not less than ₹20,08,685/- (exclusive GST)	executed is to be enclosed mentioning the completed value of each single work executed and performance
	or Three works each having value of not less than ₹16,06,948/- (exclusive GST)	certificate issued by the client. In case period of work executed for the work order submitted by the bidder is more than one year then the
		value of work executed shall be proportionately calculated for one year. However, if the executed period
	,	is less than one year, then the executed value shall be considered as it is i.e. shall not be extrapolated for one year.
3.	The Annual turnover of the bidder shall not be less than ₹ 40,17,370/- in at least one of the preceding three financial years from the date of issuance of enquiry.	Bidder shall submit financial standing through Audited* Balance Sheet/

In case financial year closing date is within 6 months of date of issue of enquiry and audited annual report of preceding financial year is not available, bidder has the option to submit the financial details of the three previous years immediately prior to the last financial year. Otherwise, it is compulsory to submit the financial details of the immediate three preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30° September, the financial details of the three previous years immediately prior to the last financial year and be submit inancial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report single provided annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated annual report and prepared and addited. Further, in case a bidder is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated andited annual report and prepared and addited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and addited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and addited. The net worth of the bidders should be positive for the Financial year accompany. Chartered accountant of the Bidder is not prepared and addited. Misc Expenditure not written off. Bidder should have minimum working capital of \$4.40.7374-as per Audited Financial year 2023-24 ending March 2024. "Working capital should be current assets minus current liabilities. Bidder should have minimum working capital of \$4.40.7374-as and preceding to a director or not having any in the bidder's	N	Note:		Profit & Loss Account for the last
of issue of enquiry and audited annual report of preceding financial year is not available, bidder has the option to submit the financial details of the three previous years immediately prior to the last financial year. Otherwise, it is compulsory to submit the financial details of the three previous years immediately prior to the last financial year (year ending 31st March) is not available and where enquiry issue date is up to 30 th . September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30 th September, it is computatory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor of harverd—accountant of the bidder certifying that separate annual report of Bidder is not published, but only a consolidated aminal report of the Bidder is not published, but only a consolidated aminal report of the Bidder is not statutory auditor of Parent Company (Chartered accountant of the Bidder is not prepared and audited. Further, in case a bidder is a "subsidiary company and separate annual report of the Bidder is not published, but only a consolidated aminal report of the bidder is published, but only a consolidated aminal report of the bidder is not statutory auditor of Parent Company (Chartered accountant of the Bidder is not published, but only a consolidated aminal report of the bidder is not statutory auditor of Parent Company (Chartered accountant of the Bidder is not published, but only a variable published, but only a consolidated aminal report of the bidder is not statutory auditor of the published, but only a published, but only a published, but only	1 4-		In case financial year closing date is within 6 months of date	
financial year is not available, bidder has the option to submit the financial details of the three previous years immediately prior to the last financial year. Otherwise, it is compulsory to submit the financial details of the immediate three preceding financial years. (Example, in case, audited annual report of immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30 September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30 September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report of ginancial year per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report of the bidder certifying that separate annual report of didder (without the financial deta of subsidiaries) is not prepared and audited. Further, in case a bidder is a subject to statutory auditor (chartered accountant of the Bidder verifying that separate annual report of the Bidder without the financial detail of subsidiaries are available, consolidated aminal report and the certified by company of Parents (company). The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital - Reserves Out of Profit (including Security Fremium) — Accountated (including Security Fremium) — Security Fremium) — Security Fremium (incl				
the financial details of the three previous years immediately prior to the last financial year. Otherwise, it is compulsory to submit the financial details of the immediate three preceding financial years. (Example, in case, addied amoult report of immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30 th . September, it is compulsory to submit the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is up to 30 th . September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report of the parent company is a variable, consolidated annual report of Bidder (in the bidder certifying that separate annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders is not prepared and audited. 5. Bidder should have minimum working capital of \$\frac{4.01}{7.7				(11 2025 21, 2022 25 00 2021 22)
prior to the last financial year. Otherwise, it is compulsory to submit the financial details of the immediate three preceding financial years (Example, in case, audited annual report of immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30th September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. • In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated annual report and labe considered for establishing the financial criteria subject to statutory auditor / chartered accountant of the bidder certifying that separate annual report of the parent—company and separate annual report of the premit—company and separate annual report of the Bidder is not prepared and audited. • Further, in case a bidder is 3 subsidiary company and separate annual report of the parent—company as available, coinsolidated annual report of the Financial very available, coinsolidated annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial very available, coinsolidated annual report shall be considered for establishing the financial report shall considered for establis				•
submit the financial details of the immediate three preceding financial years. (Example, in case, audited annual report of immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30 th September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30 th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case iddder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and audited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital Reserves Out of Profit (Including Schurity Premium) — Accumulated bosses — Deferred Expenditure— Mis. Expenditure not written off. Bidder should have minimum working capital of Financial year 2023-24 "Working capital should be current assets minus current liabilities." Bidder must not be black listed by any government department/public sector undertaking/co-operati				* Where oudited accounts are not
financial years. (Example, in case, audited annual report of immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30d September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30d September, it is compulsory to submit the financial details of the immediate three preceding financial years only. • In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of the Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a gubsidiary company in and separate annual report of the parent company is available, consolidated aminal report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company (Anterved accountant of the Bidder (without the financial criteria subject to statutory auditor of Parent Company is available, consolidated aminal report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital Reserves Out of Profit (Including Security Premium) —/Accumulated Josses. Deferred Expenditure. Mis. Expenditure not written off. * Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an error of the profit of t				· · · · · · · · · · · · · · · · · · ·
immediate preceding financial year (year ending 31st March) is not available and where enquiry issue date is up to 30th September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. • In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated annual report of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available, consolidated annual report of the parein company is available to the	1			
is not available and where enquiry issue date is up to 30 th September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30 th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated annual report ability to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Parein company is available, consolidated aminal report of the Bidder is not prepared and audited. Then tworth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital + Reserves Out of Profit (Including Security Premium) — 'Accumulated Josses — Deferred Expenditure — Mis. Expenditure not written off. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. In the last Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last.				· · · · · · · · · · · · · · · · · · ·
September, the financial details of the three previous years immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30° September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial clatals of their subsidiaries, consolidated annual report and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and audited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. "Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) — Accumulated Josses — Deferred Expenditure. Mis. Expenditure not written off. Bidder should have minimum working capital of \$4.01,737/- as per Audited Einancial result of Financial Year 2023-24 under the parent company. Bidder should have minimum working capital of \$4.01,737/- as per Audited Einancial result of Financial Year 2023-24 under the parent company. Bidder should have minimum working capital of \$4.01,737/- as per Audited Einancial result of Financial Year 2023-24 under the parent company. In Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last			immediate preceding financial year (year ending 31st March)	certified by practicing Chartered
immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated admited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is a subsidiary company and separate annual report of the bidders shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder is a variable, coinsolidated amnual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Netyorth = Paid up share capital - Reserves Out of Profit (Including Security Premium) — Accoumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts with the bidder's company. Copy of audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having and the bidder's company.) 5. Bidder should have minimum working capital of *4.01.737/-as per Audited Financial Year 2023-24 ending March 2024 should be submit for availability of unutilize based line of credit for at let at the bidder's company. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit in the last the last of the preceding which tender has been issued. Self-certification(s) for both st	1		is not available and where enquiry issue date is up to 30th	Accountants (not being an employee
immediately prior to the last financial year may be submitted. However, in case the enquiry issue date is after 30th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated adulted annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the parent company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth Paid up share capital Reserves Out of Profit (Including Seburity Premium) — 'Accumulated Josses — Deferred Expenditure Mis. Expenditure not written off. *Mere audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having and and the bidder's company). 5. Bidder should have minimum working capital of \$4.01,737/-as per Audited Financial Year 2023-24 "Working capital should be current assets minus current liabilities. 6. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit in the last II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last			September, the financial details of the three previous years	or a director or not having any interest
However, in case the enquiry issue date is after 30th September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the parent company is available, coinsolidated annual report of the Bidder is not prepared and audited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Nethyorth = Paid up share capital: Reserves Out of Profit (Including Security) Premium) → Accumulated Josses → Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). Semity Premium) → Accumulated Josses → Deferred Expenditure Mis. Expenditure not written off. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Un				in the bidder's company).
September, it is compulsory to submit the financial details of the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and audited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Neitworth = Paid up share capital - Reserves Out of Profit (Including Security Premium) — Accumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bidsum financial standing certified by practicing Cl Accountants (not being an or or a director or not having any in the bidder's company). S. Bidder should have minimum working capital of \$4.40.1,737/- as per Audited Financial result of Financial Year 2023-24 ending March 2024 should be submit Or, Requisite document issued etd any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at let \$4.01,737/- as per fave, bidder's company). 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.	İ			• • • • • • • • • • • • • • • • • • • •
the immediate three preceding financial years only. In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and didited certifying that separate annual report of the Bidder is not prepared and didited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Permium) - Accumulated losses - Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an error of afrector or not having any in the bidder's company). Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Pegative List by any government department/public sector undertaking/co-operative Unit in the last				
In case bidder is having subsidiaries but only a single consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor (chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent company is available, consolidated annual report of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital = Reserves Out of Profit (Including Security, Premium) — Accumulated losses — Deferred Expenditure— Mis. Expenditure not written off. Bidder should have minimum working capital of ₹4,01,737/- as per Addited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.				
consolidated annual report is prepared as per prevailing law of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Nettworth = Paid up shate capital + Reserves Out of Profit (Including Security Premium) - Accumulated losses - Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of \$4.01,737/-as per Addited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. 6. I. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.	1			
of land and audited which includes the financial details of their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered_accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is not published, but only a consolidated annual report of the parent—company—is available, consolidated annual report of the parent—company—is available, consolidated annual report of the Bidder certifying that separate annual report of the Bidder certifying that separate annual report of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. 5. Bidder should have minimum working capital of 4,01,737/-as per Audited Financial result of Financial Year 2023-24 4. Working capital should be current assets minus current liabilities. 5. Bidder should have minimum working capital of 4,01,737/-as per Audited Financial result of Financial Year 2023-24 end March 2024 should be submit for, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at let 4,01,737/-as on preceding which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.				
their subsidiaries, consolidated audited annual report shall be considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Nettyorth = Paid up share capital + Reserves Out of Profit (Including Security, Premium) — Accumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing CI Accountants (not being an error a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of \$4.01,737/- as per Audited Financial result of Financial Year 2023-24 ("Working capital should be current assets minus current liabilities." 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit. submitted on Party's letterhea same.				
considered for establishing the financial criteria subject to statutory auditor /chartered accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the Didder is not published, but only a consolidated annual report of the parent company is available, consolidated annual report of the bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March' 2024. *Networth = Paid up share capital = Reserves Out of Profit (Including Security Premium) = Accumulated losses = Deferred Expenditure—Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a direct or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.	ļ			
statutory auditor /chartered_accountant of the bidder certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent—company is available, consolidated annual report of the parent—company is available, consolidated annual report of the parent—company is available, consolidated annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Seurity, Premium) — Accumulated Josses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per Jay, bidd submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹.4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.				
certifying that separate annual report of Bidder (without the financial data of subsidiaries) is not prepared and audited. • Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent company is available, consolidated annual report of the parent company is available, consolidated annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) — Accumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing C Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial Year 2023-24 end March' 2024 should be submit Or, Requisite document issued eit any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding to which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	}			
financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent-company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Seurity Premium) — Accumulated losses — Deferred Expenditure mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 end "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				•
financial data of subsidiaries) is not prepared and audited. Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, but only a consolidated annual report of the parent-company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Seurity Premium) — Accumulated losses — Deferred Expenditure mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 end "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	1.		certifying that separate annual report of Bidder (without the	
Further, in case a bidder is a subsidiary company and separate annual report of the Bidder is not published, bit only a consolidated annual report of the parent company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital + Reserves Out of Profit (Including Security Premium) — Accumulated losses — Deferred Expenditure— Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bide submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of \$4,01,737/- as per Audited Financial Year 2023-24 end "Working capital should be current assets minus current liabilities. 6. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				
separate annual report of the Bidder is not published, but only a consolidated annual report of the parent company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital *Reserves Out of Profit (Including Security Premium) = Accumulated losses = Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing CI Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 and March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding revision which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		•		
a consolidated annual report of the parent company is available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) = Accumulated losses = Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an error a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 end "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.		:		at a second of the second of t
available, consolidated annual report shall be considered for establishing the financial criteria subject to statutory auditor of Parent Company /Chartered accountant of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital + Reserves Out of Profit (Including Security, Premium) — Accoumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid, submit financial standing certified by practicing Cl Accountants (not being an or or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ~4,01,737/- as per Audited Financial result of Financial Year 2023-24 end "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				1
establishing the financial criteria subject to statutory auditor of Parent Company / Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and audited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) = Accumulated losses = Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an error a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of 4.01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	ļi.			
of Parent Company /Chartered accountant of the Bidder certifying that separate annual report of the Bidder is not prepared and addited. 4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) - Accumulated losses - Deferred Expenditure - Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cf Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 end March'2024 should be submit Or, Requisite document issued either any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative Bank and Grami for availability of unutilize based line of credit for at lether any Indian scheduled Bank co-operative Bank and Grami for availabilit	13			
4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March 2024. *Networth = Paid up share capital + Reserves Out of Profit (Including Security Premium) — Accumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Copy of audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). Copy of audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). Copy of audited accounts mandatory as per law, bids submit financial year 2023-24 end March 2024 should be submit for, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding response to the properties of the Bidder's Copy of Audited Financial year 2023-24 and Accountants (not being an er a director or not having any in the bidder's company). Copy of audited salance shee Financial year 2023-24 end March 2024 should be submit for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding response to the properties of the Bidder's company. II. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. III. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				
The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital + Reserves Out of Profit (Including Security Premium) - Accumulated Josses - Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at let \$4,01,737/- as on preceding rewhich tender has been issued. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last same.	1			
4. The net worth of the bidders should be positive for the Financial year 2023-24 ending March'2024. *Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) — 'Accumulated losses — Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bid submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Rinancial result of Financial Year 2023-24 ("Working capital should be current assets minus current liabilities." Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at leaved the sheet of the profit of the second profit of the standard profit of the second pro				
*Networth = Paid up share capital + Reserves Out of Profit (Including Security Premium) - Accumulated losses - Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bids submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Didder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Didder should have minimum working capital of ₹4,01,737/- as per Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding rewhich tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				
*Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) — Accumulated losses — Deferred Expenditure — Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bide submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 — "Working capital should be current assets minus current liabilities. Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at let ₹4,01,737/- as on preceding the which tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				
*Networth = Paid up share capital+ Reserves Out of Profit (Including Security Premium) - Accumulated losses - Deferred Expenditure Mis. Expenditure not written off. *Where audited accounts mandatory as per law, bide submit financial standing certified by practicing CI Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of 4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Copy of audited balance shee Financial year 2023+24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at least 4,01,737/- as on preceding rewhich tender has been issued. II. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. III. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		2023-24	ending March 2024.	should be submitted in support of your
Security Premium) - Accumulated losses - Deferred Expenditure - Mis. Expenditure not written off. Mis. Expenditure not written off. **Where audited accounts mandatory as per law, bide submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 **Working capital should be current assets minus current liabilities. **Working capital should be current assets minus current liabilities. **Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding a which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.	16.		7 Marie 1	claim.
Mis. Expenditure not written off. Manual of a submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at let ₹ 4,01,737/- as on preceding the which tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	1	*Netwo	rth = Paid up share capital+ Reserves Out of Profit (Including	
submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,91,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Working capital should be current assets minus current liabilities. March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at let ₹4,91,737/- as on preceding rewhich tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		Security	Premium) - Accumulated losses - Deferred Expenditure	* Where audited accounts are not
submit financial standing certified by practicing Cl Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,91,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Working capital should be current assets minus current liabilities. March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at let ₹4,91,737/- as on preceding rewhich tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	-	Mis. Ext	penditure not written off.	mandatory as per law, bidder can
department/public sector undertaking/co-operative Unit. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 and Working capital should be current assets minus current liabilities. Copy of audited balance shee Financial year 2023-24 and March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding rewhich tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both significant on Party's letterhea same.				
Accountants (not being an er or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Einancial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding rewhich tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		li i		certified by practicing Chartered
or a director or not having any in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. Working capital should be current assets minus current liabilities. Copy of audited balance shee Financial year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Gramm for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding a which tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both si submitted on Party's letterhea same.	İ			
in the bidder's company). 5. Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding rewhich tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both sisubmitted on Party's letterhea same.				
Bidder should have minimum working capital of ₹4,01,737/- as per Audited Financial result of Financial Year 2023-24 "Working capital should be current assets minus current liabilities. "Working capital should be current assets minus current liabilities. "Working capital should be current assets minus current liabilities. "Audited Financial Year 2023-24 end March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹4,01,737/- as on preceding rewhich tender has been issued. 1. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both si submitted on Party's letterheat same.			· Marries · · · · · · · · · · · · · · · · · · ·	
**Working capital should be current assets minus current liabilities. **Working capital should be current assets minus current liabilities. **Grammation of the current assets minus current liabilities. **Grammation	-	D:43	hould have mikithym westing conitation # 4.01 mont	
"Working capital should be current assets minus current liabilities. March'2024 should be submit Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding a which tender has been issued. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both si submitted on Party's letterhea same.	9. [
Or, Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding a which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both si submitted on Party's letterhea same.				
Requisite document issued eith any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		"Workir	ng capital should be current assets minus current liabilities.	
any Indian scheduled Bank co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	Ì	1 .		
co-operative bank and Grami for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		1	e e	Requisite document issued either from
for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last				any Indian scheduled Bank (except
for availability of unutilize based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	.			co-operative bank and Gramin Bank)
based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. 6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last based line of credit for at lea ₹ 4,01,737/- as on preceding r which tender has been issued. Self-certification(s) for both si submitted on Party's letterhea same.				for availability of unutilized fund-
6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. Self-certification(s) for both si submitted on Party's letterhea same. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last submitted on Party's letterhea same.				based line of credit for at least of of
6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last which tender has been issued. Self-certification(s) for both si submitted on Party's letterhea same.				₹ 4,01,737/- as on preceding month in
6. I. Bidder must not be black listed by any government department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last Self-certification(s) for both si submitted on Party's letterhea same.				
department/public sector undertaking/co-operative Unit. II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last Self-certification(s) for both signs submitted on Party's letterheat same.		T D:A	for must not be black listed by any government	TIMOR WIND IND OVOIL IBBROOK
II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last	U.			Salf partification(s) for both should be
II. Bidder must not be delisted / on Negative List by any government department/public sector undertaking/co-operative Unit in the last		aepa	armenopuone sector undertaking/co-operative Omi.	* *
department/public sector undertaking/co-operative Unit in the last				submitted on Party's letterhead for the
				·
two years, as on date of participating in the tender.		two	years, as on date of participating in the tender.	1.
III. Bidder must not be on the Holiday list of RFCL.		III. Bide	der must not be on the Holiday list of RFCL.	

do esposally

DECLARATION-FORM-I

~	- 4	_		
11	77	α	•	

٦		
	(1	

Assistant General Manager (Civil)

Ramagundam Fertilizers& Chemical Ltd.

Fertilizers City, Ramagundam (TS)

District: Peddapalli (Telangana)

Pin Code- 505210

Dear Sir,

I/We hereby submit tender for "ANNUAL RATE CONTRACT FOR MISCELLANEOUS CIVIL MAINTENANCE WORKS AT TOWNSHIP PREMISES, RFCL Ramagundam" work at Ramagundam fertilizers & Chemicals Limited, Fertilizer City, Ramagundam, Telangana, as per tender separately signed and accepted by me/us, and rates quoted by me/us in attached schedule of rates (Annexure-XIII) in accordance with Notice Inviting Tender, terms and conditions of Tender, other documents and papers as detailed in the tender document.

I/We hereby agree to abide by and fulfill all terms and conditions referred to in the Tender Document/Work Order/LOA etc. and in default thereof, to forfeit and pay to the RFCL or its successors or its authorized nominees such sums of money as are stipulated in Terms and Conditions contained in the Tender Document.

I/We confirm having deposite	ed the Earnest Money of	f Rs. 50,000/- (Rupees	Fifty Thousand Only)
vide Demand Draft No.	dated	in favour of Ramagui	ndam Fertilizers and
Chemicals Limited payable at no	Ramagundam or through	n bank transfer to RFCL	Account bearing UTR
It is certified that Price Bid/	Schedule of Rates is und	conditional and quoted	for all the items of
'Schedule of Rates/Price bid'	in Figures and Words bot	h and no item is blank/	unquoted.
If, I/we fail to start execution fail to deposit the amount of Ramagundam fertilizers & Ch shall also be at liberty to car Deposit amount as aforesaid document/perform the contr	security deposit specified emicals Limited shall for ncel the notice of accept or to execute an agreeme	d in the Tender Docum feit the said Earnest Ma ance of tender if I/We	nent, I/We agree that oney. The said owner fail to remit Security
Dated theday of	2024.		
		Signature of Tendere	er with Seal Name
	&/	Address:	
	E-M	lail Address:	

A grassom

Mobile/Telephone No.___

DECLARATION FORM-II

The following declaration to be signed by Contractor and to be submitted along with required documents which would be duly self-certified:

S	r.	Description				
	1.	Name of Applicant/Firm/Company				
	2.	Complete Address along with				
		Contact Person name, mobile		•		
	i	number and Email Id				=
	3.	Company Profile				
i)		Public Limited/Private Limited				
٠,		Company/ Undivided Hindu				
		Family/individual/ Partnership				
		Firm/Co-operative	n waterway ya			
		Society/LLP/Others (Please mention)				
	İ	(Please attach duly attested partners)	ership deed(lat	est) by No	tary pub	lic/Self
		attested firm registration copy /Inco	rporation certifi	cate, Articl	es of asso	ciation
		and memorandum of association	and power of	attorney	who is	signing
l	4 -	documents on behalf of applicant/fire	m/company).	THE STATE OF THE S	\$1 \$1 \$1	E (
	4.		1			KS
	4,	Year of Establishment & Registration				
	n:	No along with documentary proof if	5-5 THE RESE		2 Page	N
		any				
	5.	If a Bidder has relations whether by	YES / NO (If Ye	s, give the	following	details)
ł	18	blood or otherwise with any of		F. 14.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	19,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	l	6		10.4
	Te na Ede	employees (including employees on	Alexander and a second	Place of	0.44	n with
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Designation	Place of Posting	0.44	on with oployee
		employees (including employees on	Designation of the	entrans las paga	0.44	Ø stale
		employees (including employees on deputation) of RFCL, the Bidder must	Designation of the	entrans las paga	0.44	Ø stale
		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of	Designation of the Employee	entrans las paga	0.44	Ø stale
		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which,	Designation of the Employee	entrans las paga	0.44	Ø stale
		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject	Designation of the Employee	entrans las paga	0.44	Ø stale
and contain	6	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject	Designation of the Employee	entrans las paga	0.44	Ø stale
and auditio	6	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contractor	Designation of the Employee	entrans las paga	0.44	Ø stale
ma confide	6.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary processing the contractor of the contracto	Designation of the Employee	Posting	0.44	Ø stale
= a vada	6.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary property of the Contractor to be intimated.	Designation of the Employee	Posting	0.44	Ø stale
m a condin	6.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary processing the contractor of the contracto	Designation of the Employee	Posting	0.44	Ø stale
ma confin		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary properties of the Contractor to be intimated.	Designation of the Employee or to be roof thereof.	Posting	0.44	Ø stale
ma y color	6. 7. 8.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary properties of the Contractor to be intimated. Whether bidders are registered or under the contractor of the contractor of the contractor to the intimated along with Documentary Proof thereof.	Designation of the Employee r to be roof thereof.	Posting	0.44	I Sale
ma voteli.		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary process of the PAN No. of the Contractor to be intim Documentary Proof thereof. Whether bidders are registered or unper GST Laws. If registered the follows	Designation of the Employee r to be roof thereof.	Posting	0.44	I Sale
as contain	8.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary procumentary Proof thereof. Whether bidders are registered or unper GST Laws. If registered the follow be provided-	Designation of the Employee r to be roof thereof.	Posting	0.44	I Sale
mar radio.		employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary Proof thereof. Whether bidders are registered or unper GST Laws. If registered the follow be provided- GST Registration No. with Documentary	Designation of the Employee ar to be roof thereof. The mated along with a registered as ring details shall	Posting	0.44	I Sale
as colonia.	8.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary Proof thereof. Whether bidders are registered or un per GST Laws. If registered the follow be provided-	Designation of the Employee ar to be roof thereof. The mated along with a registered as ring details shall	Posting	0.44	I Sale
ar rate	9.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary Proof thereof. Whether bidders are registered or un per GST Laws. If registered the follow be provided- GST Registration No. with Documentary Service Accounting Code No.	Designation of the Employee r to be roof thereof. nated along with registered as ring details shall ary Proof.	Posting	the En	ployee
a call	8.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary Proof thereof. Whether bidders are registered or un per GST Laws. If registered the follow be provided- GST Registration No. with Documentary Service Accounting Code No.	Designation of the Employee r to be roof thereof. nated along with registered as ring details shall ary Proof.	Posting	the En	SGST
a control	9.	employees (including employees on deputation) of RFCL, the Bidder must disclose the relation at the time of submission of Tender, failing which, RFCL shall reserves the right to reject the Tender or rescind the Contract. P.F. Registration No. of the Contracto intimated along with Documentary procumentary Proof thereof. Whether bidders are registered or un per GST Laws. If registered the follow be provided- GST Registration No. with Documentary Service Accounting Code No.	Designation of the Employee r to be roof thereof. nated along with registered as ring details shall ary Proof.	Posting	the En	ployee

A. granater

1		
12	We have assessed & ascertained the raapplicable on quoted services. It is clearly that RFCL will not have any liability toward of GST over & above the GST rate quot reason whatsoever except for statutory against documentary evidence.	Agreed Agreed and for any
13	ESI Registration No. of the Contract or to lintimated along with Documentary proof	
14	If the bidder is registered as Micro/Small/Enterprises as per MSMED Act,2006, the seconfirmed by the bidder and submit a (Self certified) of the registration certificates support thereof. Otherwise, it will be constituted bidder is not registered as per MSMED 2006. Registration month & Year should bid submission due date. Note: As this is works contract provision of exemption of EMD will not be applicable.	te in strued that D Act, be prior to
15	Labour License No. of the bidder to be along with Documentary proof thereof. If does not have abour license, then the submit undertaking on their letter head Labour License, as per the following form. The bidder shall submit undertaking Labour License, as per the following form. "In case this job is awarded to M/s, we's Labour License from the appropriate Authorities i.e Central / State Gove applicable from time to time, under the Labour (R &A) Act, 1970 & the rules en under and submit a copy of the sam Ramagundam before start of execution."	the bidder bidder shall di regarding at. regarding at o us i.e. hall obtain e Licensing ment, as he Contract acted there he to RFCL,
-	work in RFCL, Ramagundam" If we fail to submit labour license before	
	execution of work, we agree for forfeiture and termination of Contract by RFCL"	e of EMD/SD
ted the _	day of	
		(Signature of Bidder with Seal)
		me:dress:

A Grosnally

E-Banking Mandate Form

AD OF THE CUSTOMER/VENDOR.
Date:
NG MANDATE FORM
DETAILS TO BE SILLED USDS
DETAILS TO BE FILLED HERE
M/s
Optional
tilizers and Chemicals Limited (RFCL) to release any
nt as mentioned above. I/we hereby declare that the
complete. If the transactions are delayed or lost
mation, we would not held RFCL responsible for that.
en de Maria de La Carlo de Carlo de Carlo de Carlo de Carlo de Carlo de Carlo de Carlo de Carlo de Carlo de Ca Carlo de Carlo de Ca
SEAL & SIGNATURE of the Vendor/Customer
has an account
nd we confirm that the details given above are correct
Signature of authorized officer of the Bank

Androsoth

I. SCOPE OF WORK & ASSOCIATED TERMS AND CONDITIONS

Scope of work includes but not limited to the following:

- 1. The scope of work consists of execution of all type of Civil & Structural Construction & Maintenance jobs in RFCL township premises at Ramagundam. Any emergent work shall have to be executed by doing the work round the clock and / or after normal working time (General shift) for which nothing extra shall be payable to the contractor.
- 2. All types of Construction & Maintenance works under this contract shall be executed at RFCL township in the following areas/structures: -
 - > All residential and public buildings.
 - > Township Sub-Station Buildings.
 - > Public Parks, Sports Stadium, Township Under-Ground Drinking Water Pipeline System, Sewerage System, Storm Water Drains.
 - Township Compound Wall.
 - > Any other areas inside RFCL Township Estate including ash pond area.
 - Areas of adjoining villages within a peripheral area of 5Km from RFCL Premises, for carrying out civil works as per RFCL requirement.

The contractor shall deploy 1 (one) Degree Holder Civil Engineer with 3 years post qualification experience or 1(one) Diploma Holder Civil Engineer with 6-year post qualification experience for coordinating the work, taking instructions from Engineer-In-Charge, reporting work-progress & maintaining pertinent billing and work related records etc. The Contractor shall submit resume/CVs of the Engineer he intends to deploy, along with copies of credentials for approval of RFCL. The Engineer so deployed after approval shall be empowered with proper power of attorney / Authority letter to act on behalf of the Contractor's firm for all work and bill related matters. The Engineer shall endeavor to be present on all working days and shall mark his presence in attendance register maintained by RFCL. In case of his absence from duties under normal circumstances for more than 3 working days in a month, penalty shall be levied @ ₹500 per working day from due payments of the Contractor, till resumption of duties by the Engineer. In case of absence due to medical reasons, Contractor shall inform the same to Engineer-In-Charge and shall endeavor to deploy replacement Engineer temporarily, within 10 days. Upon failure to deploy replacement within 10 days, penalty shall be levied @ ₹500 per working day from due payments of the Contractor, till re-deployment of Engineer. In case, no Engineer is present at site for more than 10 continuous working days, same shall be treated as non-performance at the Contractor's end. The quoted rates shall be deemed to include the above provisions. Nothing extra shall be payable for deployment of Engineer.

- In various items of scheduled of quantities (SOQ) wherever any item(s) are to be "Replaced" will mean that the contractor shall dismantle / remove the old existing / damaged fittings / fixtures of such items (before fixing the new ones) within the quoted / final agreed rates as per work order. However, any workable part of such dismantled / removed items such as nuts, bolts, washers, nails etc. may be reused in replacing the items without any extra charge.
- 4. For disposal of rubbish, in various items of scheduled of quantities (SOQ), wherever it has been mentioned "anywhere in / within RFCL complex / estate / area" it will mean that the disposal of rubbish is to be done to the pre-determined disposal yard located at different locations in township within the quoted / final agreed rates as per work order.
- 5. The arrangements for all types of staging / scaffolding/approaches, to access the site for executing the work, shall have to be arranged by the contractor at his own cost within the quoted / finally agreed rates as per work order.
- 6. If required, Contractor shall obtain safety work permit from RFCL as per the nature of job performed, before commencement of work.
- 7. The Contractor shall arrange necessary documents of their manpower and ensure compliance of formalities for making Gate passes to work in RFCL's premises as per RFCL Township Gate Security norms, which include mandatory ESI registration, medical fitness checkup, & police verification of the workmen to be deployed. The workmen, supervisors, Engineers are allowed to come in the Township area only with proper gate passes. RFCL will issue necessary gate passes to such persons for whom

A elagrater

- the request will have to be made by the contractor. RFCL will not be responsible for late entry of the persons through the gate due to the absence of gate passes. The quoted rates shall be deemed to be inclusive of all these considerations.
- 8. Police verification of workers & Engineer proposed to be engaged for this contract shall be done to verify the antecedents. The gate passes will be issued after getting the valid police verification certificate (PVC) of workers in those cases only where contractor workers & Engineer are required to be engaged more than two weeks. The validity period of the submitted /deposited police verification certificate by the contractor will be till the tenure of contract, only. The expenses pertaining to the PVC of the workers & Engineer will be borne by contractor. Nothing extra to be paid for Police verification.
- 9. All consumable, non-consumable materials to be brought inside Township areas shall be entered with proper gate passes. The same shall also be entered in the register being maintained by security personnel at the Township Main Gate.
- 10. Ensuring availability of calibrated measuring instruments/tools for measurement & inspection purpose like Measuring tapes, Digital Weighing Machine, Auto-Level, Level Tube, Dumpy Level & Plumb Bob etc. shall be in the scope of Contractor.
- 11. The contractor shall provide pertinent PPEs (Personal Protective Equipment) like Safety Helmets, Safety Shoes, Safety Goggles, Face Shields, Dust Masks, Safety Belts, Hand Gloves, Gum boots, Earmuffs etc. based on nature of works being carried out by workmen deployed by him. The contractor shall ensure strict compliance of Safety norms laid down by RFCL or as intimated from time to time, during the currency of the Contract. However, all workmen shall be mandatorily provided with minimum 1 No. Safety Helmet (Yellow Colour) & 1 Pair of Safety Shoes, which they shall wear invariably while working inside the township. The helmet shall bear the initials/logo of the Contractor's firm and Blood Group of the person wearing the same. The quoted rates shall be deemed to be inclusive of these provisions. In case, Contractor fails to comply with above Safety norms, flat penalty @₹ 500 per incident of violation shall be levied from due payments of the Contractor.
- 12. The Contractor's Engineer/Supervisor shall maintain a close liaison with RFCL's Engineer In-Charge for reporting Daily Progress, The daily progress/works/activities shall be recorded in "DAILY LOG BOOK" to be maintained by the Contractor.
- 13. The watch and ward of Contractor's as well as Free Issue Material, if any shall be in the scope of the Contractor, at no extra cost to RFCL.
- 14. To & fro Local Travelling as may be required for attending the complaints in township premises, Lodging and Boarding of their staff and workers from work site to their place of stay, shall be in the scope of the Contractor.
- 15. Suitable Medical facilities/Insurance for their staff &worker as per applicable statutory provisions, shall be in the scope of the Contractor.
- 16. Contractor shall endeavor to obtain necessary work permit in 2 days advance in standard format of RFCL which includes Electrical/ Instrumentation / process clearance before taking up the Excavation/Dismantling work.
- 17. The Contractor shall submit the Computerized Running Account Bills as per the RFCL approved format.
- 18. Social distancing to be maintained as per central/state government time to time guidelines regarding COVID'19.
- 19. Timing of work will be general shift unless otherwise instructed by Engineer-in-charge.
- 20. The contractor shall make suitable arrangement and quote their rate accordingly so that the labour will be given weekly off, holiday and other statutory benefits like annual leave & retrenchment benefits.
- 21. The contractor shall maintain records and comply to all applicable statutory provisions with respect to wage payment, PF, ESI labour license etc. (if required) and any other documents as may be required as per relevant statutes. The same must be shown to the EIC or his representative on demand.
- 22. No minor, sick, old or medically unfit labour will be deployed for the work.

A ghorath

- 23. The contractor shall abide by all statutory rules and regulations of local authority, State and Central Govt. as the case may be with regard to statutory benefits and non-statutory benefits prevailing at RFCL-Ramagundam as applicable, at his own cost.
- 24. The contractor shall have to comply with the provision of payment of wages Act, 1936, minimum wages Act, 1948, contract labour (regulation and abolition) Act,1970 with latest modification thereof or any other related law and rules made time to time. No extra claim shall be entertained by RFCL on this account.
- 25. RFCL has right to terminate the contract at any time during the contract period in case performance is not found satisfactory and work not carried as per instruction of Engineer-In-Charge.
- 26. The prices quoted shall remain firm and unchanged for the entire duration of the contract period.
- 27. The Quoted rates/prices shall include all the cost of materials, labours, taxes duties/levies except GST and other incidental expenses to complete the work as per the specification of summary of works.

28. Philosophy of Maintenance in Township: -

a) Township Civil Maintenance Office: -

The Contractor shall set-up Office-cum-store at designated locations inside Township. In this regard, old unused building in township shall be allotted free of cost subject to availability, which can be developed as office-cum-store by the Contractor after refurbishing the same as per his requirement, at his own cost.

b) Complaint handling: -

Apart from carrying out routine/emergent maintenance works as instructed by Engineer-In-Charge, timely redressal of complaints made by Township residents shall also be in the scope of the Contractor. In order to maintain effective coordination, a "TOWNSHIP CIVIL COMPLAINT REGISTER" as per RFCL approved format shall be placed outside the Township Civil Maintenance Office by the Contractor. The register shall be placed and secured outside the office in such a fashion so that Township residents can register their complaints at any time of the day, even after working hours. Along with the register, Contact details of Engineer/Supervisor of the Contractor shall also be displayed outside the office.

c) Complaint categorization & timeline for redressal: -

The complaints registered shall be reviewed on a daily basis and brought to the notice of RFCL Engineer-In-Charge or his authorized representative. Based on review of complaints by RFCL, complaints shall be numbered and categorized as "Emergent or Non-emergent". The timeline for redressal of such Emergent/Non-Emergent complaints shall be decided by Engineer-In-Charge or his authorized representative, based on involvement of manpower and availability of materials required, in each complaint. The nature & timeline for redressal of each complaint shall be conveyed to the Contractor on a daily basis and recorded separately in the Complaint Register.

d) Complaint redressal & close out: -

Upon receipt of nature and timeline for redressal of complaints, Contractor shall endeavor to coordinate with the complainant with assistance of Engineer-In-Charge or his authorized representative and seek convenient time for attending the complaint. After the complaint is attended to the satisfaction of resident, Contractor shall prepare "COMPLAINT CLOSE-OUT SLIP" as per RFCL approved format duly indicating the Complaint No., Quarter. No., Date & Nature of complaint, Date of redressal. The slip shall be got signed by complainant or any other resident of the quarter, failing which complaint shall not be considered as closed.

e) Recording of Work Details: -

The details regarding work executed along with materials supplied & installed against a particular complaint shall be recorded in the Township "DAILY LOG BOOK" along with Complaint No. for ease of measurement/certification.

f) Penalty for delay: -

Upon closure of each complaint, time taken for redressal shall be calculated based on date of redressal. In case of delay in redressal beyond the conveyed timeline for each complaint, a **flat**

A choosely

penalty @ ₹800 per day of delay shall be levied from due payments of the Contractor, only in case of **emergent** nature complaints.

In case there are delays for attending complaints which may not be attributable to the Contractor, same shall be considered on sole discretion of Engineer-In-Charge, subject to submission of request by the Contractor, justifying the reasons of delay.

The quoted rates shall be deemed to include the provisions for smooth execution of above philosophy.

29. In order to minimize the time frame for completion of routine/emergent maintenance or construction activities and to efficiently close out complaints, following matrix regarding maintaining minimum inventory of following materials & tools as well as consumables, shall be adhered to by the Contractor:
Inventory of Materials: -

Sl. No	Name of Material	Minimum Inventory to be maintained
1.	Bricks	500 Nos.
2.	Coarse Sand	6 cum
3.	Fine Sand	6 cum
4.	Cement	10 Bags
5,	Aggregates for RCC Works	5 cum.
6.	Aggregates for PCC Works	5 cum.
7.	Float Glass Panes of thickness as per SOR Item	3 sqm
8.	Door Closers as per SOR Item	2 Nos.
9.	Floor Springs as per SOR Item	2 Nos
10.	Sliding Door Bolts of all sizes as per SOR Item	2 Nos. per size.
11.	GI Pipes 15mm/20mm/25mm/40mm/50mm as	5 Meter Length of Each size
	per SOR Item	
12.	GI Fittings of 15mm/20mm/25mm/40mm/50mm	3 Nos. of every fitting per size
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Extension Nipples/Tees/Bends/Unions	
13.	PVC Dummies 15mm	10 Nos.
1		
14.	PVC Waste Pipes with required couplings	5m length
al	32mm dia	
15.	PVC Connection Pipes with couplings 30cm/45cm	3 Nos. of each size
9 90	(As per SOR Item)	751 - 6 - 1 - 640 - 6 0 10
16.	Reinforcement Bars (10mm/12mm)	
17.	Butt Hinges of all sizes as per SOR Item	2 Nos. per size.
18.		1 No.
19.	EWC(As per SOR Item)	1 No.
20.	EWC Lid with seat (As per SOR Item)	2 No.
21.	Health Faucet(As per SOR Item)	\$ 2 14O: 12.7
22.	Gun Metal Valves of all sizes as per SOR Item	1 No. per size
23.	C.P Angle Valves as per SOR Item	5 Nos.
24.	C.P Bib Cocks as per SOR Item	5 Nos. 9 87% B B B B B B B B B B B B B B B B B B B
25.	H.P Float Valves as per SOR Item	TO MOSE SECTION AS A SECTION AS
26.	water rank- 500 Litre Capacity	1 No.
27.	NP2 Class RCC Pipe 150mm/250mm size	5m length per size

NOTE: -

a) The above inventory shall be maintained by the Contractor at his store under his watch and ward, bulk items like Sand, Re-bars, Aggregates, Bricks etc. shall be stacked at designated location inside township as per instruction of Engineer-In-Charge.

b) The payment shall only be made after installation/usage of the said material in the relevant SOR Item, inventory shall be maintained to reduce time frame for completion of routine/emergent maintenance or construction activities. In case, installation of any item of the inventory is part of a composite SOR Item, nothing extra for the same shall be payable for its installation over and above the SOR Item.

c) The inventory shall have to be maintained continuously for an initial period of 6 Months from the date of award of work. The inventory requirement shall be reviewed by RFCL after 6 Months based on consumption trend and shall be revised accordingly for the balance period of the Contract.

d) The above inventory shall be subjected to random inspection by Engineer-In-Charge. In case, any shortfall is observed any of the listed items in the prescribed inventory during random inspection, an amount of ₹10,000(Ten Thousand Only) shall be with-held from due payments of the Contractor, till replenishment of the inventory to desired levels.

A ghagrath

e) At the time of closure of Contract, the balance and sound/defect free materials of the inventory, if any (except Sr. No. 1,2,3,4,5,6 & 16) shall be taken over by RFCL at rates which shall be derived at that time based on Basic Material Supply rates prescribed in DSR-2023.

The quoted rates shall be deemed to include the above provisions.

30. Apart from the above, Contractor shall have to ensure operational availability of certain tools and consumables as tabulated below for swift completion of maintenance activities and complaint handling.


Indicative Inventory of Tools & Sundry Consumables to be ensured: -

Sl. No	Name of Tools & Sundry Consumables	Inventory of Tools/Sundry Consumables	
1.	Spades	5 Nos.	
2.	Gumpa	10 Nos.	
3.	200 Liter Water Barrel	1 No.	
4.	1/2 inch Hose Pipe-20 meter with connector	1 No.	
5.	Flexible Sewer Cleaning Rod(10m length)	1 No.	
6.	White Cement	5kg	
6.	M-Seal Putty	2kg	
7.	Glass Fixing Putty	1kg	
8.	Teflon Tape	3 Rolls	
9.	Pipe Wrench	1 Nos.	
10.	Slide Wrench	1 No.	
11.	Needle Vibrators	2 Nos.	
12.	Electric Drill Machine with drill bits of various sizes	1 No.	
13.	Electric Grinding Machine with wheels	1 No.	
12.	Vibratory Plate Compactor	1 No.	
13.	Iron Earth Rammer (Dhurmus)	3 Nos.	
14.	Aluminium Foldable "A" Type Ladder 10 Feet	1 No.57	
15.	Mortar mixing trays/Sheet	2 Nos.	
16.	Gauge Boxes for proportioning of Sand/Aggregates		
17.	Tarpaulin Sheet of suitable size	1 No.	
18.	Manual Pipe Threading Machine (Dye) for	1 No.	
y 37	15mm/20mm/25mm sizes		
19.	Wire Claw	3 No.	
20.	Carborundum Stone with Handle	1 Nô.	

NOTE: -

- a) The above inventory whenever deployed/utilized at site shall be kept at contractors store under his watch and ward.
- b) The quantities mentioned above are indicative and shall not be treated as a reason for not procuring/maintaining extra/other tools/consumables, that may be required in the opinion of Engineer-In-Charge, based on works entrusted to the Contractor.
- c) The Contractor's failure to maintain availability of the right type and number of tools/consumables befitting to the job, if reported/observed on more than 5 occasions shall be treated as non-performance on his part.
- d) Nothing extra shall be payable for ensuring availability of inventory of tools and consumables whenever required and their utilization in works executed under various SOR Items, quoted rates shall be deemed inclusive of above provisions.
- 31. The delivery/deployment of following materials and equipment shall have to be ensured by the Contractor as per the prescribed timeline indicated below, to attend pertinent emergent nature jobs timely, inside township

SI. N	o Name of machinery/equipment/material	Mode of Supply/Deployment	Timelines for Delivery/ Deployment
1.	Electrical Demolition Hammer (For demolition/chipping work as per SOR)	Daily Basis	Required throughout the currency of Contract
2.	Tractor with Trolley (As per pertinent SOR Item	As & when required	2 Working Days
3,	Self-loading type Concrete Mixer for site mixing, conveying & pouring of Concrete.	As & when required	2 Working Days



4.	Electric Welding Machine with desired	As & when required	2 Working Days
	welding electrodes		
	(Single Phase/3Phase)		
	[As per pertinent SOR Item]		

NOTE: -

- a) The payment against the above items shall be processed in line with applicable SOR Items at the discretion of Engineer-In-Charge, based on the work executed.
- b) RFCL shall give written notice/instruction in "DAILY LOG BOOK" for details of requirement pertaining to material/machinery.
- c) The timelines are indicative and Contractor shall endeavour to deliver or deploy materials/machinery/equipment even earlier than the prescribed time frames.
- d) A flat penalty **@ ₹500 per item per day** shall be levied towards delay in delivery of item/deployment of machinery/equipment, beyond the prescribed timeline. In case there is delay beyond 10 working days, same shall be treated as non-performance on the part of the Contractor.
- e) The details working hours of equipment/machinery deployed on call basis shall be maintained in Equipment Supply Log Book.
- 32. The total penalty for non-deployment of machinery within the stipulated notice period, failure to maintain adequate inventory of tools and materials, and non-deployment of supervisors etc, excluding penalties for violation of safety norms and penalty for delay in redressal of emergent nature of complaints, shall not exceed 10% of the contract's executed value. Penalties for safety norm violations and penalty for delay in redressal of emergent nature of complaints will be treated separately and assessed accordingly. However, any penalty imposed on the contractor shall be at the sole discretion of the Engineer-in-Charge.

II. RFCL'S SCOPE:

- 1. Old unused building in township shall be allotted free of cost subject to availability, which can be used as office-cum-store by the Contractor after refurbishing the same as per his requirement, at his own cost.
- 2. Temporary LT power supply 3 phase, 50 Hz, 415 Volt with TPN free of cost subject to availability.
- 3. To provide necessary approval of drawings, work permits and isolations as and where required.
- 4. RFCL shall provide Water Supply at Single point near working areas subject to availability. However, Flexible Pipe Hose of required length & Connectors, Clamps etc. shall have to be arranged by the Contractor at his own cost.


III. TIME SCHEDULE:

- Mobilization with Men and Equipment shall be done within 10 (Ten) days of start date of work mentioned in LOA. However, if the necessity arises Contractor may have to mobilize at site within 3 days of the issue of LOA.
- 2. For jobs of critical nature, separate time bound sub-work order will be issued by Engineer In-charge. The Contractor must adhere to such time schedule.
- 3. The period of completion shall be 12 months from the start date mentioned in Letter of Award and extendable as per provision of GTCC.



SPECIAL TERMS & CONDITIONS OF CONTRACT

- Apart from the SOR Items covered in this Contract, RFCL reserves the right to get any other items of Latest Published CPWD Schedule of Rates (Civil), executed by the Contractor depending on the requirement. The payment for such items shall be processed based on rates derived from Latest CPWD Schedule of Rates (Civil) without considering discount/premium quoted by the contractor. The contractor while quoting their rates must consider that, any item of Latest Published CPWD Schedule of Rates (Civil), may be got executed under this Contract.
- 2. RFCL also reserves the right to get any Extra Items executed which are not covered in SOR or Latest Published CPWD Schedule of Rates (Civil). The rates for such Extra Items shall be derived based on market rates and analysis procedure laid down in Latest Published CPWD Schedule of Rates (Civil).
- 3. RFCL may at its discretion award any other / additional work of any magnitude on the final agreed rates, terms, and conditions, as per the work order, for execution of the same and the contractor shall have to execute the same work as a separate work.
- 4. The sampling/testing of various Construction materials and Concrete/other works shall have to be carried out as per instructions of Engineer-In-Charge from time to time. The testing shall be carried based on pertinent provisions of BIS/CPWD Specifications, wherever applicable. The Contractor shall maintain/arrange required calibrated testing equipment at his own cost. The quoted rates shall be deemed to be inclusive of this provision.
- 5. The contractor shall endeavor to procure materials in adherence to **manufacturers listed under BIS.**However, materials meeting desired specifications may also be procured from alternate vendors, subject to prior approval by Engineer-In-Charge, after sampling and/or requisite testing at NABL approved labs, if required at no extra cost to RFCL.
- 6. RFCL does not guarantee any quantum of work to be executed.
- 7. The work is to be executed at various heights, depths and levels as defined in SOR Items and nothing extra will be paid on this account beyond the quoted/agreed rates, except wherever mentioned / applicable.
- 8. Nothing extra for adverse sub soil condition. There may be variation in nature of sub soil both horizontally and vertically. The contractor shall have to take necessary precaution during work against any happening like collapsing of earth etc. or any slip / settlement will have to be made good by the contractor at his own cost.
- 9. Contractor shall maintain a small Office-cum-Store in township where his responsible representative(s) will be available for receiving instructions, job orders etc. throughout the contract period. RFCL will give space for store/site office and the contractor has to construct necessary temporary structures of his own, if required, but contractor will have to vacate the land at the expiry of contract period failing which dues shall not be released.
- 10. Even though Schedule of Quantities has been provided, but the agency **shall quote % above or below RFCL Estimated rates.** Item-wise Discount/ Premium is not permitted. The work shall be awarded to Overall Lowest L-1 bid.
- 11. The agency will work in such a manner, which will not disturb the office environment. Certain jobs shall be carried out at the convenience of RFCL, which can only be executed after office hours and/or on holidays. To carry out these works, agency shall deploy workers at such convenient timings only. Nothing extra shall be payable on account of odd hours of working and/or waiting time for availability of site for work.
- 12. Contractor shall not employ in connection with the work, any person who has not completed Eighteen (18) years of age and not more than 60 years of age.
- 13. The contractor should note that major quantum of work involved is of maintenance nature and pertains to occupied buildings/structures. He shall have to bear the delay on account of various activities and



unavoidable delays for which no claim whatsoever in respect of idle labour and loss will be entertained and nothing extra shall be paid for the same.

- 14. If there are varying or conflicting provisions made in any one document forming part of the contract, the decision of Engineer in charge shall be final and binding on the contractor.
- 15. The nature of the job is such that contractor will be required to work even on Sundays and paid holidays, therefore, he will have to ensure the deployment of the requisite manpower on these days by staggering their weekly off day. Nothing extra shall be paid on this account.

16. SPECIFICATIONS OF CIVIL WORK: -

The specification for workmanship and various Schedule Items shall be executed as described in the Central Public Works Department Schedule of Rates & "Specifications for Civil- Vol I & Vol II "2019 including amendments, unless otherwise specified. These CPWD specifications shall be deemed to form part of this contract.

The CPWD specifications shall take precedence over the provisions in the Bureau of Indian Standards (BIS) specifications/Indian Road Congress (IRC). Wherever CPWD specifications are silent, the relevant BIS / IRC specifications shall be referred.

In case of any class of work for which there is no such specification as laid down in the contract, such work shall be carried out in accordance with the instructions and requirement of the Engineer-in-charge.

- 17. In Clause no. 1.2.0 of GTCC service air shall not be provided by RFCL.
- 18. GTCC Clause no. 1.8.0 (a), 1.8.0(b) and 1.8.0(c) is deleted and replaced with following:

Tenderers must submit Earnest Money Deposit of Rs. 50,000/- (Rupees Fifty Thousand Only). The tenderers will have the option to submit the EMD either in the form of a Crossed Demand Draft favouring Ramagundam Fertilizers and Chemicals Ltd. and issued by any scheduled/nationalized bank payable at Ramagundam (under this option the details of DD No. & Date, amount, bankers name etc has to be submitted in relevant field/column of online module) or through online payment modes like RTGS/NEFT etc or can submit the EMD in the form of Bank Guarantee Format of EMD-BG as per Annexure-XVII. The charges, if any, for online payment or for DD or for BG submission of EMD will be borne by bidder.

In case of submission of EMD by DD or in the form of BG, it should be ensured by the tenderer that the scan copy of DD/BG is uploaded with E-Tender & original DD or Original BG should be received by RFCL before opening of techno-commercial bids for verification of the details of DD/BG given online by the tenderer.

The details of the transaction with UTR No to be submitted along with technical bid for verification.

RFCL's Bank details for RTGS/NEFT are as follows:

Beneficiary Name: Ramagundam Fertilizers and Chemicals Limited

Bank name : State Bank of India Branch Name : RFCL BRANCH (61777)


Bank A/c no. : 36727029257 IFSC Code : SBIN0061777

Earnest Money Deposit will not bear any interest.

19. GTCC clause no. 1.22.0 (a) is modified as:

The work completion period is 12 months from the start date mentioned in Letter of Award to the contractor. The contractor shall mobilize at the site within 10 (Ten) days of notification for actual date of start of contract. However, if the necessity arises Contractor may have to mobilize at the site within 3 days of instruction given by RFCL in writing.

- 20. GTCC Clause no. 1.34.0 and 1.9.0(vi) stands deleted.
- 21. The 1st sentence of GTCC clause no. 1.28.0 is deleted and replaced as below:



The contractor shall guarantee for the work done for a period of 3 months from date of issue of Completion Certificate shall be read as **The contractor shall guarantee for the work done for a period of 3 months from the certified date of work completion.**

- 22. No Escalation/de-escalation in rates will be applicable in this contract.
- 23. GTCC clause no. 1.39.0 stands modified as below:

Except where otherwise provided in the contract all matters, questions, disputes or differences (Dispute's) whatsoever, which shall at any time arise between/among the parties hereto, touching the construction, meaning, operation or effect of the contract, or out of the matters relating to the contract or breach thereof, or the respective rights or. liabilities of the parties, whether during or after completion of works or whether before or after termination shall after written notice by either party to the contract shall be resolved / settled amicably through negotiation by the parties. For the same, one party shall issue dispute notice in this regard, to the other party. If the said dispute/s could not be settled amicably within 45 days from the date of receipt of dispute notice by other party, then, party/ies may refer the said dispute/s for adjudication through Arbitration, as prescribed hereinafter.

On failure of amicable resolution/settlement as above. The dispute/s shall be referred / adjudicated through Arbitration under / in accordance with "Arbitration Centre (Domestic and International), High Court of Judicature at Hyderabad for the state of Telangana and the State of Andhra Pradesh Rules,2015" as amended or modified or re-enacted from time to time. Where the said rules are silent or in conflicts with Indian Laws, same shall be governed by Arbitration & Conciliation Act 1996; as amended or modified or re-enacted, from time to time.

The number of Arbitrator shall be three (3) in case of matter involving total amount of claims (without considering claim of interest) more than Rs. 3 Crore, otherwise number or Arbitrator shall be one (1) i.e. (Sole) Arbitrator.

The language of Arbitration shall be English.

The Governing Law Shall be Laws of India and dispute/s shall be adjudicated as per Indian Laws.


For the convenience of parties, the venue of Arbitration shall be as per above rules i.e., Arbitration Centre, Hyderabad, However, the Seat of the Arbitration Shall be, Ramagundam, Peddapalli District, State of Telangana. The courts at Ramagundam Peddapalli District, State of Telangana shall, have exclusive Jurisdiction.

It is also agreed by and between the parties that in case a reference is made to the Sole Arbitrator / Arbitral Tribunal for the purpose of resolving the dispute/s arising out of the contract by and between the parties hereto, the Arbitrator or the Arbitral Tribunal shall not award interest on the awarded amount more than the SBI MCLR Rate applicable to RFCL on the date of award of contract.

- 24. RFCL may ask any documents if seems necessary like income tax returns, Form 26AS etc. while evaluating tender.
- 25. The instant Contract being a works contract, benefits to MSME towards, waiver of EMD and other Provision of MSME shall not be applicable.
- 26. In order to govern welfare and working conditions of labourers engaged in construction activities, the Building and other Construction Workers" (Regulation of Employment and Conditions of Service Act, 1996, hereinafter referred to as the "RE &CS") came into force. The RE&CS Act is applicable in respect of building and other construction work.
- 27. Wherever applicable, the Contractor/ Successful bidder shall strictly comply with the provisions pertaining to Building & other construction workers (Regulation of Employment & Conditions of Services) Act and Rules", "BOCW (RE & CS) Welfare Cess Rules.
- 28. The Contractor/ Successful bidder must be registered under the "Building & other construction workers (Regulation of Employment & Conditions of Services) Act,1996" or in case of non-registration; contractor shall obtain registration within one month of the award of the contract.

A ghasaly

- 29. The Contractor shall comply with the Building and Other Construction Workers" Welfare Cess Act, 1996, the Building and other Construction Workers" Rules, 1998 and the Building and Other Construction Workers Welfare Cess Rules, 1998.
- 30. Cess as per the prevailing rate (at present 1%), shall be deducted at source from bills of the Contractor by RFCL and remitted to the "Secretary & C.E.O, Telangana Building and Other Construction Workers Welfare Board". The Contractor shall be responsible to submit final assessment return of the cess amount to the assessing officer after adjusting the cess deducted at source.
- 31. Contractor shall also ensure to arrange registration for workers under BOCW Act.



A chooney

General Terms and Conditions of Contract

- 1.1.0 The execution of the work may entail working in all the site and weather condition and no extra rate will be considered on this account. The Contractor may have to carry out the jobs to work round the clock as per our requirement to be decided by Engineer in-charge and the Contractor should take this aspect into consideration for formulating his rates and quotation. No extra claim/overtime will be paid on this account.
- 1.2.0 Electricity, Water and Service Air will be provided free of cost at one point as per requirement of the job subject to availability.

All lifting tools & tackles are to be got tested, wherever applicable, under the Competent Person engaged by State Government from time to time and the certificates duly verified by Competent Authority are to be submitted to the Department before taking up the job.

- 1.3.0 Accommodation and Land for Contractor's Godown/Workshop:
- 1.3.1 Suitable accommodation will be provided for the Contractor or his authorized representative on chargeable basis, if available.
- 1.3.2 RFCL may allocate land for putting temporary Godown/ workshop for making storage, work site by the Contractor, free of cost:
 - 1.3.2.1 The CONTRACTOR shall at his own cost construct temporary structures as required by them for their office, fabrication shop and construction stores only in the area allocated to them on the project site by the RFCL or his authorised representative and provide suitable water supply and sanitary arrangement and get the same approved by the ENGINEER-IN-CHARGE. No unauthorised buildings, constructions or structures should be put up by the CONTRACTOR anywhere on the project site
 - 1.3.2.2 On completion of the works undertaken by the CONTRACTOR, he shall remove all temporary works erected by him and have the SITE cleaned as directed by ENGINEER-IN-CHARGE.
 - 1.3.2.3 If the CONTRACTOR shall fail to comply with these requirements, the ENGINEER-IN-CHARGE may at the expenses of the CONTRACTOR remove such surplus, and rubbish materials and dispose of the same as he deems fit and get the site cleared as aforesaid; and CONTRACTOR shall forthwith pay the amount of all expenses so incurred and shall have no claim in respect of any such surplus materials disposed of as aforesaid.
 - 1.3.2.4 RFCL reserves the right to ask the CONTRACTOR any time during the pendency of the CONTRACT to vacate the land by giving 7 days' notice on security reasons or on national interest or otherwise.
 - 1.3.2.5 No person except for authorised watchman shall be allowed to stay in the plant area/CONTRACTOR's area after completion of the day's job without prior written permission from ENGINEER-IN-CHARGE.
 - 1.3.2.6 Land for Residential Accommodation: No Land shall be made available for residential accommodation for staff and labour of CONTRACTOR

A. grorath

- 1.4.0 The Contractor shall have to make his own arrangements for all Tools & Tackles, Skilled and Unskilled labours etc. required for the job. The work is subject to inspection at all time by the Engineers-in-charge and the Contractor shall have to carry out the work to the entire satisfaction of the Engineer-in-charge.
- 1.5.0 **Sub-Contracting**: Sub-Contracting of the job will not be allowed without prior written permission of the owner (RFCL).
- 1.6.0 Statutory deduction on account of Income Tax and GST TDS on works contract shall be made at the rates applicable at the time of release of payment to the bidder.
- 1.7.0 The rates quoted will be firm for the currency of the contract period and will not be subjected to escalation irrespective of any increase what so ever. The rates quoted for materials, if any, are F.O.R. RFCL Site, Ramagundam and are inclusive of all taxes. No taxes will be paid extra(excluding GST). However, the escalation pertaining to labour deployment component will be allowed as per clause 1.30.0

1.8.0 Earnest Money Deposit:

- a) The Tenderer should make a deposit of Earnest Money and Tender Fees as prescribed in NIT/Tender by an A/C Payees Demand Draft (Separate for both) drawn on any Scheduled Bank except Rural or Co-Operative Bank in favour of "Ramagundam Fertilizers and Chemicals Limited," payable atRamagundam. The Earnest Money and Tender Fees shall not be accepted in any other form except specified.
- b) The Earnest Money and Tender Fees should accompany the Tender in separate Envelope without which tender may not be opened and it may be considered as rejected at the sole discretion of RFCL. However, Bidders firm registered, Prior to bid submission due date, with NSIC/MSE (Micro & small) vendors are exempted from submission of Tender fee and EMD subject to submission of documentary evidence that the bidder is a Micro or Small Enterprises registered with District Industries Centers or Khadi and Village Industries or National Small Industries Corporation or Directorate of Handicrafts and Handloom or any other body specified by Ministry of Micro, Small and Medium Enterprises or Udyog Aadhaar Memorandum.
 - c) In case tenderers are required to collect tenders from RFCL Office, the tender sets may be given upon the submission of the tender fee in prescribed mode/form as above. In case parties download the tenders from the website, tendered are required to submit the respective tender fee along with EMD.
 - d) Earnest Money Deposit will be refunded to all unsuccessful bidders after award of Contract/Placement of Order against the tender to Successful bidder. Earnest Money Deposit will be refunded to all Technically unsuitable bidders within 30 days after expiry of tender validity period or placement of order against tender whichever is earlier. No Interest shall be payable by RFCL for amount deposited as Earnest Money.
 - e) Earnest Money is liable to be forfeited if tenderer:
 - i. Withdraws or modifies offer in full or part during the validity period
 - ii. Failure of the bidder to honor their offer.
 - iii. Does not accept Purchase / Work Order if placed by RFCL

A ghasially

- iv. Does not Confirm of acceptance of order within the stipulated time after placement of order.
- v. Inability to perform satisfactorily after receipt of order in case of successful bidder.
- vi. If documents submitted along with the bid are found false, fabricated etc.

1.9.0 The following tenders will be liable to summary rejection:

- i. Tenders submitted by Tenderer who resort to canvassing.
- ii. Tenders, which do not fulfill any of the conditions, laid down in the Tender Documents or are incomplete, in any respect.
- iii. Tenders, which contain uncalled for remarks or any alternative additional conditions.
- iv. The company reserve the right to accept the lowest or any other Tender in part or in full or award parallel contracts or reject all OR any of the Tender without assigning any reasons thereof.
- v. Tenders received late / delayed.
- vi. Bidder's bid should be workable and price bids quoting "Nil" consideration or "Negative" or "Zero or its derivatives as contractor's service charge/ profit margin will be rejected summarily.
- vii. Bids having less than current minimum wages as specified by Govt of India/Telangana State Govt. whichever is higher and not fulfilling the related statutory requirements as per applicable labour laws/other laws from time to time.
- viii. Tenders not accompanying the Earnest Money and Tender fee of prescribed value and prescribed mode/form.
- ix. Ring tendering/Cartel formation
- 1.10.0 If the Tenderer has relations whether by blood or otherwise with any of the employees (including employees on deputation) of the RFCL, the tenderer must disclose the relation in the Form of Declaration attached, at the time of submission of tender failing which RFCL shall reserve the right to reject the tender or rescind the Contract.
- 1.11.0 The Contractor shall at all times indemnify RFCL against any claim which may be made under the ESI Act 1948, regulation/ scheme or any statutory modifications thereof or otherwise for or in respect of any damage or compensation payable in consequence of any accident or injury sustained by any workman or other person whether in the employment of the Contractor or not.
- 1.12.0 In every case in which by virtue of provision of ESI Act 1948 or any other Law for the time being in force, RFCL is obliged to pay compensation to a Workmen employed by the Contractor for the execution of the work, RFCLwill recover the amount of the compensation so paid from the Contractor's bill, Security Deposit, Bank Guarantees.
 - a) The Contractor will be solely responsible for any liability for his workers in respect of any accident, injury etc. arising out of and in the course of Contractor's employment. For this purpose, he shall obtain ESI Registration Number from Appropriate Authorities and deposit both Employer's as well as employees share of ESI contribution each month with ESI Authorities and also make necessary compliance of the provisions of the ESI Act, its regulations and scheme. The Contractor shall be responsible for recovery of employees share of ESI contribution from the concerned Contract Labour and RFCL will not bear

A charasy

any liability whatsoever on this account. Further, the Contractor also indemnifiesRFCL against any damages/interest that may be imposed by ESI Authorities on account of non-payment/delayed payments towards ESI.

b) The Contractor shall ensure that contribution on account of ESI is deposited by due date of month and he will be required to furnish photocopy of ESI challan every month by 21st of the month following the month to which it relates. For this purpose, every month the Contractor shall submit to RFCL a copy of wages sheet as a proof of wages paid to the staff, treasury challan regarding depositing of ESI amount etc. for perusal of officer in charge and will also submit quarterly/periodically statements of ESI etc. as required under various labour laws in respect of staff engaged in execution of jobs. He will also submit half yearly return of ESI.

c) Insurance Cover for Workmen:

All workers whose salary is more than Rs 21,000/- per month need not to be covered by ESI. However, contractor to take insurance policy to cover the risk towards temporary disablement and permanent disablement for the workmen.

The contractor shall obtain adequate Insurance Policy in respect of his workmen to be engaged for the work compulsorily towards compensations as admissible under the Workmen's Compensation Act 1923, and Rules framed there under upon death/disablement of a worker. Photocopy of this Insurance policy is required to be submitted by the Contractor to RFCL immediately after the issue of LOA but before the start of the work. Payment against the work done will not be released to the Contractor until and unless photocopy of the Insurance policy is submitted to the RFCL.

CONTRACTOR shall at his cost and expense take out insurance policy from a suitable insurance company acceptable to owner and maintain for the entire period until ACCEPTANCE OF WORKS or until such time thereafter as the CONTRACTOR may consider appropriate the following insurances.

- i. Workmen's Compensation Insurance (WCI): This insurance shall confirm to and satisfy all the requirements of the applicable laws and regulations of the country, state territory or province having jurisdiction over the CONTRACTOR 's employees engaged in the WORKS.
- ii Employer's Liability Insurance (ELI): The insurance shall cover the liability of the CONTRACTOR as employer, for compensation beyond the coverage of the Workmen's Compensation Insurance for bodily injury to or loss of life the CONTRACTOR's employees while engaged in the WORKS.
 - iii. Third Party Liability Insurance (TPL): This insurance shall cover legal liability for bodily injury to loss of life of and/or damage to and loss of properties of the third person party arising out of the performance by the CONTRACTOR of the works.
 - iv. Automobile Liability Insurance (ALI): This insurance shall cover all the CONTRACTOR's liabilities in connection with use by the CONTRACTOR for the WORKS of any mobile equipment and automobile and when used which are owned, non-owned hired and otherwise placed under the CONTRACTOR's administration and control, or bodily injury to loss of life of and/or property damage of any person or party.
 - v. Other Insurance: Other insurance which shall be necessary or which the CONTRACTOR deems necessary for proper performance of the WORKS

A Marouly

33

Inclusion of such insurance requirements in such contracts as aforementioned however, shall not release the CONTRACTOR from any of his responsibilities and liabilities under the CONTRACT.

- 1.13.0 Wages shall be paid by the Contractor to the workman directly into their bank accounts through Electronic Fund Transfer without the intervention of any Jamadars or The kedars and contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by Jamadars from the wages of workman.
- 1.14.0 The Contractor may employ such employees/ labours as he may think fit and the employees so employed shall be employees of Contractor for all purposes whatsoever and shall not be deemed to be in the employment of RFCL for any purpose whatsoever. The Contractor shall abide by all rules, laws and regulations that may be in force from time to time regarding the employment or conditions of service of the employees. If under any circumstances whatsoever, RFCL is held responsible in any manner whatsoever for the default or omission on the part of the Contractor in abiding by the aforesaid rules, regulations and laws or held liable or responsible to the employees of the Contractor in respect of any matter whatsoever and called upon to make payments on that account, RFCL shall be reimbursed by the Contractor for the same as also any other expenses costs and charges incurred by RFCL in any proceeding or litigation arising out of any claim, demand or act on the part of the employees of the Contractor, RFCL shall be entitled to claim, demand or compensation from the Contractor in that event. RFCL shall also be entitled to recover the aforesaid amount from the Contractor from any amounts that may become due and payable to Contractor.
- 1.15.0 In case of any difference of any of the terms and conditions either in the meaning or understanding or contradictory terms or conditions at different places/portions in this document, the stricter terms favoring RFCL will apply. Interested tenderer after studying the tender documents carefully, may obtain necessary clarifications, if any in writing before tendering, submitting of tender implies that the Tenderer has obtained all the clarifications required. No claim on ground for want of knowledge in any respect will be entertained. No claim for extra charge consequent upon any misunderstanding or otherwise will be allowed.
- 1.16.0 The Contractor shall be liable to RFCL for any omission or commission on his part or on the part of his employees thereby causing any loss, damage or inconvenience to RFCL.
- 1.17.0 The Contractor shall make his own arrangement for removal of old as well as unused material, including packing materials and empty cases free of cost from work site to the place indicated by the Engineer-in-charge after completion of work and nothing extra will be paid.
- 1.18.0 The decision of Engineer-in-charge in regard to all matters relating to the Tender and for determine the category of work with reference to material of an item not mentioned in scope of work shall be final.
- 1.19.0 If the Contractor gives an undertaking (along with Technical bid) citing that the PF Code will be obtained before start of work and failure to do so, then RFCL shall have the right to terminate the Contract without any compensation or payment.

do reprograshy

1.20.0 Quantum of Job:

The estimated quantity and value of work has been given on the basis of technical assessment and indicates the approximate quantities. The Contractor shall have to execute any or all the jobs depending upon the requirement of the RFCL. However, RFCL will not give any guarantee for minimum billing or minimum quantum of work to be executed against the contract. The rates shall remain firm for the increased or decreased quantities. Payment shall be made on the basis of actual quantities executed.

1.21.0 Rights of Owner (RFCL): If the Contractor is unable to execute the work and any loss is incurred by the Contractor in this respect, it will be to the Contractor's account. The Company may also terminate the contract after giving 15 (Fifteen) days' notice, if in its opinion, the work under the contract is not being done to its satisfaction.

A unilateral stoppage of work by the Contractor shall be considered a breach of the CONTRACT and the OWNER reserves its right to take necessary and suitable action as it may deem fit, to adequately protect his/its interest at the risk and cost of the contractor. Any aforesaid action shall be without prejudice to any other action rights and remedies etc. that may also be available

In the above events, RFCL shall have right to get the job done by any other agency/ own resources at the risk and cost of the Contractor till the expiry of period of the contract and recover the cost plus 25% to the Contractor.

1.22.0 Validity and Extension of Contract:

- a. Validity of Contract: The contract shall remain valid for a period as specified in NIT reckoned from the date of its award. The job can, therefore, be got done any time during the tenure of the contract. In such case, normally, a notice of 7 days would be given for starting the job but the Contractor should be able to mobilize within 24 hours, if the necessity so arises.
- **b. Extension of Contract:** The extension of contract can be given on the same rates, terms & conditions for a period of three months as per mutual consent. Further extension may be given only in exceptional circumstances based on justification and merit of the case.

1.23.0 FORCE MAJEURE:

The terms and conditions agreed upon under the contract shall be subject to Force Majeure. Neither the Contractor nor RFCL shall be considered in default in the performance of their obligation contained therein, if such performance is prevented or delayed or restricted or interfered with by reason of War, Hostilities, Revolutions, Civil Commotion, Strike, Epidemics, Accidents, Fires Flood, Earthquake, regulation or ordinance or requirement of any Government or any sub-division thereof, or authority or representative of any such Govt. and/or due to technical snag/reasons or any other Act whatsoever, whether similar or dissimilar to those enumerated beyond the reasonable control of the parties/bidders hereto or because of any act of GOD. The party so affected, upon giving prompt notice to the other party shall be excused from such performance to the extent of such prevention, delay, restriction or interference for the period it persists provided that the party so affected shall

A granate

use its best efforts to avoid or remove such causes of non-performance if possible and shall continue performance hereunder with the utmost diligence whenever such causes are removed. Should one or both parties be prevented from fulfilling their contractual obligations by a state of Force Majeure lasting continuously for a period of one week, the two parties to the contract shall meet and decide about the future course of action for implementation of the contract.

1.24.0 Deleted.

- 1.25.0 RFCL shall have power to make any alteration in, omission from, addition to, or substitutions for original Specifications and instructions which may be considered necessary, during the progress of work and Contractor shall have to carry out the work in accordance with any instruction which may be given to him in writing duly signed by Engineer-in-charge. Such alteration, omission, additions, substitutions, shall not invalidate the contract and any altered, additional or substituted work which the Contractor may be directed to do in the manner above specified as a part of the work, shall be carried out by the Contractor on the same condition in all respects on which he has agreed to do the main work.
- 1.26.0 If the rate for the additional altered or substituted work are specified in the contract for the work, the Contractor is bound to carry out the additional, altered or substituted work at the same rate as per specifications in the rate contract for that work.
 - a) In the event the extra or substituted items of the work does not fall in category as above, the cost will be calculated on the basis of actual labour and consumable materials utilized for the job. The quoted rates will be inclusive of overhead and profit. The quantum of labour and consumable material used will be assessed by the Engineer-incharge, whose decision in this respect will be final and binding upon the Contractor. The Contractor will be required to obtain prior approval of RFCL for rates payable to him for such extra items.
 - b) In case, the Contractor fails to do the extra and/or substituted work. RFCL will have the option to get the work done through another agency at the Contractors' risk and cost as per clause no. 1.21.0 of General Terms and Conditions.

1.27.0 Security Deposit:

- a. The Security Deposit together with EMD/Initial Security Deposit shall be 10% of the contract value.
- b. In case of work awarded, Initial Security Deposit (ISD) shall be 2.5 % of the Contract Value which is required to be deposited within 10 days of the issue of the letter of acceptance by the successful tenderer. EMD can be adjusted against Initial Security Deposit. The balance amount of Security Deposit (S.D.) @ 7.5% of the bill value shall be deducted from each Running Bill of the Contractor so as to make the total recovery of Security Deposit @ 10% of the Contract / Work Order Value.
- c. Alternatively, Successful bidder can furnish Performance Bank Guarantee (PBG)/ Bank Guarantee (BG), in lieu of ISD &SD, from any Nationalized / Scheduled Bank except Rural and Co-operative bank equivalent to the 10% of the contract value valid up to

A ghagrally

the expiry of Defect Liability period + three months claim period within 10 days of the issue of the letter of acceptance (As per proforma attached at **Annexure IX**).

- d. In case work is split between two or more parties, SD shall be submitted based on the value of split order.
- e. No interest shall be paid on security deposit. EMD shall be considered as part of SD.
- f. RFCL is entitled without being bound to do so, to adjust the whole or any portion of the security deposit towards the recovery of any amount due to RFCL from the successful tenderer/Contractor.
- g. Security deposit or such portion thereof that has not been adjusted towards recovery of amount due from the successful tenderer/Contractor shall be returned to contractor after obtaining 'No objection certification' from executive department after expiry of 'Defect Liability Period' on demand within 30 days.
- h. If the Contractor submits security deposit in the form of Bank Guarantee (BG) as above, EMD shall be refunded along with first RA Bill payment.
- i. Security deposit shall be forfeited in case the vendor fails to execute the order.

1.28.0 Period of liability (Defect Liability Period):

The Contractor shall guarantee for the work done for a period of 3 months from the date of issue of Completion Certificate. Any damage or defect may arise or lie undiscovered at the time of completion Contractcertificate, in the workmanship shall be rectified or replaced by the Contractor to the satisfaction of RFCL. In default, the Engineer-in-charge may cause the same to be made good by other Contractor and deduct expenses (of which the certificate of Engineer-in-charge shall be final) from any sums that may be there or at any time thereafter become due to the Contractor from his Security Deposit.

1.29.0 PROCEDURE FOR MEASUREMENT/BILLING OF WORKS IN PROGRESS:

a. Measurement and Billing:

All measurement shall be in Metric System. All the works shall be measured jointly by Representatives of Engineer In charge and. Contractor. Contractor shall prepare measurements on prescribed proforma and get it verified from Sectional Heads and Area In charges of the Executive Department at RECL before raising the bill.

The Contractor will submit a bill in approved proforma in triplicate to the Engineer In-Charge of the work giving abstract and detailed measurements for the various items executed during a month before expiry of the 1st week of the succeeding month along with the copy of the following documents and all other documents to comply with the statutory requirement.

- i. Self-attested copy of the challan and ECR with respect to PF deposit relating to previous month.
- ii. Self-attested copy of ESI challan relating to previous month and its payment receipt.
- iii. Self-attested copy of the wage sheet
- iv. Self-attested copy of the proof for transfer of salary to the workers bank account through online transfer (EFT only).
- v. Self-attested copy of GST Deposit relating to previous month.

& charater

vi. Any other document if required as per NIT.

b. Running Account Payments:

All running account payments shall be considered as advance payment against the final bill payment and not as payments for work actually done.

c. Completion Certificate/Final Bill:

The Engineer In-charge shall normally issue to the Contractor the completion certificate within one month after receiving an application thereof from the Contractor after verifying from the completion documents and satisfying himself that the work has been completed in all respects in accordance with the instructions, specifications of contract documents. The Contractor after obtaining the completion certificate is eligible to present the final bill for the work executed by him. The final bill shall be prepared in the prescribed proforma with reference to the total work covered by the contract. Such bill to be drawn up applying the applicable rates specified in the schedule of rates to the relative measured quantities. The final bill shall also include all additional claims of the Contractor and considered as conclusive.

The final bill, complete in all respects, shall be submitted by the Contractor within 30 days of the completion of work. No further claim shall be allowed by RFCL after Final bill. The following documents shall be submitted to comply with statutory requirements apart from the documents to be submitted with the RA bills:

- i. Undertaking against the compliance of the labour laws in the prescribed format
- ii. No claim certificate in the format approved by RFCL
- iii. Copy of the Form 19 (or) Form 13 of employees send to PF office if required.
- iv. Material reconciliation statement for all materials issued by RFCL to the contractor whether on free-issue basis or chargeable basis if any.
- v. No dues certification for facilities provided by RFCL to the contractor.
- vi. Certificate of clearing of temporary establishments of the contractor at site.
- vii. Indemnity certificate towards all Labour payments and statutory payments, indemnifying RFCL/Consultant in this regard.

In case final bill is not submitted within 30 days, as specified above, the Engineer-in-Charge shall be at liberty to carry out their own measurement/recording of work done and may make payment or recover balances based on such measurement/recording which shall be binding on the contractor.

d. Final Certificate:

Within 15 days of Contractors application made after the expiry of the period of defect liability provided in clause 1.28.0 here of satisfaction of all liabilities of the Contractor in respect there of the Engineer In-charge that the Contractor has performed the obligations in respect of the defect liability period and until issue of such final certificate, the contractor shall be deemed not to have performed such liabilities, notwithstanding issue of completion certificate or payment of the final bill by RFCL.

A ghoody

1.30.0 Terms of Payment:

- a. Payment of monthly running account bill complete in all respect shall be made after making necessary recoveries as per contract within 30 days of receipt of bill. Payment of final bill shall be released within 60 days after receipt of bill completed in all respect. Payment of 10 % security deposit/deducted shall be released after completion of defect liability period on demand within 30 days.
- b. All payments shall be made to Contractor through Electronic Funds Transfer (NEFT/RTGS Process) as per information furnished by the Contractor in prescribed e-banking mandate form. Any change in the particulars shall be immediately informed to RFCL.

c. Escalation in Rates:

- i. The escalation/de-escalation in wages, if any, will be reimbursed for the component for the statutory part of the payment like, minimum wages (Basic+VDA), PF, ESI, Bonus, Leave Payment etc., however no escalation/de-escalation will be paid on the contract profit margin.
- ii. Escalation/de-escalation is applicable only in the case of Complete/Pure Man power supply contracts. For all other contracts, prices/rates quoted shall remain firm and fixed till the completion of work/Final certificate as per tender and shall not be subject to escalation. However, if any Contract labour component identifiable in the Contract, RFCL may pay the differential Minimum wages only to the extent of labour component if claimed by the Contractor, in case Minimum Wages are increased subject to submission of supporting documentary evidence.
- The escalation/de-escalation in wages, if any will be reimbursed as per following:
 Formula= Billed amount *Wt. avg. factor*(% of labour component)

Note: Billed amount is an amount excluding GST and Contractors Profit Margin

For example- Calculation of increase in Minimum Wages Impact as given below:

S.No.	Category	Old Rat (Rs./day)	eNew rate(Rs./d ay)	Difference(R s./day)	Proportion factor (Rs.)	Manpower deployed (No's)	Wt.avg difference (Rs./day)
1	Α	В	С	D=C-B	E=D/B	F	G=E*F
2	Skilled	*522	*527	5	0.0096	5	0.0479
3	Semi- skilled	*433	*437	4	0.0092	2	0.0185
4	Un-skilled	*370	*373	3	0.0081	11	0.0892
5				Total	0.0269	18	0.1556
	Wt.avg fac	tor (G5/F5)					0.0086

^{*} The above figures mentioned at **B & C** are indicative and actual figures may change depending upon the minimum wage notifications from GOI/Telangana State Govt. whichever is higher (Minimum of wages of either Telangana state govt. or GOI whichever is higher shall be

A. Gharath

considered at the time of Price bid opening or as referred in the NIT and the same shall be continued till the currency of the Contract)

d. Tax Liability:

- i. The rates to be quoted by the bidder should be inclusive of all duties, taxes, levies, entry tax etc. but excluding GST. The GST will be reimbursed to the contractor against Tax invoice subject to submission of documentary evidence.
- ii. No variation on account of taxes and duties, statutory or otherwise, shall be payable by RFCL to Contractor/Vendor except for GST. However, any statutory variation for GST shall be payable up to date of completion against documentary evidence except for period for which is completion is delayed due to delay by Contractor. Any reduction/deletion in Taxes / duties / cess / levies / fees shall be passed on to RFCL
- iii. Addition of new taxes imposed by the State Governments/Central Government after submission of tender documents and during contractual period shall be to RFCL's account.
- iv. Statutory deductions on account of any law for time being in force shall be made at the rates applicable at the time of release of payment to the bidder.

e. Raising of Invoice/Bill:

Contractor shall issue the tax invoice in accordance with GST Law within stipulated time i.e. 30 days of rendering the service.

If Contractor is a registered taxable person, a tax invoice is issued based on the rules regarding details required in a tax invoice, following are the mandatory fields in an invoice.

- i. Invoice number and date
- ii. Customer name
- iii. Shipping and billing address
- iv. Customer and tax payer GSTIN
- v. Place of supply
- vi. HSN code/ Accounting code of services
- vii. Taxable value and discounts
- viii. Rate and amount of Taxes i.e. CGST/SGST/IGST
- ix. Item details i.e. description, unit price, quantity

In the event that the Contractor fails to provide the invoice in the form and manner prescribed under GST act, RFCL shall not be liable to make any payment against such invoices.

f. Debit notes and credit notes:

All revisions, rectifications, modification, settlement of taxable value or tax charged may have to be carried out through debit notes and credit notes as early as possible. Further, Credit note shall be issued not later than September month following the end of the financial year in which supply was made or date of filing of the relevant annual return,

do Magazin

whichever is earlier. If Contractor fails to issue debit/ credit note as the case may be RFCL may withhold the payment till rectification of such differences.

g. Uploading of Taxable Invoices:

Uploading of taxable invoice and credit/ debit notes shall be done by the Contractor strictly within the period prescribed in GST act. In the event that the input tax credit of GST charged by Contractor is denied by the tax authorities to RFCL for the reason whatsoever, then RFCL shall be entitled to recover such amount from the Contractor by way of adjustment from the next invoice / security deposit. RFCL shall also be entitled to recover interest and penalty, in case it is imposed by the tax authorities on RFCL.

h. Income Tax Permanent Account Number (I-Tax PAN): The Tenderer shall mention the Permanent Account Number allotted by the Income Tax Authorities in his Tender.

1.31.0 Preservation of Free Issue Material:

All materials issued to the Contractor by RFCL shall be preserved against deterioration and storage while under Contractor's custody. Any damage / losses suffered on account of non-compliance with the requirement stipulated herein shall be considered as losses suffered due to willful negligence on the part of the Contractor and he shall be liable to compensate RFCL for the losses suffered at penal rates to be determined by the Engineer In-Charge with reference to the rates charged for the purpose of recovery and shall be final and binding on the Contractor.

1.32.0 Scrap Allowance (For Free Issue Material only):

Contractor will plan the work in such a way that the wastage to be minimum Following scrap allowance will be allowed. Beyond the allowance, the wastage will be chargeable to the contractor on RFCL rate +25% + All Taxes will be charged extra.:

7977)		The second secon		ā :
: 8	Ŝ No	PARTICULARS	SALVAGEABLE	200
	A	STRUCTURE	2.5 %	
1-	В	PIPE	3.0%	12

1.33.0 Issue of material from RFCL:

Any issue of materials from RFCL stores not covered in RFCL obligation will be issued and charged on RFCL issue rate +25% + All Taxes will be charged extra. The issue of such material will be sole discretion of RFCL.

1.34.0 Issue of Gas Cylinder:

Contractor has to make his arrangement for Oxygen and Acetylene Gas. However, the Oxygen and Acetylene gas can be issued on chargeable basis in exigencies subject to the availability constituting following components.

- a) Invoice price of gas.
- b) Rent for each Cylinder per day.
- c) Department charges.
- d) Cost of collection and return of empty Cylinder.

A chooaty

1.35.0 Material Transportation:

The Contractor shall make his own arrangement for Transportation of the material from stores to site of work and to the place of erection etc. at his own cost for making temporary stores/work sites, RFCL may indicate an area at its own discretion for putting up of a temporary hut/shed.

1.36.0 Price Reduction Schedule:

It shall be obligation on the Contractor to adhere strictly to the time schedule as stipulated in Letter of Acceptance/Work order. In the event of work is not completed according to the time schedule, then, unless such failure is due to Force Majeure as defined in Clause 1.23.0 here above or due to RFCL's defaults, then the total contract price shall be reduced by 1 % (One Percent) of the total value of work for every day of delay or part thereof, subject to a ceiling of 10 % of the total value of work, by way of reduction in price for delay and not as penalty. The invoice raised shall take into account the above price reduction, if applicable and payment shall be released for reduced value only. If the Contractor does not raise invoice for reduced value, then the Contractor shall issue a credit note equivalent to the price reduction amount." The decision of Engineer-in-Charge with regard to applicability of Price Reduction Schedule shall be final and binding on the Contractor.

1.37.0 Engineer-In-Charge:

The Engineer-In-Charge shall have general supervision and direction of the work. He has authority to stop the work whenever such a stoppage may be necessary to ensure the proper execution of the contract. He shall also have authority to reject all work, direct the application of forces to any portion of the work as, in his judgment, is required and order force increased or diminished and to decide disputes which arise in the execution of the work. The Officer-In-Charge reserves the right to suspend the work or the part thereof at any time and no claim whatsoever on this account will be entertained. In case of any dispute the Contractor may appeal to the Officer-In-Charge whose decision shall be final and binding.

1.38.0 Jurisdiction:

For any disputes regarding this contract, the exclusive Jurisdiction shall lie in courts situated at Peddapalli (Telangana state) generally where the contract is being executed, and jurisdiction of all other courts is explicitly excluded. This Contract shall be interpreted and governed as per the laws of India/Telangana state.

1.39.0 Conciliation & Arbitration:

Except where otherwise provided in the contract all matters, questions, disputes or differences whatsoever, which shall at any time arise between the parties hereto, touching the construction, meaning, operation or effect of the contract, or out of the matters relating to the contractor breach thereof, or the respective rights or liabilities of the parties, whether during or after completion of works or whether before or after termination shall after written notice by either Parties to the contract be referred to the Designated Unit Head / E.D /CFO/CEO, Ramagundam Fertilizers and Chemicals Limited or his / her nominee for appointment of Arbitrator.

A dogath

The Arbitration & Conciliation Act, 1996 or any statutory modification or re-enactment thereof and the rules made there under shall govern the Arbitration proceedings.

It is agreed by and between the parties that in case a reference is made to the Arbitrator or the Arbitral Tribunal for the purpose of resolving the disputes / differences arising out of the contract by and between the parties hereto, the Arbitrator or the Arbitral Tribunal shall not award interest on the awarded amount more than the rate of SBI MCLR/PLR/ Base Rate as applicable to RFCL on the date of award of contract. The arbitration shall be conducted in English. The award shall be final and binding upon the parties.

1.40.0 Contractor to Remove Unsuitable Employees:

The Contractor shall, on instruction of the Engineer-In-Charge, immediately remove from the work any person employed thereon who misbehaves or causes any nuisance or otherwise in the opinion of the Engineer-In-Charge is not a fit person to be retained on the work and such person shall not be again employed or allowed on the works without the prior written permission of the Engineer -In-Charge.

1.41.0 Safety Regulations:

The Contractor shall observe and abide by all fire and Safety regulations of the RFCL. Before starting maintenance work, the Contractor shall consult RFCL's Safety Officer or the Engineer-in-charge. If the Safety Engineer is not available, he will do familiarize him with such regulations, copies of which will be furnished to him by RFCL, when requested. He shall be responsible for and must make good to the satisfaction of the RFCL any loss or damage due to fire to any portion of the work to be done under this agreement or to any of the RFCL's existing property. All the accidents to Contractor's staff will be reported to the Safety Officer promptly. This will, however, not relieve the Contractor of any other statutory obligations.

The Contractor shall not undertake any hot job without safety work permit. He has to maintain First Aid Box in his office. Also, necessary safety equipment like Helmets, Hand Gloves, Face Shield, Safety Belt etc. are to be provided to his workmen by the contractor. However, special Safety equipment required as per the job requirement will be provided by RFCL free of cost.

For any default / accident / loss due to negligence of Contractor/ workers, the liability of Contractor shall be "Absolute liability".

However, Personal Protective Equipment's shall be provided to the Contractor's workmen by RFCL, on chargeable and permanent (non- returnable) basis. The cost of the item plus 25 % overhead charges shall be recovered from the Contractor.

1.42.0 Contractor to Execute Agreement:

The Contractor's responsibility under this Contract will commence from the date of issue of the LOA / DLOA. The Tender Documents, Other Documents exchanged between the **Goods & Service Tax** Tenderer and RFCL, the Letter of Acceptance, DLOA and Work Order shall constitute the Contract. The successful Tenderer shall have to execute an Agreement with Ramagundam Fertilizers and Chemicals Limited, on a non-judicial stamp paper as notified by Telangana state (Presently Rs.200.00) purchased from Ramagundam/State of Telangana,

As choose

within 10 (Ten) days of date of issue of LOA/DLOA OR Start of Work whichever is earlier. The cost of stamp paper shall be borne by the Contractor.

The agreement shall remain valid for the initial period of WO and all extensions. No separate agreement for extension period shall be required.

The Agreement to be executed shall be in the Proforma which is specified by RFCL in N!T(Annexure-XI).

1.43.0 Bidder to Acquaint Himself Fully:

The Bidder may visit the site and shall acquaint himself fully and thoroughly with the conditions and limitations including scope, requirements and official/statutory regulations, under which, conforming to which and subject to which, services/work are to be performed by him. Failure to comply with the aforesaid requirements will not relieve the BIDDER of his obligations in the event of his tender being accepted nor any claim whatsoever will be entertained on the plea of ignorance or overlooking.

The Bidder shall give an undertaking that the terms and conditions of NIT and other aforesaid conditions are acceptable to him without reservations and no deviations to NIT have been taken while making the offer.

Unless otherwise specifically stated in his bid, it will be assumed that all terms and conditions of NIT are accepted by the bidder without any reservations whatsoever.

1.44.0 Payment for Preparation of Bid Document:

The Bidder shall not be entitled to claim any cost, charges, expenses, losses incidental to the preparation and submission of this tender in any case.

1.45.0 Termination of Contract and its Consequences:

1.45.1 Termination of Contract

Notwithstanding anything elsewhere herein provided and in addition to any other right or remedy of RFCL under the Contract or otherwise including right of RFCL for compensation for delay, the Engineer-in-charge/officer-in-charge may, without prejudice to his right against Contractor in respect of any delay, bad workmanship or otherwise or to any claims for damage in respect of any breaches of the Contract and without prejudice to any rights or remedies under any of the provisions of this Contract or otherwise and whether the date for completion has or has not elapsed by intimation in writing, absolutely, determine the Contract:

Default or failure by Contractor of any of his obligations under the Contract including but not limited to the following, the Contract is liable to be terminated if the Contractor

- a. Becomes bankrupt or insolvent or goes into liquidation or is ordered to be wound up or has a receiver appointed on its assets or execution or distress is levied upon all or substantially all of its assets or any insolvency proceedings have been initiated under Insolvency Bankruptcy Code, 2016, Or
- **b.** Abandons the work, Or Persistently disregards the instructions of the RFCL/ Engineer in Charge in contravention of any provision of the CONTRACT, Or

As chaorally 44

c. persistently fails to adhere to the agreed program of work

Or

- **d.** Sublets the work in whole or in part thereof without RFCL's consent in writing assigns, transfers or sublets or attempts to do so., Or
- e. Performance is not satisfactory or work is abnormally delayed, Or
- f. Defaults in the performance of any material undertaking under this CONTRACT and fails to correct such default to the reasonable satisfaction of RFCL within fifteen days after written notice of such default is provided to the Contractor.
- **g.** Failure to pay minimum wages to the employees/workmen of the Contractor and related statutory payments to the concerned authorities for consecutive period of Three months, or
- h. In the event of theft/untoward incident happened due to act of Contractor and/or its employees, or
- i. Ring tender/Cartel formation/Non-bonafide method, or
- j. RFCL may terminate the Contract due to any reason including reasons due to force majeure, regulations or ordinance of any Government or any other reasons beyond the reasonable control of the RFCL.
- k. Failure to submit the PF code before start of Work and labour license, if applicable, along with first RA bill.

Such termination will be by 15 (fifteen) days' notice in writing and no claim/compensation shall be payable by the RFCL as a result of such termination (except clause 1.45.1 (k)), excepting the fees and costs for the meaningful services rendered by the Contractor and acceptable to RFCL, up to the date of termination. In case of termination of this contract on its expiry or otherwise, the staff deployed by the Contractor will have no claim for any employment in the regular / or any other capacity in RFCL.

1.45.2 Consequences of Termination:

If the contract is terminated by RFCL for the reason detailed under clause above or for any other reason whatsoever:

- a. RFCL reserves the right to get the work completed at the risk and cost of the Contractor and to recover from the Contractor any amount (plus 25%) by which the cost of completing the work by any other agency exceeds the value of the contract, without prejudice to any other remedies/rights/claims etc. that may be available with RFCL.
- b. Security Deposit/Performance Bank Guarantee Bond submitted by the Contractor shall stand forfeited.
- c. The Contractor shall have no right to claim any compensation for any loss sustained by him by reason of his having entered into any commitment or

A . apoorably

made any advances on account of or with a view to the execution of the works, or on account of expected profits.

d. All the dues payable to the Contractor for the work executed by him before and up to termination shall only be released after making adjustments for the expenses, charges, damages and expected losses etc. incurred by RFCL as a consequence of the termination of the contract.

1.46.0 Deleted

1.47.0 TIME EXTENSION:

If the Contractor requires any extension of time for completing the Work under the CONTRACT, he must apply to RFCL within seven days from the date of the occurrence of the event on account of which he desires such extensions and RFCL may, if he thinks such request reasonable, grant such extension of time as he may think necessary.

- 1.48.0 Continued Performance: The Contractor shall not stop work in case of any dispute pending before arbitrator/court/Tribunal in relation to the contract or otherwise unless further progress of works has been rendered impossible due to non-fulfillment of any reciprocal promise. Unilateral stoppage of work by the Contractor shall be considered a breach of CONTRACT and the RECL shall be within its rights to take suitable and necessary action as it may deem fit to adequately protect its own interests.
- 1.49.0 The Contractor shall comply with the provisions of Factories Act, 1948 & Contract Labour (Regulation & Abolition) Act 1970 and rules framed there under & amended from time to time.
- 1.50.0 The Contractor shall abide by all the Acts / Labour Laws related to PF, Wages, Holidays, Leaves, Bonus and Overtime etc. The Contractor is required to comply with all statutory provisions, from time to time, during the tenure of the contract.
- 1.51.0 The Contractor shall ensure that the payment of the minimum wages to the labourers through EFT, specified by the government (State Government or Central Govt. whichever is higher) from time to time, has been made in accordance with the Minimum Wages Act. If at any time, it is noticed or it comes to the knowledge that the payment, to the laborer's employed by the Contractor, is not made in accordance with the Minimum Wages Act, RFCL shall reserve the right to take remedial action to regulate the payments.

In case contractor fails to provide the requisite documents pertaining to statutory payments of contract workers along with the bill, an amount equivalent to 40% of the billed amount pertaining to labour wages may be withheld to take care of fulfillment of statutory requirements such as PF, ESI, Bonus, leave payment etc. by the contractor. Further, the Contractor has to make the payment to his workmen on or before 7th day of the following month directly into their bank accounts. In case Contractor fail to do so, RFCL being the Principal Employer will disburse the payment to Contractor's workmen employed for this work and deduct the amount so paid from his bill. For this, RFCL will recover additional 25% of the total wage bill of the labour, as departmental/ administrative charges.

1.52.0 Loss to Owner (RFCL) during execution of Contract: It is understood by the Contractor that in the event of any losses/damages caused to the owner (RFCL) due to the reasons

A chasially

whatsoever within his control and the same losses/damages are approved, the Contractor has to make good all the consequential damages/losses to the Owner without any protest and demur. The damages/losses shall be apart from other claims/damages to which the Owner is entitled under the contract or in the course of Law. Except with the written consent from RFCL, the Contractor shall not disclose the contract or any provision of the contract to any third party

1.53.0 The Contractor shall ensure that all formalities, permissions, licenses required be complied under the existing laws of India and amendments thereof time to time for and in connection with this contract including engagement / employment of laborers are duly complied with along with maintenance of all records and resisters as required under laws. The Contractor shall indemnify and keep indemnified RFCL from and against all actions, claims, demands and liabilities whatsoever under and in respect of the breach of any provisions pertaining to labor laws and/or against any claim, action or demand by any workman/ employee deployed by the Contractor or any third parties, in relation to work under this Contract.

1.54.0 Deleted

1.55.0 INDEMNIFICATION

The contractor shall have to furnish Indemnity Bond (as per format enclosed as Annexure-X) for value of Rs......towards the material being sent for repair (This Clause shall be applicable for repair of materials).

1.56.0 "If a Bidder resorts to any frivolous, malicious or baseless complaints/allegations with an intent to hamper or delay the tendering process or resorts to canvassing/rigging/influencing the tendering process, RFCL reserves the right to debar such Bidder from participation in the present/future Bids up to period of 2 years".

1.57.0 Time Limit for Any Claim:

Incase the Contractor fails to claim compensation, from RFCL on account of any claim under the contract, in writing to the Engineer In-Charge, within a period of one month of cause of action of such a claim arise, the Contractor shall be deemed to have waived of his right to claim the same.

1.58.0 Where any portion of the General Condition of Contract is repugnant to or at variance with any provisions of the Special Conditions of Contract, unless a different intention appears the provisions of the Special Conditions of Contract shall be deemed to over-ride the provisions of the General Conditions of Contract and shall to the extent of such repugnancy, or variations, prevail.

1.59.0 Priority of documents:

Except if and the extent otherwise provided by the Contract, the provisions of the General Conditions of Contract and Special Conditions shall prevail over those of any other documents forming part of the CONTRACT. Several documents forming the CONTRACT are to be taken as mutually explanatory of one another, but in case of ambiguities or discrepancies the same shall be explained and adjusted by the ENGINEER-IN-CHARGE who shall thereupon issue to the Contractor instructions thereon and in such event, unless

delocater

otherwise provided in the Contract, the priority of the documents forming the Contract shall be as follows:

- a. The Contract Agreement and its Appendices
- b. The Letter of Acceptance/Work Order;
- c. Special Terms and Conditions of Contract (STCC);
- d. General Terms and Conditions of Contract (GTCC);
- e. Instruction to Bidder or letter Inviting bid
- f. Any other document forming part of the Contract.
- 1.60.0 Contractor engaging 20 or more workers must obtain valid Labour License for employing no., of persons as Contract Labour and it should mention the location and the maximum no. of contract labours to be employed/ engaged before actual execution of work and copy be forwarded to HR Dept., before actual execution of work. The contractor shall not undertake or execute any work through contract labour except under and in accordance with the license issued on that behalf by the Licensing Officer. The license may be renewed as per the requirement.

1.61.0 PROHIBITION OF CHILD LABOUR:

Engagement of child labour/adolescent is prohibited and any one violating this clause will be black listed and whenever there are violation of the provisions, the Company will resort to legal action as deemed fit. Person below the age of 18 should not be employed

1.62.0 Corporate Governance Certificate about Compliance of all Labour Laws: Under Companies Act, 2013 (Clause 49), it is mandatory requirement of the Principal Employer to certify that the Contractors are complying with all Labour Laws pertaining to the Payment of Minimum Wage including temporary Contact workers, Contribution deposited Regularly towards ESI & PF, Payment of Statutory Bonus so as to state that the Contractors of the Company are strictly adhering to the rules and regulations and are not violating any applicable Labour Laws. Hence, each Contractor/Agency to give monthly Undertaking with supportive documents stating that they are complying all Laws applicable for all the Contract workers including temporary workers engaged at RFCL site (Proforma attached as Annexure "XII"), and which should be counter verify by the Execution Dept. and after certification month wise, it is forwarded to HR Department

1.63.0 Weekly Off/Holiday:

All the Contract Employees must mandatorily be given a weekly day off (full day). All Contract Employee to get at least a three National Holidays (26th January, 15th August and 2nd October) as paid Holidays and also RFCL's Paid Holidays.

Pay during leave and holidays: Every employee shall be paid at a rate equivalent to the daily average of his wages for the days on which he actually worked during the preceding month exclusive of any earning in respect of overtime.

A eliasath

SECURITY DEPOSIT-CUM-PERFORMANCE BANK GUARANTEE FORMAT (To be prepared on Stamp paper of Rs.500 issued in the name of Bank)

T	nis		GUARANTEE		
0					a bank incorporated and
h	avin	ig its re	gistered office a	at	(hereinafter called BANK) which
					to the context or contrary to the meaning thereof include its part and RAMAGUNDAM FERTILIZERS AND CHEMICALS LIMITED
					er Companies Act, 2013 and having its registered office at Scope
		, ,	•		nal Area, Lodhi Road, New Delhi-110003 India to the context or
					clude its successors and assigns on the other part.
	-	WHERE	AS in pursuand	e to t	he agreement dated(hereinafter called
					een RAMAGUNDAM FERTILIZERS AND CHEMICALS LIMITED
(1	nere	einafter	called OWNE	R and	a Company incorporated in
_ r	2011	gnant to	the context of	•	inafter called CONTRACTOR) which expression shall unless ary to the meaning thereof include its successors and assigns, for
S	ecu	rity Dep	osit-cum-Perfo	rmance	as envisaged in the Contract, Contractor has to submit a Bank Guarantee for Rs
			K - 48	313km,	rees to furnish the Security cum performance Bank Guarantees
h	ere	inafter	contained towa	rds fuli	fillment of all of its obligations under the contract.
			NOW THIS	DEED	WITNESSES AS FOLLOWS:
		The dec	ision of the Ow	ner as	to whether the terms and conditions of this Security Deposit-cum-
					e been observed or not shall be final and binding on the BANK. In
a	ny	case, h	owever the Ba	nk's re	sponsibility under this Security Deposit-cum-Performance Bank
(-	iuar	antee I	s limited to Rs.	A WAS	
1	lس	147 1	of the Con	tract t	he Bank hereby guarantees as a direct responsibility to OWNER
1.				1500	한국·희롱·영·프랑프·프리아
		•			amount of Rsat
	С	wner's	disposal and h	ereby	promises and shall be bound to pay to OWNER, forthwith at
\ \	Č	wner's	written notice	stating	that the contractor has failed to fulfill its obligations under the
	C	ontract	for reasons for	which o	contractor is liable and without any protest or demur and without
	re	ecourse	to contractor a	nd wit	hout asking for any reasons as to whether the amount if lawfully
					entire amount or the portion thereof as mentioned by Owner in
				ot, the	entire amount of the portion thereof as mentioned by owner in
	t	he notic	ce.		
2.	Ţ	his Sec	urity Deposit-cu	ım-Per	formance Bank Guarantee shall be valid for an initial period of
			, .		months from the date of this Bank Guarantee
		ام			ted given by the Bank to Owner become
					months from the issuance of Commissioning /erection /
	C	omplet	ion certificate a	accordi	ng to terms of contract the Security Deposit-cum-Performance
	E	Bank Gu	arantee shall be	ecome	null and void.

4. elagate

This Security Deposit-cum-Performance Bank Guarantee shall be in addition to and shall not 3. affect or be affected by any other security now or hereafter held by Owner on account of money hereby intended to secure and Owner at its discretion and without any further consent from the Bank, and without affecting its rights against the Bank, may compound with, give time or other indulgence to or make any other arrangement with Contractor and nothing done or omitted to be done by Owner in pursuance of any authority or permission contained in this guarantee, shall effect discharge of the liability of the Bank. UNLESS PREVIOUSLY CANCELLED BY THE OWNER, this Security Deposit-cum-Performance Bank will remain in force initially upto_ months Guarantee effective date of Guarantee from the Bank No. dated given by the Bank to the Owner and subject to provisions of paragraph 2 above will stand automatically cancelled on the expiry of the said period. Unless demand or claim under this Bank Guarantee is made on Bank in writing within three months from the date of expiry of this Bank Guarantee, all the rights of Owner against the Bank shall be forfeited, and Bank shall be relieved and discharged from all the liabilities hereunder. 5. Any notice by way of request, demand or otherwise hereunder may be sent by post to the Bank, addressed as aforesaid, and if sent by post, it shall be deemed to have been given at the time when it would be delivered in due course of post, and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate, signed by an officer of the owners, to the effect that the envelope was so posted, shall be conclusive. The Security Deposit-cum-Performance Bank Guarantee is to be returned to the Bank after its 6. expiry in terms of Paragraph 4 above. The Bank declares that it has the power to issue this guarantee and the undersigned have full power to do so. The last date of claim under this Security Deposit-cum-Performance Bank Guarantee shall be 8. (date of expiry + 3 months). Dated _____ this ____day of ____ (Indicate the Name of the Bank with stamp)

A. gracially

Proforma for Indemnity Bond

(To be prepared on Stamp paper of Rs.500)

 and WHEREAS the Owner has agreed to send the said Free issue Material in the terms of the said Contract upon the terms that the Contractor should enter into covenants hereinafter contained. NOWTHIS DEED WITNESSETH AS FOLLOWS In pursuance of the said agreement and in consideration of the promises the Contractor hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	This DEED OF INDEMNITY made between M/s
of the said Contract upon the terms that the Contractor should enter into covenants hereinafter contained. NOWTHIS DEED WITNESSETH AS FOLLOWS 1. In pursuance of the said agreement and in consideration of the promises the Contractor hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. 2. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. 3. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
 In pursuance of the said agreement and in consideration of the promises the Contractor hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	of the said Contract upon the terms that the Contractor should enter into covenants hereinafter
 In pursuance of the said agreement and in consideration of the promises the Contractor hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
 In pursuance of the said agreement and in consideration of the promises the Contractor hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	NOWTHIS DEED WITNESSETH AS FOLLOWS
hereby permits and acknowledges that the Contractor holds and shall always hold the said Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. 2. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. 3. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	1 In pursuance of the said agreement and in consideration of the promises the Contractor
 Free Issue Materials (which will from time to time be sent by the Owner to the Contractor) under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
 under the said contract, in trust for to the order of and on account of the Owner. The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
 The Contractor hereby assume full responsibilities for the said Free Issue Materials shall keep the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	그는 그는 그는 그는 그는 그는 그를 보고 있다. 그는 그는 그는 그는 그는 그는 그는 그는 그는 그는 그는 그를 보고 있다. 그는 그는 그는 그는 그는 그를 보고 있다.
the said Free Issue Materials free of charge to the Owner in the safe place and in good condition. 3. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	the said Free Issue Materials free of charge to the Owner in the safe place and in good
hereafter against all claims, demands, proceedings, losses, damages, costs charges and expenses which may be or brought against the owner of which the Owner may suffer or incur by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	3. The Contractor hereby agrees to indemnify and keep the Owner indemnified at all times
by reason of any loss or damage to the Contractor or its employees caused by the default or negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
negligence of the Contractor or its employees or agent and/or by reasons of breach by the Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	expenses which may be or brought against the owner of which the Owner may suffer or incur
Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	by reason of any loss or damage to the Contractor or its employees caused by the default or
Contractor or its covenants obtained in clause 1 and/or clause 2 hereof. 4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner. 5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	negligence of the Contractor or its employees or agent and/or by reasons of breach by the
5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this Guarantee is restricted to Rs	
Guarantee is restricted to Rs	4. The Contractor agrees that the FIM shall be used only for purpose intended by the Owner.
tillunless an action to enforce claim under the guarantee is filed against Contractor before the aforesaid date all Owner's rights under the said guarantee shall be	5. NOTWITHSTANDING anything stated herein above, Contractor's liabilities under this
Contractor before the aforesaid date all Owner's rights under the said guarantee shall be	Guarantee is restricted to Rs (Rs only) and it will remain in force
	tillunless an action to enforce claim under the guarantee is filed against
forfeited and Contractor shall be relieved and discharged from all the liabilities thereunder.	Contractor before the aforesaid date all Owner's rights under the said guarantee shall be
	forfeited and Contractor shall be relieved and discharged from all the liabilities thereunder.
Dated:	Dated:

A. Choolathy

FORM OF CONTRACT

proprietor/partnership/company etc. under the name and style of ------ (hereinafter referred to as the "Contractor" which expression shall include his/their executors, representatives and permitted assigns/ successors) of the OTHER PART.

NOW, THEREFORE, THIS CONTRACT WITNESSETH AS FOLLOWS:

ARTICLE-I

1.1 CONTRACT DOCUMENTS:

The following documents shall constitute the contract documents, namely:

- a) This agreement of contract;
- b) NIT/Tender documents;
- c) Acceptance of Tender;
- d) Letter of Intent dated -----
- e) Work Order dated -----; and
- f) Further amendments, if any.

A copy of each tender document is annexed hereto and the said copies have been collectively marked Annexure-A.

ARTICLE-2

2.1 WORK TO BE PERFORMED

In consideration of the payments to be made to the contractor as hereinafter provided, he shall, with due care, promptness, accuracy execute the work in accordance with the Notice Inviting Tenders, Special Terms & conditions of Contract, Work Order and Letter of Intent.

ARTICLE-3

3.1 COMPLETION PERIOD

The contract work shall be duly completed in all respect and handed over to within stipulated time schedule from the date of issue of Letter of Intent. The time mentioned herein shall be the essence of the contract.

d. chocate

ARTICLE-4

4.1 JURISDICTION

Notwithstanding any other Court or Courts having jurisdiction to decide the question(s) forming subject matter of a suit, any and all actions and proceedings arising out of or relating to the contract (including any arbitration in terms thereof) shall lie only in the court of a competent civil jurisdiction in this behalf at Peddapalli District of Telangana (where this contract has been signed on behalf of the owner) and only the said Court(s) shall have jurisdiction to entertain and try such action(s) and/or proceeding(s) to the exclusion of all other courts.

ARTICLE-5

5.1 ENTIRE CONTRACT

The contract documents mentioned in Article-1 hereof embody the entire contract between the parties. The parties declare that in entering into this contract they do not rely upon any previous representation whether expressed or implied and whether written or oral, or any inducement, understanding or agreement and all prior negotiations, representations, contract and/or agreements and understanding are hereby cancelled.

ARTICLE-6

6.1 NOTICE

Subject to any provisions in the contract documents to the contrary, any notice or order or communications sought to be served by the contractor on the owner with reference to the contract shall be deemed to have been sufficiently served upon the owner (notwithstanding any enabling provisions under any law to the contrary) only if delivered by hand or by Registered acknowledgement due post to the engineer-in-charge as defined in the general conditions of contract.

Without prejudice to any other mode of service provided for in the contract documents or otherwise available to the owner any notice, order or other communications sought to be served by the owner on the contractor with reference to the contract, shall be deemed to have been sufficiently served if delivered by hand or through registered acknowledgement due to the principal office of the contractor at his/their address mentioned on page No.1.

ARTICLE-7

7.1 WAIVER

No failure or delay by the owner in enforcing any right or remedy in terms of the contract or any obligations or liability of the contractor in terms thereof shall be deemed to be a waiver of such right, remedy, obligation or liability as the case may be, by the owner and notwithstanding such failure or delay, the owner shall be entitled at any time to enforce such right, remedy, obligations or liability, as the case may be.

& charater

ARTICLE-8

8.1 NON-ASSIGNABILITY

The contract and benefits and obligations thereof shall be strictly personal to the contractor and shall not on any account be assignable or transferable by the contractor.

ARTICLE-9

9.1 ARBITRATION

Except where otherwise provided in the contract all matters, questions, disputes or differences (Dispute's) whatsoever, which shall at any time arise between/among the parties hereto, touching the construction, meaning, operation or effect of the contract, or out of the matters relating to the contract or breach thereof, or the respective rights or. liabilities of the parties, whether during or after completion of works or whether before or after termination shall after written notice by either party to the contract shall be resolved / settled amicably through negotiation by the parties. For the same, one party shall issue dispute notice in this regard, to the other party. If the said dispute/s could not be settled amicably within 45 days from the date of receipt of dispute notice by other party, then, party/ies may refer the said dispute/s for adjudication through Arbitration, as prescribed hereinafter.

On failure of amicable resolution/settlement as above. The dispute/s shall be referred / adjudicated through Arbitration under / in accordance with "Arbitration Centre (Domestic and International), High Court of Judicature at Hyderabad for the state of Telangana and the State of Andhra Pradesh Rules, 2015" as amended or modified or re-enacted from time to time. Where the said rules are silent or in conflicts with Indian Laws, same shall be governed by Arbitration & Conciliation Act 1996; as amended or modified or re-enacted, from time to time

The number of Arbitrator shall be three (3) in case of matter involving total amount of claims (without considering claim of interest) more than Rs. 3 Crore, otherwise number or Arbitrator shall be one (1) i.e. (Sole) Arbitrator.

The language of Arbitration shall be English.

The Governing Law Shall be Laws of India and dispute/s shall be adjudicated as per Indian Laws.

For the convenience of parties, the venue of Arbitration shall be as per above rules i.e., Arbitration Centre, Hyderabad, However, the Seat of the Arbitration Shall be, Ramagundam, Peddapalli District, State of Telangana. The courts at Ramagundam Peddapalli District, State of Telangana shall, have exclusive Jurisdiction.

It is also agreed by and between the parties that in case a reference is made to the Sole Arbitrator / Arbitral Tribunal for the purpose of resolving the dispute/s arising out of the contract by and between the parties hereto, the Arbitrator or the Arbitral Tribunal shall not award interest on the awarded amount more than the SBI MCLR Rate applicable to RFCL on the date of award of contract.

A. elsonath

IN WITNESS WHEREOF the parties hereto executed this contract on ----the day of -----, and shall come into force w.e.f. ------.

SIGNED AND DELIVERED FOR AND ON BEHALF OF

Ramagundam Fertilizers and Chemicals Limited (With Rubber stamp)

Contractor (With Rubber stamp)

Witness

Witness

1.

1.

2.

2.

A. Bootel

Certificate of Compliance Of Statutory Provisions of Labour Laws

Awarded to M/s having Work Order No. dated Rs. ag presence of Authorised Officer of & Others and no complaint has b paid wages for the month of EPF and ESI Contributions for th deployed as mentioned at SI. No. 1. Minimum Wages Act-197 2. Employee's Provident Fur	for which RA bill ainst which payme Executing /HR depa een lodged till date ne above referred i	No	has already b made on (date as per Minimum r of the above co neen deposited	Wages Act, Bonu ontractor who ha in r/o manpowe
dated Rs. ag presence of Authorised Officer of & Others and no complaint has b paid wages for the month of EPF and ESI Contributions for the deployed as mentioned at SI. No. 1. Minimum Wages Act-197	for which RA bill ainst_which_payme Executing /HR depa een lodged till date ne above referred i	No	has already b made on (date as per Minimum r of the above co neen deposited	Wages Act, Bonu ontractor who ha in r/o manpowe
aged Rs. age presence of Authorised Officer of Contents and no complaint has be paid wages for the month of EPF and ESI Contributions for the deployed as mentioned at SI. No. 1. Minimum Wages Act-197	for which RA bill ainst_which_payme Executing /HR depa een lodged till date ne above referred i	No	has already b made on (date as per Minimum r of the above co neen deposited	Wages Act, Bonu ontractor who ha in r/o manpowe
aged Rs. age age age age age age age age age age	for which RA bill ainst_which_payme Executing /HR depa een lodged till date ne above referred i	No	has already b made on (date as per Minimum r of the above co neen deposited	Wages Act, Bonu ontractor who ha in r/o manpowe
presence of Authorised Officer of & Others and no complaint has be paid wages for the month of EPF and ESI Contributions for the deployed as mentioned at SI. No. 1. Minimum Wages Act-197	Executing /HR depa een lodged till date ne above referred i	irtment and is a by any labour month have i	as per Minimum r of the above co neen deposited	Wages Act, Bonu ontractor who ha in r/o manpowe
resence of Authorised Officer of COthers and no complaint has be laid wages for the month of PF and ESI Contributions for the leployed as mentioned at SI. No. 1. Minimum Wages Act-197	Executing /HR depa een lodged till date ne above referred i	irtment and is a by any labour month have i	as per Minimum r of the above co neen deposited	Wages Act, Bont ontractor who has no manpower in r/o manpower
deployed as mentioned at SI. No. 1. Minimum Wages Act-197	to			
		"我们们,我们们的人"		er.
2. Employee's Provident Fur	0, Factories Act-194	48 & 2013, Wo	rkman Compens	sation Act-1923.
	nd & Miscellaneous	Provision Act-	1952.	
3. The Payment of Bonus Ac	t-1965			
4. Any other Labour Law for	med by State/ Cent	tral Governme	nt from time to t	time and relevant
to the above contract.			11 독선 그 :	
생활중하면 나는 그 이번의 꽃		(Si	gnature of Conti	ractor with Seal)
Authorised Signatory				
Signature & Seal (Executing Department)				
(executing Department)				
		大心(P\$P+4) 新華 "放展。	強なさい おりょうしょ	and the second s

A. chagaely

Encl: Supporting Documents

Signature & Seal (HR Department, RFCL)

S.No. DESCRIPTION OF ITEM SUB HEAD "A": EARTH WORK Earth work in excavation by mechanical means (Hydraulic excavator) manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. a All kinds of soil Cu.M. 38.00 136.82 Cu.M. 2.00 384.57 Supplying & filling in areas, foundation trenches, plinths, sides of foundations etc. and consolidating the same by ramming and watering complete, using: Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposted layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including amming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Cu.M. 4.00 539.96 Cu.M. 23.00 1637.05 Cu.M. 23.00 1637.05 Cu.M. 23.00 1637.05 Cu.M. 23.00 1637.05 Cu.M. 30.00 211.04 Cu.M. 30.00 211.04 Cu.M. 30.00 211.04 Cu.M. 30.00 211.04 Cu.M. 30.00 211.04	ANNEXURE - A SCHEDULE OF RATES								
SUB HEAD "A": EARTH WORK Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. a All kinds of soll	- I			Quantity	Rate	Total amount			
Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. a All kinds of soil Cu.M. 38.00 136.82 b Ordinary rock Cu.M. 2.00 384.57 Supplying & filling in areas, foundation trenches, plinths, sides of foundations etc. and consolidating the same by ramming and watering complete , using : Filling available excavated earth excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty), by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-in-Charge. CARRIAGE OF earth by Mechanical Transport including watering, ramming, consolidating and dressing complete as per instruction of Engineer-in-Charge. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. Cu.M. 30.00 211.04	S.NO.		-						
b Ordinary rock Cu.M. 2.00 384.57 Supplying & filling in areas, foundation trenches, plinths, sides of foundations etc. and consolidating the same by ramming and watering complete, using: Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CU.M. 30.00 211.04	1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5							
Supplying & filling in areas, foundation trenches, plinths, sides of foundations etc. and consolidating the same by ramming and watering complete, using: Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km. Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	а	All kinds of soil	Cu.M.	38.00	136.82	5199.23			
foundations etc. and consolidating the same by ramming and watering complete , using: Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 50m and upto 1km	b	Ordinary rock	Cu.M.	2.00	384.57	769.13			
plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m. Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 50m and upto 1km CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 2km and upto 3km CU.M. 83.00 189.48 CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 2km and upto 3km CU.M. 30.00 211.04 Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	2	foundations etc. and consolidating the same by ramming and							
by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km Cu.M. 83.00 189.48 CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km Cu.M. 30.00 211.04 Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	a	plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and	Cu.M.		151.08	15108.22			
Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per instruction of Engineer-In-Charge. CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km Cu.M. 100.00 167.69 CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km Cu.M. 83.00 189.48 CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km Cu.M. 30.00 211.04 Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	b	by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm	Cu.M.		539.96	2159.86			
CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 1km and upto 2km CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km Cu.M. 30.00 211.04 Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	С	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete as per	Cu.M.	23.00	1637.05	37652.04			
Cu.M. 83.00 189.48 CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 2km and upto 3km Cu.M. 30.00 211.04 Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	3	CARRIAGE OF earth by Mechanical Transport including loading,unloading and stacking beyond 50m and upto 1km	Cu.M.	100.00	167.69	16769.35			
Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	4	CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 1km and upto 2km	Cu.M.	83.00	189.48	15727.24			
but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:	5	CARRIAGE OF earth by Mechanical Transport including loading, unloading and stacking beyond 2km and upto 3km	Cu.M.	30.00	211.04	6331.35			
	6	but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto	Sq.M.	188.00	100.09	18817.29			
excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.	7	exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil and disposal of sur	c of of g						
a a) All kinds of soil. Cu M. 225.00 200.65	а		Cu M.	225.00	200.65	45145.44			
TOTAL OF SUB-HEAD - "A"		TOTAL OF SUB-HEAD - "A"				1,63,679.			

A. Shoootly


ANNEXURE - A SCHEDULE OF RATES							
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount		
	SUB HEAD-"B": CONCRETE / MASONRY / FLOORING /						
	PLASTER /WATER PROOFING WORK						
	Providing and laying in position cement concrete of specified						
1 .	grade excluding the cost of centering and shuttering - All work up to plinth level		·				
а	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	Cu.M.	4.00	5250.88	21003.51		
b	1:2:4 (1 cement: 2 coarse sand(karera sand) : 4 graded stone aggregate 20 mm nominal size).	Cu.M.	50.00	6072.97	303648.26		
	Providing and laying in position specified grade of reinforced						
2	cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from	Cu.M.	5.00	6972.71	34863.57		
	natural sources)						
	Reinforced cement concrete work in beams, suspended floors,						
3	roofshaving slope up to 15° landings, balconies, shelves, chailas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	cum	4.00	8868.76	35475.03		
	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural						
	sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but			i			
4	excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Extra cement up to 10% of the minimum specified cement content in design mix shall be payable						
	separately. In case the cement content in design mix is more than 1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level.						
а	Concrete of M25 grade with minimum cement content of 330 kg	cum	4.00	7326.52	29306.09		



ANNEXURE - A							
	SCHEDULE OF RAT	1			T-t-lt		
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount		
5	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than						
a	1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level. Concrete of M30 grade with minimum cement content of 350 kg		4.00	7442.88	29771.52		
<u>. </u>	/cum						
6	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or beat the cost of extra cement. All works above plinth level upto floor \ level.						
а	Concrete of M25 grade with minimum cement content of 330 kg/cum	cum	4.00	7600.67	30402.67		

A. phograth

	ANNEXURE - A SCHEDULE OF RA	TES			34.00
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and				
7	workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. Extra cement up to 10% of the minimum specified cement content in design mix shall be payable			,	
	separately. In case the cement content in design mix is more than 1.10 times of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works above plinth level upto floor V level.				
а	Concrete of M30 grade with minimum cement content of 350 kg /cum	cum	6.00	7717.02	46302.15
- 8	Centering and shuttering including strutting, propping etc.and removal of form for:				
а	Foundations, footings, bases of columns etc. or mass concrete and precast shelves.	Sq.M.	38.00	302.28	11486.64
b	Suspended floors, roofs, landings balconies and access platforms.	Sq.M.	15.00	714.75	10721.25
С	Shelves (Cast in situ)	Sq.M.	15.00	714.75	10721.25
d	Lintels, beams, plinth beams,girders,bressumers and cantilevers.	Sq.M.	8.00	567.64	4541.10
9	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete using TMT bars (FE 500D) or more both above and below plinth level.	Kg.	375.00	83.13	31175.16
10	Extra for providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification.	I nor all va	8.00	13.99	111.92
11	Random Rubble Masonry with hard stone in foundation & plinth including levelling up with cement concrete 1:6:12 (1 cement: 6coarse sand: 12 graded stone aggregate 20 mm nominal size) at plinth level with cement mortar 1:6 (1 cement: 6 coarse sand).	Cu.M.	5.00	5635.71	28178.57
12	Cement concrete flooring with cement concrete 1:2:4(1 cement: 2 coarse (karera) sand: 4 graded stone aggregate 20/12.5 mm nominal size) finished with a floating coat of neat cement including cement slurry, rounding off edges and providing glass strips in joints etc. wherever required complete:				
а	40 mm thick with 20 mm nominal size stone aggregate.	Sq.M.	4.00	473.43	1893.72



ANNEXURE - A SCHEDULE OF RATES							
.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount		
13	Providing and laying rectified (antiskid) Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand), iointing with grey cement slurry @ 3.3 kg/ sqm including pointing the ioints with white cement and matching pigments etc., complete.	Sq.M.	8.00	1109.53	8876.23		
14	Providing and laying rectified (antiskid) Glazed Ceramic floor tiles of size 300x300mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), iointing with grey cement slurry @ 3.3 kg/ sqm including grouting the ioints with white cement and matching pigments etc.,	SQM	15.00	1025.20	15378.01		
15	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622(thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineerin-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and iointing with grey cement slurry @3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	sqm	8.00	977.37	7818.97		
16	Kota stone flooring with 25 mm thick Kota stone of approved quality over 20 mm thick cement mortar 1:4(1 cement : 4 coarsesand) base and iointed with cement slurry including providing and mixing pigments wherever required, rubbing, polishing etc. complete.		2.00	1501.76	3003.53		
17	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete	SQM	2.00	1815.07	3630.14		
18	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling /grouting and finishing complete as per direction of Engineer in-charge. Size of Tile 600x600 mm	Sqm	75.00	238.22	17866.82		
19	Providing and applying cement plaster 1:4 (1 cement: 4 fine sand)		·			
a b	12 mm thick. 15 mm thick.	Sq.M. Sq.M.	250.00 150.00	267.52 307.91	66878.93 46186.06		
20	Supply of MS Wire mesh(Rabbit)	Sq.M.	25.00	45.60	1140.04		
21 a	Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	Cu.M.	2.00	6199.23	12398.45		



:	ANNEXURE - A SCHEDULE OF RAT	ΓES			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
22	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per				
a	direction of Engineer-In-Charge 25mm avg thickness	Sq.M.	15.00	97.70	1465.54
a	Zonim avg tillomiess	Oq.W.	13.00	91.10	1403.04
23	Pointing on stone work with cement mortar 1:3 (1 cement : 3 fine sand):		*		
а	Flush/ Ruled pointing	Sq.M.	1.00	297.08	297.08
<u> b </u>	Raised and cut pointing	Sq.M.	1.00	540.39	540.39
24	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the ioints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge.				
а	60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	Sq.M.	10.00	806.02	8060.16
25	Dry stone pitching 22.5 cm thick including supply of stones and preparing surface complete.	sqm	3.00	680.76	2042.27
26	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) iointing with grey cement slurry @3.3 kg/sqm including grouting the ioints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Double charge vitrified tile polished finish of size				
a	Size of Tile 600x600 mm	Sq.M,	8.00	1120.51	8964.11
b	Size of Tile 800x800 mm	Sq.M.	8.00	1183.10	9464.84
27	Supplying and applying bituminous solution primer on roof and / or wall surface at 0.24 litre per sqm.	sqm	15.00	45.83	687.39
28	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect.				
а	Epoxy bonding adhesive having coverage 2.20 sqm/kg of approved make	sqm	23.00	219.84	5056.32



ANNEXURE - A SCHEDULE OF RATES								
			0	D-4-	Tatalamount			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount			
29	Providing and fixing up to floor five level precast cement concrete solid block, including hoisting and setting in position with cement mortar 1:3 (1 cement : 3 coarse sand), cost of required centering, shuttering complete : 1:1½:3 (1 Cement: 1½ coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size).	cum	2.00	13789.53	27579.05			
	TOTAL OF SUB-HEAD - "B"				8,76,936.71			
	TOTAL OF COSTILAD							
	SUB HEAD - "C": WOOD WORK		· · · · · · · · · · · · · · · · · · ·					
1	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings /wooden frames with rawl plugs screws etc.	KG	10.00	183.73	1837.27			
	Providing and fixing aluminium casement windows fastener of	each						
2	required length for aluminium windows with necessary screws etc. complete. Powder coated minimum thickness 50 micron aluminium		100.00	75.50	7550.26			
3	Renewing glass panes with putty and glazing clips/wooden fillets wherever necessary including the cost of glass sheets which shall be supplied by the contractor at his own cost:							
а	Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	Sq.M.	10.00	840.70	8407.03			
b	Float glass panes of nominal thickness 5 mm (weight not less than 12.5kg/sqm)	Sq.M.	10.00	1091.61	10916.07			
4	Supplying and fixing new wooden fillets wherever necessary:							
а	Hollock Wood Fillets	RM	200.00	54.54	10907.21			
5	Renewal of old putty of glass panes with new putty including removal and disposal of old putty complete.(Length of putty fixed in position shall be measured for payment).	RM	50,00	43.28	2164.10			
6	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868 transparent or dyed to required colour or shade, with necessary screws etc. complete:)						
а	300x10 mm	Each	10.00	100.28	1002.85			
b	200x10 mm	Each	10.00	76.85	768.52			
7	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS 1868), transparent or dyed to required colour or shade, with nutrand screws etc. complete	: s						
а	300 mm x 16 mm.	Each	5.00	233.75	1168.77			
8	Providing and fixing aluminium handles 125 mm, ISI marked anodised (anodic coating not less than grade AC 10 as per IS 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	Each	20.00	51.07	1021.35			
9	Providing and fixing ISI marked aluminium butt hinges anodise (anodic coating not less than grade AC 10 as per IS: 1868 transparent or dyed to required colour or shade with necessar screws etc. complete:	3)						
а	125x75x4 mm	Each	5.00	115.70	578.51			




	ANNEXURE - A SCHEDULE OF RATES							
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount			
b	125x63x4 mm	Each	30.00	97.63	2928.76			
С	100x75x4 mm	Each	10.00	88.95	889.54			
10	Providing and fixing aluminium casement stays, ISI marked, anodised(anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	Each	5.00	55.11	275.57			
11	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide				,			
а	plate etc. complete as per the direction of Engineer-in-charge. With stainless steel cover plate minimum 1.25 mm	Each	5.00	2176.70	10883.51			
	thickness							
12	Stainless steel SS grade 304, curtain rod 20 mm dia 1.20mm thick	Metre	60.00	148.75	8924.87			
13	Stainless steel SS grade 304, brackets (curtain rod) 20 mm dia 1.20mm thick	Each	100.00	54.29	5428.75			
14	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS: 1328 (type-1), for plain lining / cladding with necessary screws, including priming coat on unexposed surface with							
а	Decorative veneer facings of approved manufacture	Sq.M.	5.00	1500.22	7501.12			
15	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete. 10.29.1							
а	Galvanised M.S. Wire gauze with 0.63 mm dia wire and 1.4 mm aperture on both sides	Sq.M.	5.00	651.12	3255.59			
16	Providing and fixing plain lining with necessary screws/nuts & bolts/nails, including a coat of approved primer on one face, and fixed on wooden /steel frame work, complete as per direction of Engineer-incharge(Frame work shall be paid for separately).							
a	12mm thick commercial ply conforming to IS: 1328 BWR type	Sq.M.	10.00	943.99	9439.94			
17	Providing and fixing cupboard shutter with 19mm thick one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineer-incharge.(Payment of providing and fixing auto closing hinges shall be paid separately)	Sq.M.	50.00	2180.86	109043.20			
18	Providing and fixing 6mm thk 600x450 mm beveled edge mirror or superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	Fach	5.00	1239.45	6197.26			



	ANNEXURE - A SCHEDULE OF RATES							
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount			
19	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade,							
а	with necessary screws etc. complete. Single rubber stopper	Each	10.00	30.52	305.25			
20	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	Each	2.00	835.19	1670.38			
21	Providing and fixing toilet paper holder							
a	C.P. brass	Each	5.00	619.51	3097.57			
22	Providing and fixing 50 cm long aluminium kicking plate of size 100x3.15 mm, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete.	Each	10.00	184.54	1845.36			
23	Providing and fixing sliding arrangement in racks/cupboards/cabinets shutter by with stainless steel rollers to run inside C or E aluminium channel section (The payment of C or E channel shall be made separately)	Fach	50.00	15.72	786.24			
24	Providing and fixing PVC Door Frame of size 50x47 mm with a wall thickness of 5 mm (± 0.2 mm), made out of single piece extruded PVC profile, with mitred cut ioints and ioint with 2 nos of PVC bracket of size 190 mm x 100 mm long arms of cross section size35 x 15 mm & self driven self taping screws, the vertical door profiles to be reinforced with 40x20 mm M.S. rectangular tube or 0.8 mm, including providing EPDM rubber gasket weather sea throughout the frame, including iointing 5 mm PVC frame strip with PVC solvent cement on the back of the profile. The door frame to be fixed to the wall using 8 x100 mm long anchor fasteners complete, all as per manufacturer's specification and direction of Engineer -in- charge	Metre	10.00	442.03	4420.31			
	35 mm thick factory made Solid panel PVC Door shutter, made out of single piece extruded soild PVC profiles, 5 mm (± 0.2 mm thick, having styles & rails (except lock rail) of size 95 mmx 3 mm x 5 mm, out of which 75 mm shall be flat and 20 mm shall be tapered (on both side), having one side thickness of 15 mm integrally extruded on the hinge side of the profile for better screen holding power, including reinforcing with MS tube of size 40 mm x 20 mm x 1 mm, ioints of styles & rails to be mitered cut & ioin) 5 9 1 V						
25	with the help of PVC solvent cement, self driven self tappin screws & M.S. rectangular pipes bracket of size 190 mm X 10 mm of cross section size 35 mm x 17 mm x 1 mm at each corne Single piece extruded 5 mm thick solidPVC Lock rail of size 11 mm x 35 mm, out of which 75 mm to be flat and 20 mm to b tapered at both ends, having 15 mm solid core in middle of resection integrally extruded, fixing the styles & rails with the help of solvent and self driven self tapping screws of 125 mm x 11 mm including providing 5 mm Single piece solid PVC extruded sheet inserted in the door as panel, all complete as per manufacturer	g 0 5 e ill of n,						
	specification and direction of Engineer-in-charge. Non decorative finish (matt finish)	Sq.M.	5.00	3081.34	15406.72			
a	INOUT GEODIAGNE HIMSH (MARK HIMSH)		1					




······································	ANNEXURE - A SCHEDULE OF RA	TES			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
26	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 250x10 mm	Each	5.00	64.67	323.36
27	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion):				
a a	Treatment at points of contact of wood work by chemical emulsion Chlorpyriphos/ Lindane (In oil or kerosene based solution) @ 0.5 litres per hole by drilling 6 mm dia holes at downward angle of 45 degree at 150 mm centre to centre and sealing the same	Metre	10.00	215.60	2156.00
28	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge.	Each	5.00	655.24	3276.21
29	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.				
а	65mm	Each	5.00	287.06	1435.28
30	Providing and fixing powder coated telescopic drawer channels 300 mm long with necessary screws etc. complete as per directions of Engineer-in-charge.		10.00	319.28	3192.77
31	Providing and fixing stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per directions of Engineer- in-charge.		150.00	682.26	102338.92
32	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge Powder coated minimum thickness 50 micron aluminium	oach	10.00	84.25	842.51
33	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineerin-charge complete.	ĺ			
а	205 X 19 mm	Each	10.00	265.40	2653.96
34	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item):				
а	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	Sq.M.	15.00	1160.29	17404.32
35	Providing and fixing concealed hinge of approved quality for 19-20mm thick door with stainless steel screws complete :	Each	300.00	111.04	33311.31
36	Filling the gap in between aluminium frame & adiacent RCC/ Brick/Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
а	Upto 5mm depth and 5 mm width	Mtr	100.00	74.58	7457.76




- 1000 10	ANNEXURE - A SCHEDULE OF RAT	FS	Г	s	
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
37	Providing and fixing chromium plated brass handles with screws etc. complete:necessary- 125mm	Unit	50.00	178.10	8904.99
<u> </u>			No. of the control of		
	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash			£	
38	fasteners of required dia and size, including necessary filling up the gaps at lunctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and iointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all	kg	15.00	416.13	6241.97
	complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)				
39	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)	kg	15.00	495.99	7439.84
40	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. Complete 125 mm	each	10.00	30.79	307.95
41	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. Complete 300x16 mm	each	10.00	166.92	1669.23
42	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:		·		
a	250x10 mm	Unit	10.00	88.76	887.61
b	150x10 mm:	Unit	10.00	63.63	636.32
43	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32 mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	metre	11.00	440.10	4841.14
		<u> </u>	<u> </u>		
44	Providing and fixing to existing door frames: 30 mm thick Fiberglass Reinforced Plastic (F.R.P.) flush door shutter in different plain and wood finish made with fire retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate all around, with suitable wooden blocks inside at required places for fixing of fittings and polyurethane foam (PUF)/Polystyrene foam to be used as filler material throughout the hollow panel, casted monolithically with testing parameters of F.R.P. laminate conforming to table - 3 of IS: 14856, complete as per direction of	Sqm	5.00	3460.21	17301.03




	ANNEXURE - A SCHEDULE OF RA	TES			`
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
45	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	No .	5.00	757.84	3789.20
46	Providing and fixing 19 mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes, shelves, racks, almirah, cupboard and drawer etc. including necessary nails, screws etc. complete as per direction of Engineer-in-charge.	sqm	100.00	1998.87	199887.15
47	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	sqm	20.00	1844.32	36886.41
48	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. Piano hinges IS: 3818 marked with necessary screws	sqm	20.00	2173.16	43463.11
49	Providing and fixing fly proof wire gauze to windows, clerestory windows & doors with MS flat 15*3 mm and nuts & bolts comlete. Stainless steel (grade 304) wire gauze of 0.5 mm dia wire and 1.4 mm aperture on both sides.	Sam	20.00	873.77	17475.43
50	Providing and fixing magnetic catcher of approved quality in cupboard /wardrobe shutters, including fixing with necessary screws etc. complete. Double strip (horizontal type)		20.00	30.60	612.04
	TOTAL OF SUB-HEAD - "C"				7,63,357.68
	SUB HEAD "D" - WATER SUPPLY & SANITARY WORKS				
. 1	Providing and fixing white vitreous china water closet squatting pan (Indian type): Orissa pattern W.C. pan of size 580x440 mm	Each	2.00	2442.79	4885.58
2	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	Each	5.00	2146.72	10733.58
3	Providing and fixing controlled flush, low level cistern made or vitreous china with all fittings complete.	f			
а	10 litre (full flush) capacity-white	Each	5.00	1729.54	8647.72
4	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete.				
а	10 litre capacity - White	Each	5.00	917.79	4588.93
5	Providing and fixing white vitreous china wash basin including making all connections but excluding the cost of fittings				



	ANNEXURE - A SCHEDULE OF RAT				
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
а	Flat back Wash Basin of aproved make of size 550 X 400 mm.	Each	5.00	765.12	3825.62
6	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required :Kitchen sink without drain				
а	610x510 mm bowl depth 200 mm	Each	3.00	3808.50	11425.51
7	Providing and fixing 32 mm dia. CP brass trap(bottle trap) for wash basin and sink.	Each	5.00	797.65	3988.26
8	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm or 340x410x265 mm sizes respectively.	Each	2.00	1271.06	2542.11
9	Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge.				
а	15 mm nominal dia	Each	3.00	5350.12	16050.36
10	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
10.1 a	Semi rigid pipe 32 mm dia.	Each	120.00	80.09	9610.68
11	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete:				
а	White solid plastic seat with lid	Each	15.00	527.90	7918.52
12	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
a	Semi rigid pipe 40 mm dia.	Each	20.00	89.96	1799,11
13	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931		40.00	140.00	4400.00
a	15 mm nominal bore.	Each	10.00	442.69	4426.86
14	Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge	Each	25.00	57.66	1441.45
15	Providing and fixing ball valve (brass) of approved quality complete (high pressure) with plastic float:				
a	15 mm nominal bore.	Each Each	10.00	313.61 357.70	3136.11 3577.03
<u>b</u>	25 mm nominal bore		10.00	337,70	3077.00
16	Providing and fixing gun metal gate valve with C.I wheel of approved quality (screwed end).	Each	2.00	479.76	959.53
a b	25 mm nominal bore 40 mm nominal bore	Each	2.00	636.78	1273.56
C	50 mm nominal bore	Each	2.00	791.37	1582.74
d	80 mm nominal bore	Each	2.00	2007.66	4015.32
17	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately):				
17.1	100 mm diameter				
а	Class II 150 mm diameter	Each	2.00	3843.23	7686.46




	ANNEXURE - A SCHEDULE OF RATES							
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount			
а	Class II	Each	2.00	5636.60	11273.20			
18	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:		-					
а	25 to 40 mm nominal bore	Each	5.00	702.92	3514.59			
b	50 to 80 mm nominal bore	Each	, 5.00	1376.20	6880.99			
19	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet:			-				
а	100 mm diameter	Each	10.00	149.50	1495.02			
20	Supply of 15 mm C.P.brass pillar tap	Each	15.00	322.47	4837.02			
21	Providing and fixing G.I pipes complete with G.I fittings and clamps,i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall.		00.00		40400			
_ <u>a</u>	15mm dia nominal bore	RM	30.00	447.43	13422.81			
b	20mm dia nominal bore.	RM	15.00	489,63	7344.45			
22	Provinding and fixing pipes complete with G.I fittings,including trenching and refilling etc.							
а	15 mm dia nominal bore	RM	20.00	248.32	4966.44			
b	20 mm dia nominal bore.	RM	20.00	284.13	5682,54			
С	25 mm dia nominal bore.	RM	30.00	360.55	10816.64			
d	32 mm dia nominal bore.	RM	3.00	416.48	1249.43			
е	40 mm dia nominal bore.	RM	3.00	475.64	1426.92			
23	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including iointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion							
а	75 mm diameter	RM	20.00	191.78	3835.64			
b	110 mm diameter	RM	30.00	290.91	8727,31			
24	Providing and fixing soil, waste and vent pipes (spun) iron pipes and fittings of diameter:							
24.1	75 mm diameter		<u> </u>					
а	Centrifugally cast (spun) iron socketed pipe as per IS: 3989	Metre	5.00	914.20	4571.01			
24.2 a	100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	Metre	5.00	910.15	4550.77			
25	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter :							
a	100 mm diameter	Each	10.00	479.84	4798.40			
b	75 mm dia	Each	10.00	405.65	4056.48			
26	Providing and fixing heel rest sanitary bend :							
26.1	100mm dia	Each	E 00	400 OF	0444.77			
<u>a</u>	Sand cast iron S&S as per IS - 3989	Each	5.00	422.95	2114.77			
27.1	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete including cost of cutting and making good the walls and floors: 100 mm inlet and 100 mm outlet							
27.1 a	Sand cast iron S&S as per IS: 3989	Each	4.00	1538.96	6155.83			
<u>a</u>	Gand cast IIOH Gad as hel 13. 3303	Lacii	4.00	1000.80	0100,00			
28	100 mm inlet and 75 mm outlet				1			
<u></u> а	Sand cast iron S&S as per IS - 3989	Each	4.00	1522.50	6090.00			



	ANNEXURE - A SCHEDULE OF RATES						
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount		
29	Supplying and fixing C.I. cover 300x300 mm without frame for gully trap (standard pattern) the weight of cover to be not less than 4.5 kg	Each	5.00	606.64	3033.21		
30	Supplying and fixing C.I. cover without frame for manholes :						
а	500 mm diameter C.I. cover (medium duty) the weight of the cover to be not less than 58 kg	Each	2.00	2652.57	5305.14		
b	560 mm diameter C.I. cover (heavy duty) the weight of the cover to be not less than 108 kg	Each	2.00	5839.33	11678.65		
31	Providing and laying S&S C.I. standard specials such as tees, bends, collars, tapers, caps etc. (Heavy class):						
а	Up to 300 mm dia	Quintal	1.00	4896.61	4896.61		
32	Providing and fixing plain bend of required degree.						
32.1	100mm dia		45.00	400.44	0504.45		
a 22.2	Sand cast iron S&S as per IS : 3989	Each	15.00	439.41	6591.15		
32.2 a	Sand cast iron S&S as per IS - 3989	Each	15.00	301.01	4515.12		
33	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.						
33.1	100mm dia		5.00	543.59	2717.94		
33.2	Sand cast iron S&S as per IS - 3989 75 mm dia	Each	5.00	043.08	2111.54		
a a	Sand cast iron S&S as per IS- 3989	Each	5.00	402.99	2014.94		
34	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in-charge.	Each	3.00	334.35	1003.04		
35	Cleaning of chocked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum ietting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water ietting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure letting system of 2200 PSI for sewer line from 150mm dia upto 300mm	Metre	100.00	262.66	26265.95		
36	Providing and fixing PTMT bib cock of approved quality and colour.				·		
а	15mm nominal bore, 86 mm long, weighing not less than 88 gms	Each	15.00	96.82	1452.24		
37	Providing and fixing uplasticised PVC connection pipe with brass unions						
37.1	30 cm length						
а	15 mm nominal bore	Each	15.00	65.52	982.81		
37.2 a	45 cm length 15 mm nominal bore	Each	15.00	75.35	1130.23		
38	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including iointing with seal ring conforming to IS: 5382, leaving 10 mm gap for therma)]					
38,1	Single pushfit coupler :-	<u> </u>		00.55	101 70		
	(i) 110 mm diameter	Each	5.00	98.36	491.79		




· · · · · · · · · · · · · · · · · · ·	ANNEXURE - A SCHEDULE OF RATES							
S.No.	DESCRIPTION OF ITEM	UŅIT	Quantity	Rate	Total amount			
а	(i) 110 mm diameter	Each	5.00	115.89	579.47			
38.3	Shoe (Plain)							
а	(i) 110 mm diameter	Each	5.00	101.63	508.17			
39	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.							
а	110 mm	Each	5.00	286.21	1431.04			
40	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	litre	5000.00	8.48	42395.52			
41	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes iointing of pipes & fittings with one step CPVC solvent cement and testing of ioints complete as per direction of Engineer in Charge.			-				
	Internal work - Exposed on wall							
а	15 mm nominal outer dia Pipes	metre	10.00	221.07	2210.73			
b	20 mm nominal outer dia Pipes	metre	10.00	258.23	2582.27			
С	25 mm nominal outer dia Pipes	metre	10.00	309.53	3095.26			
d	32 mm nominal outer dia Pipes	metre	10.00	399.87	3998.67			
e	40 mm nominal outer dia Pipes	metre	10.00	541.85	5418.53			
42	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes iointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of ioints complete as per direction of Engineer in Charge							
	Concealed work, including cutting chases and making good the walls etc							
а	15 mm nominal outer dia Pipes	metre	10.00	383.72	3837.18			
b	20 mm nominal outer dia Pipes	metre	10.00	414.40	4143.97			
С	25 mm nominal outer dia Pipes	metre	10.00	483.50	4835.02			
d	32 mm nominal outer dia Pipes	metre	10.00	569.87	5698.73			
43	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes lointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of ioints complete as per direction of Engineer in Charge. External work							
	15 mm nominal outer dia Pipes	metre	10.00	188.62	1886.22			
a b	20 mm nominal outer dia Pipes	metre	10.00	211.44	2114.38			
	25 mm nominal outer dia Pipes	metre	20.00	273.95	5479,04			
c d	32 mm nominal outer dia Pipes	metre	8.00	338.08	2704.68			
u	oz mini nominal outer dia ripes	merre	0.00	330.00	2104.00			
44	Providing and laying non-pressure NP2 class (light duty) R.C.C pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :							



	ANNEXURE - A SCHEDULE OF RAT	.E.6			
		UNIT	Quantity	Rate	Total amount
S.No.	DESCRIPTION OF ITEM				
а	150 mm dia. R.C.C. pipe	m	10.00 10.00	428.93 693.59	4289.27 6935.91
b	250 mm dia. R.C.C. pipe	m	10.00	766.43	7664.34
	300 mm dia. R.C.C. pipe	m	10.00	700,43	7004.04
	TOTAL OF SUB-HEAD - "D"				4,15,812.49
	SUB HEAD "E" - DISMANTLING /DEMOLITION				
	SUB READ E - DISMANTENIG /DEMOCETTON				
1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cu.M.	4.00	1876.39	7505.55
	Demolishing brick work manually/ by mechanical means including				-
2	stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-incharge.				
а	In cement mortar	Cu.M.	4.00	1588.06	6352.24
		<u>-</u>		1	
3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - incharge.	Cu.M.	11.00	2737.40	30111.42
				<u> </u>	
4	Dismantling tile work in floors and roofs laid in cement mortar				
	including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	Sq.M.	8.00	56.58	452.63
a	For thickness of thes 10 min to 23 min	Oq.ivi.	0.00	00,00	
5	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	Sq.M.	8.00	205.39	1643.10
	Dismantling manually/ by mechanical means including stacking of	<u> </u>			`
6	serviceable material and disposal of unserviceable material within				
O			ļ		
	50 metres lead as per direction of Engineer-in-charge	O - M	40.00	167.62	3184.71
а	Water bound macadam road UPTO AVG. DEPTH OF 25CM	Sq.M.	19.00 19.00	330.30	6275.69
b	bituminous road UPTO AVG, DEPTH OF 30CM	Sq.M.	19.00	330,30	0273.03
	Dismantling of C.I. sluice valve including stacking of usefu	1			
7	materials within a lead of 50 metres				
а	Up to 150 mm diameter	Each	4.00	246.28	985.12
8	Dismantling old plaster or skirting raking out ioints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sq.M.	15.00	42.13	631.89
					
•	Disposal of building rubbish / malba / similar unserviceable	1			
	dismantled or waste materials by mechanical means, including	1			
9	loading, transporting, unloading to approved municipal dumping	g Cum	80.00	203.46	16276.80
	ground or as approved by Engineer-in-charge, beyond 50 m initia				
	lead, for all leads including all lifts involved.				·
10	Dismantling G.I. pipes (external work) including excavation an refilling trenches after taking out the pipes, manually/ b mechanical means including stacking of pipes within 50 metre	У			
	lead as per direction of Engineer-in-charge:	RM	38.00	115.47	4387.86
a	15 mm to 40 mm nominal bore	KIVI	30.00	. 110,47	4307,00



Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holidiasts etc. complete and stacking within 50 mefres lead a Of area 3 sg, metres and below Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: of area 3 sg, metres and below Each 4.00 110.61 4 or wood) including stacking within 50 metres lead: of area 3 sg, metres and below Each 4.00 110.61 4 of area 3 sg, metres and below Each 4.00 110.61 4 of area 9 sg, metres and below Each 4.00 110.61 4 Demolishing stone rubble masonry manuelly by mechanical mass including stacking of serviceable material and disposal of unserviceable material within 60 metres lead as per direction of Engineer-in-charge: a In earneri mortar: Dismantling of fiexible pevement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD -*E" SUB-HEAD **F" - MISCELLANEOUS scheduled 1 Welding by electric plant Welding laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with machanical powerfinishor in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tome capacity to achievathe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting with vibratory roller of 8 to 10 tome capacity in scheduled road/bibratory roller 8-10 tome capacity in stages to proper grade and camber, applying and brooming cure specifications and directions of Engineer-in-charge, with reinforced barbed application of Singer and and Inclination of Engineer-in-charge, with reinforced barbed application of Singer and Singer and Singer and Singer and Singer and Singer and Singer and Singer and Singer and Singer a		ANNEXURE - A SCHEDULE OF RATES						
11 wood) shulter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead 8 Of area 3 sq. metres and below 9 Of area 4 sq. metres and below 10 Of area 5 sq. metres and below 11 Teking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: 12 Teking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: 13 Orarea 5 sq. metres and below 14 Demolishing stone rubble masonny manually by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: 13 In cement mortar 14 Dismantling of flexible pavement (biluminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. 15 TOTAL OF SUB-HEAD "E" 16 SUB-HEAD "F" - MISCELLANEOUS scheduled 17 Welding by electric plant 18 Welding by electric plant 19 Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix masodam (WMM) specification including premixing the material with water at OMC in for all leads 8 lifts, laying in uniform layers with mechanical peverinisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to schievethe desired density, complete as per specifications and directions of Engineer-in-Charge. 15 Laying, spreading and compacting some aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/wibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming curve and provided density of the required density, complete as per specifications of Engineer-in-charge, with reinforced barbed wire, stud lited with QLI staples and QLI chips to retain horizontal, including necessary boils or GLI barbed wire tied to angle inon, all completes a	S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount		
complete and stacking within 50 metres lead a Of area 3 sq. metres and below b Of area beyond 3 sq. metres 12 Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: a Of area 3 sq. metres sand below b Of area beyond 3 sq. metres 13 Of area 3 sq. metres and below b Of area beyond 3 sq. metres 14 Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 60 metres lead as per direction of Engineer-in-charge. a In cement mortar 15 Dismantling of flexible powement (biluminous courses) by mechanical means and disposal of dismantled material up to a laad of 1 kilometre, as per direction of Engineer-in-charge. 16 TOTAL OF SUB-HEAD -"E" 17 OTAL OF SUB-HEAD -"E" 18 Welding by efectric plant Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical psverifinisher in sub-base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tone capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. 18 Laying, spreading and compacting thin vibratory roller of 8 to 10 tone capacity in schemetrial compacting to the required density 19 Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of well with existing pagile inn Y* shaped placed 2-4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary botts or G.I. barbed wire fled to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape (R.B.T.) / Spring core (2.5mm thick) wire of						· · · · · · · · · · · · · · · · · · ·		
a Offarea 3 sq. metres and below b Of area beyond 3 sq. metres b Of area beyond 3 sq. metres cor wood) including stacking within 50 metres lead: a Offarea beyond 3 sq. metres and below b Offarea beyond 3 sq. metres and below cor wood) including stacking within 50 metres lead: a Offarea 3 sq. metres and below b Offarea beyond 3 sq. metres b Offarea beyond 3 sq. metres b Offarea beyond 3 sq. metres b Offarea beyond 3 sq. metres b Offarea beyond 3 sq. metres Demolishing stone rubble masonry manually by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: a In cement mortar Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilomotre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD. "E" SUB HEAD "F" - MISCELLANEOUS scheduled 1. Welding by electric plant. Providing, laying, spreading and compacting graded slone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (VMM) specification including premising the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverifinisher in sub-base / base course on well prepared surface and compacting with vibratory coller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/wibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of servening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density with 3 wheeler road/wibratory large 4-mor 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud the with G.I. staples and G.I. clipts to retain horizontal, including necessary boils or G.I. b	11				ĺ			
b Of area beyond 3 sq. metres								
Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: a Of area 5 ya, metres and bellow b Of area beyond 3 sq. metres Care of orea of the stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge; In cement mortar Cum 4.00 1895.43 7 Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. Total OF SuB-HEAD - "E" Sub HEAD "F" - MISCELLANEOUS scheduled Welding by electric plant Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macedam (WMM) specification including premising the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical prevential read on compacting the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical peverifinishor in sub- base / base course on well prepared surface and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill bup interstices of coarse aggregate, watering and compacting to the required density with the xisting angle in on "Y shaped piaced 2-m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips for tretain horizontal, including measure of the proper of the proper of the proper of the proper of the proper of the pro						1132.19		
or wood) including stacking within 50 metres lead: a Of area a Sq. metres and below b Of area beyond 3 sq. metres Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge; a in rement mortar Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantied material up to a load of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD - "E" SUB HEAD "F" - MISCELLANEOUS scheduled Welding by electric plant Welding by electric plant Welding, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tome capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up intersitces of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 n iteight of wall with existing angle iron Y shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, studied tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 166 kg/s umm with tape (0.52 mm thick) wire of high tensile strength of 165 kg/s umm with tape (0.52 mm thick) wire of high tensile	<u> </u>	Or area beyond 3 sq. metres	Each	4.00	387.53	1550.13		
a Of area 3 sq. metres and below Each 4.00 110.61 4 b Of area beyond 3 sq. metres Each 4.00 145.61 5 Demolishing stone rubble masonry manually/ by mechanical mans including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge; a in nement mortar Cum 4.00 1895.43 7 Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantied material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD "E" SUB-HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant cm 75.00 2.71 2 Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at CMC in for all leads & lifts, laying in uniform layers with mechanical prverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required idensity Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron Y shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud led with G.I. staples and G.I. clips to retain horizontal, including necessary botts or G.I. betroet wire tied to angle fron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.)	12			- · · · · · · · · · · · · · · · · · · ·				
Demolishing stone rubble masonry manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge; a In cement mortar Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD - "E" SUB HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in 3 stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interestices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length of wall with existing angle iron "Y shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced	а		Each	4.00	110.61	442.46		
means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: a In cement mortar Dismantiling of flexible pavement (billuminous courses) by mechanical means and disposal of dismantiled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD - "E" SUB HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant	b	Of area beyond 3 sq. metres	Each	4.00	145.61	582.44		
Dismantling of flexible pavement (bituminous courses) by mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD - "E" SUB HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron "S shaped blaced 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary botts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including outting, hoisting, fixing in position and	13	means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of						
mechanical means and disposal of dismantled material up to a lead of 1 kilometre, as per direction of Engineer-in-charge. TOTAL OF SUB-HEAD - "E" SUB HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant	а	In cement mortar	Cum	4.00	1895.43	7581.71		
SUB HEAD "F" - MISCELLANEOUS scheduled 1 Welding by electric plant cm 75.00 2.71 2 Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron Y shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire field to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including cutting, holsting, fixing in position and kg 200.00 90.46 1		mechanical means and disposal of dismantled material up to a		11.00	324.36	3568.01		
Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix meadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in 3 stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped piaced 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ su,mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including outting, hoisting, fixing in position and		TOTAL OF SUB-HEAD - "E"				92,663.92		
Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverifinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron "Y" shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including outting, hoisting, fixing in position and kg 200.00 90.46 1		SUB HEAD "F" - MISCELLANEOUS scheduled						
Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including outting, hoisting, fixing in position and kg 200.00 90.46 1	1	Welding by electric plant	em.	75.00	2.71	203.58		
aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical peverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achievethe desired density, complete as per specifications and directions of Engineer-in-Charge. Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tled with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and kg 200.00 90.46 1		veiding by electric plant	CIII	75.00	2.11	203.36		
sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and kg 200.00 90.46 1	2	aggregate (size range 53 mm to 0.075 mm) to wet mix macadam (WMM) specification including premixing the material with water at OMC in for all leads & lifts, laying in uniform layers with mechanical paverfinisher in sub- base / base course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per	cum	35.00	2246.42	78624.80		
concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and kg 200.00 90.46 1	3	sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required	Cum	45.00	807.02	36315.81		
concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and kg 200.00 90.46 1		Providing and fixing concerting coil fencing with punched tape		· · · · ·				
5 connecting plate, including cutting, hoisting, fixing in position and kg 200.00 90.46 1	. 4	concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, studited with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid	m	1500.00	289.68	434515.51		
	5			200.00	90.46	18091.32		



	ANNEXURE - A SCHEDULE OF RAT	ES			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
6	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	kg	200.00	103.06	20611.93
7	Engaging tractor trolley with all tools, tackles and requisite manpower(driver) ,diesel & lubricants including maintenance, for disposal of rubbish or any other work as required and as per directions of Engineer-in-Charge	Day	45.00	1465.76	65959.31
8	Fencing with angle iron post placed at required distance embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be strutted on both sides and end post on one side only and provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.38 kg per 100 m (minimum), between the two posts fitted and fixed with G.I. staples, turn buckles etc. complete. (Cost of posts, struts, earth work and concrete work to be paid for separately). Payment to be made per metre cost of total length of barbed wire used With G.I. barbed wire	RM	1501.57	17.04	25579.68
	TOTAL OF SUB-HEAD - "F" -Miscellaneous scheduled	<u> </u>			6,79,901.94
	Sub Head - G - Miscellaneous Non-scheduled				
1	Cleaning & De-silting of storm water drains(Rectangular/Trapezoidal Sections) by removing grass, vegetation, silt, slush ,mud, rubbish etc. after removing of gratings/covers and replacing the same and exposing finished surface of drain bed including disposing the unserviceable materials anywhere within RFCL premises, as per instructions of Engineer-in In charge. (Combined Depth of silt/slush/mud/rubbish upto 300mm)				
a	For drain bed width upto 500mm & depth of drain upto 1000mm	METRE	5000.00	40.00	200000.00
b	For drain bed width from 501mm to 1000mm & depth of drain upto 1500mm	METRE	500.00	52.00	26000.00
С	For drain bed width between 1001mm to 2000mm & depth of drain from 1001mm to 2500 mm	METRE	75.00	70.00	5250.00
d	For drain bed width between 1001mm to 2000mm & depth of drain from 2501mm to 3500mm	METRE	755.00	90.00	67950.00
2	Excavation of silt, slush ,mud, rubbish etc in trenches drains(Rectangular/Trapezoidal Sections) or in open area by manual or mechanical means after removing of grating and replacing same if required, including disposing the same anywhere within RFCL premises, as per instructions of Engineer-In charge complete (Combined Depth of silt/slush/mud/rubbish more 300mm)	Cu.M	225.00	285.00	64125.00
3	Cleaning of silt from the Culvert by removing grass, vegetation slush mud, rubbish, brick, bats, thermocoal, aggregate, rotter cloth, pieces of bamboo/ballies, empty drums, precast slabs etc. and transporting the same upto a lead of two K.M. inside the plant in a low lying place and exposing pucca surface of the Culvert neatly as per instructions of Engineer-in Incharge.	5			
	For depth of Culvert upto 1.50 M	Cu.M	11.00	325.00	3575.00



	ANNEXURE - A SCHEDULE OF RA	ΓES			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
4	Providing and fixing CP brass towel ring of 150 mm dia including fixing to wall with wooden cleat and CP brass screw, cutting walls and making good the same, finishing, etc all complete including removal of debris.		6.00	720.00	4320.00
5	Providing and fixing 100 mm dia. CP mild steel sheet grating (drain jali) of approved design & quality for floor traps complete as per directions of Engineer-in-Charge.		75.00	50.00	3750.00
6	Providing and fixing chromium plated (CP) brasshandle for low level flushing cistern.	Each	19.00	50.00	950.00
7	Providing, fixing, testing and commisioning C.P. brass 2 way bib cock quarter turn type for health flaucet of following make or approved equivalent 15mm nominal bore, all complete as per standard design, specification and direction of engineer-in-charge.		15.00	990.00	14850.00
8	Providing & fixing/replacing heat resistant non-reflective sur control film of approved quality (Garware or equivalent) o window panes/glazed doors at all heights as per site requirement including cleaning of surfaces, removing imperfections, bubble etc. complete as per directions of Engineer-in-Charge.		5.00	200.00	1000.00
9	Providing and laying Brick Masonry with bricks of class 5.0 in cement mortar 1:6 in one or more brick thickness and in any shape(excluding circular/curved brick masonry) at all depths below plinth lelvel including the cost of materials, labour, scaffolding/staging,sampling & testing, soaking of bricks, cutting and laying of bricks, providing recesses, making openings of any shape and size, finishing the ioints flushbelowground level and raking out the ionts above ground level, sealing the gap between masonry and soffit of beam/slab, embedding the fittings & fixtures, curing, etc. all complete as per specifications. All materials including cement supplied by the contractor.	Cu.M.	50.00	6158.47	307923.50
10	Providing and laying Brick Masonry with bricks of class 5.0 in cement mortar 1:6 in one or more brick thickness and in any shape(excluding circular/curved brick masonry) at all heights above plinth lelvel including the cost of materials, labour scaffolding/staging,sampling & testing, soaking of bricks, cutting and laying of bricks, providing recesses, making openings of any shape and size, finishing the ioints flushbelowground level and raking out the ionts above ground level, sealing the gap between masonry and soffit of beam/slab, embedding the fittings & fixtures curing, etc. all complete as per specifications. All materials including cement supplied by the contractor.	Cu.M.	20.00	6685.45	133709.00
11	Providing and laying Half Brick Masonry with bricks of class 5.0 in cement mortar 1:4 in any shape including the cost of materials labour, scaffolding/staging,sampling & testing, soaking of bricks cutting and laying of bricks, providing recesses, making openings of any shape and size, raking out the ionts, supplying and placing 2nos 6mm dia. MS Bars at every fourth course, sealing the gap between masonry and soffit of beam/slab, embedding the fittings & fixtures, curing, etc. all complete as per specifications. A materials including cement supplied by the contractor.	Sq.M.	5.00	768.78	3843.90



	ANNEXURE - A	TE			
	SCHEDULE OF RAT	UNIT	Quantity	Rate	Total amount
12	Supply and installation of valve assembly consisting of valve, 2 no. flanges, 2 no. gaskets and 2 sets of nuts & bolts per valve assembly in position including fixing of nuts, bolts, gaskets, washers etc. complete as per drawings, specifications and directions of Engineer-in-Charge	UNIT	Quantity	Rate	Total unioun
	Gate valve assemby for following nominal sizes				
а	(Dia – 6 Inch Piping Material Class – J2A)		1.00	22800.00	22800.00
b	(Dia – 4 Inch Piping Material Class – J2A)		1.00	16150.00	16150.00
С	(Dia – 3 Inch Piping Material Class – J2A) Each 1.00 11880.00		11880.00	11880.00	
d	(Dia – 2 Inch Piping Material Class - J2A) Each 1.00 7600.00		7600.00		
е	(Dia – 1.5 Inch Piping Material Class - J2A)		1.00	5510.00	5510.00
f	(Dia – 1 Inch Piping Material Class - J2A)		1.00	3800.00	3800.00
13	Providing and fixing in position following items including all necessary fixtures, fittings, finishing etc. all complete.				
а	Approved quality chromium plated brass coat and hat hook fixed with chromium plated brass screws.		12.00	630.00	7560.00
14	Providing and fixing Heavy grade Bib cocks/ stop cocks of spring loaded self closing type conforming to IS: 781 including making connections, cutting walls and making good the same etc. all complete. 15mm dia CP Brass stop cock/bib cock.		10.00	1080.00	10800.00
15	Providing and fixing CP Brass hand shower (health Faucet, of iaquar or approved equivalent) with 8 mm Dia, 1 metre long PVC Tube and Wall hook in approved colour and finish with all necessary fittings etc. all complete: With hollock wood beading of 62x19 mm		33.00	1800.00	59400.00
16	Supplying and filling in plinth with Manufacture sand under floors including watering, ramming, consolidating and dressing complet as per instruction of Engineer-In-Charge.	Cu.M.	40.00	1056.80	42272.18
	TOTAL VALUE OF Sub Head - G - Miscellaneous				10,25,018.



	ANNEXURE - A				
	SCHEDULE OF RA	<u> </u>			
S.No.	DESCRIPTION OF ITEM	UNIT	Quantity	Rate	Total amount
S.NO.	SUB-HEAD				
1	SUB-HEAD "A" - "Earthwork"				1,63,679.16
2	SUB-HEAD "B"- " Cement Work"				8,76,936.71
3	SUB-HEAD "C"- " Wood work"				7,63,357.68
4	SUB-HEAD "D" -"Water supply & Sanitary work"				4,15,812.49
5	SUB-HEAD "E" -"Dismantling & Demolishing"				92,663.92
6	SUB-HEAD "F"-"Miscellaneous scheduled"				6,79,901.94
	SUB-HEAD "G"-"Miscellaneous Non Scheduled"				10,25,018.58
	TOTAL OF ALL SUB-HEADS				40,17,370.48
	d Amount Total in (Rupees Forty Lakhs Seventeen Thousand 1	hree Hund	red Seventy a	ınd paisa	
Forty Eig	in Only) Hers are required to quote rates as under: The bill of quantities	has been	provided & th	e agency	 of barilloar a
CONTRACTOR OF THE PROPERTY OF THE PARTY OF T	above or below for mentioned works			C 0 9 C/107	
A STATE OF THE PARTY OF THE PAR	d Rates = RFCL Estimated Rates minus%(Below) in figur	e and <u>E</u>			%(Below)
in Words OR					
	d Rates = RFCL Estimated Rates plus	and .			%(Above)
in Words					
3) Ounte	d Amount Total		THE STATE OF THE S	WORDS	
4) Add (GST @ 18%				
5) Quoted Grand Total including GST IN FIGURES IN WORDS					
The Rates quoted should be inclusive of all Taxes except GST, other Statutory Levies to be payable unless specified to the contrary					
in the bid all present taxes and statutory levies shall be borne and paid for by the bidder. Payment of the taxes and other statutory					
	all be the responsibility of the bidder and shall not be payable by R	FCL.		<u> </u>	
	ntioned in the Schedule of quantities is tentative and indicated for the	ne purpose	of evaluation of	f bids. How	ever, actual
quantitie	s may vary. RFCL does not guarantee the quantum of work. Paye	nent will be	made on actua	l basis.	
	s quoted will be firm for the currency of the contract period and will what so ever. The rates quoted for materials, if any, are F.O.R. RI				
	I be paid extra(excluding GST).	OL Site, IX	amagunuam an	id are iricius	ive of all taxes, No
			Signature of		
			Bidder:		
			Name:		
		· · · · · · · · · · · · · · · · · · ·			
			Date:		
			Place:		<u></u>

do elicerates

Undertaking on Bidder's letterhead: -


vvitn reter Ramagun site	dam Fertilizers And Cher	micals Limited, Ramagui	ndam for,at RFCLRamagundam
I/We	•	S/o.Shri	R/o
			AuthorizedRepresentati
ve of (the	Institution)		do solemnly affirm and
declare as	s under: -		
i) ii) iii)	by any Institutional Ager That no other Institution/ are participating/submitt That the information fun correct and nothing has	ncy/Government Departn Sister Concerns/Associa ing the Tender for the jol nished by me/us in resp been concealed. In case any stage, RFCL shall	een blacklisted or put on holiday nent/Public Sector Undertaking. Ites belonging to the same group b. ect of above Tender is true and any of information is found to be be fully competent to take the
•		SE/	AL & SIGNATURE of the Bidder
Verificati	on:	 -	
of my kn	nat the contents of the about the about the contents of the about thisday of	oove paras of my affidav nothing has been con	it are true and correct to the best cealed therein. Verified at

SEAL & SIGNATURE of the Bidder

A glostall

CHECK LIST FOR BIDDERS

SI. No	Documents	Yes/No or N/A
1	Cost of Tender documents:	
	DD No. Amount Date or UTR no. Amount Date	NA
2	EMD DDNoAmountDateor UTR noAmountDateor	
3	BG No AmountDate Whether all the pages of tender document are stamped and signed & properly tagged with all documents?	
4	Whether Declaration form-l'is filled up?	
5	Whether declaration form-II (bidders' details) filled up?	
6	Whether e-banking mandate form is filled up?	
7	Whether self-attested copy of registration of the firm (for partnership firm or Pvt. Ltd./ Pub. Ltd. company) is	
8	Enclose latest notarized affidavit towards sole proprietorship of firm/ Self Attested Partnership deed or Incorporation certificate of Company/Article of Association / Memorandum of Association as applicable)	
9	Self-attested copy of PAN Card	
10 11	Self-attested copy of GST Certificate Self-attested copy of EPF Certificate	
12	Self-attested copy of ESI certificate.	
13	Power of Attorney in original, in case tender document is signed by person other than tenderer or tendering company.	
14	Undertaking on Party's letter head about Blacklisted/Non-Blacklisted company. The certificate should be exactly in the same format as given in Annexure-XIV of the tender document	
15	Total Turnover of the business in F.Y. 2021-22, 2022-23 & 2023-24 (Attach copy of Audited Profit & Loss Account and B/S for the Financial Years 2021-22, 2022-23 & 2023-24).	



SI. No	Documents			Yes/No or N/A
16	Give details of the major stendering Company/Firm (ending last day of mon applications are invited)			
S no	Details of client	Amount of Work completed (Rs.)	Contract period (From and to)	
А				
В				
С				· ·
D				. 6 2.
(If the enclos	space provided is insufficed.)	ient, a separate sheet	may be	
17	Documents showing cor not less than Rs. 32.14 L of similar services in a years (ending last day of applications are invited)	acs (excluding GST)relations in gle contract during of month previous to the	ted to provision the last seven	
18	Two similar completed w Rs.20.09 Lacs (excluding			
19	Three similar completed Rs.16.07 Lacs (excluding	works costing each not GST)	t less than	
20	Annual turnover of the bi	dder shall not be less tha	n Rs. 40,17,370/-	
21	Net Worth of the bidders	should be positive for th	ne FY 2023-24.	
22	Minimum Working Capita	of Rs. 4,01,737/- for F	⁷ 2023-24.	
23	Enclosed copy of Work orders of similar works and satisfactory performance/completion Certificates having the detailed mentioned as per Annexure- (attach)			
24	All annexures have bee	n signed as per tender o	document.	
			·	<u></u>

A. Blooder

Bid Evaluation Criteria:

- 1. Price bid/Schedule of Rate (SOR) of those bidders, who accepts and confirms to all the terms and conditions of NIT without any deviation, will be opened after due notice to eligible bidders.
- 2. If there is any difference between the Service charge/Profit margin percentage(%age) quoted and in absolute amount, then the Service charge/Profit margin percentage (%age) will be treated as final. If there is any discrepancy between the words and figures, the amount in words shall prevail. In case absolute amount is not filled then, absolute amount will be derived by applying percentage quoted.
- 3. Even though Schedule of Quantities has been provided, but the agency shall **quote** % **above or below RFCL Estimated rates**. Item-wise Discount/ Premium is not permitted.
- 4. If, the Premium/discount quoted by two or more bidders are happened to be same, those bidders will be given a stipulated time period in which they have to submit a closed envelope quoting the percentage of discount over and above the previously submitted percentage of premium/discount. The Bids shall be evaluated on overall lowest basis after considering the revised discount. If two or more bidders quote same margin, then they will be asked to offer maximum discount of RFCL estimate. If two or more bidders have quoted same discount at the time of opening or after offering discount, then lottery system shall be resorted to, to ascertain the name of contractor to whom the job shall be awarded. Names of all bidders quoting lowest bids of same margin consideration shall be noted on chits. These chits shall be put in a container and shall be mixed properly. Any neutral person or any bidder representative chosen on consensus or voting basis or if not agreed then finally as instructed by ASSISTANT GENERAL MANAGER (C) shall be blind folded and he shall pick up the chit from container. The name of party whose name is written on the chit shall be forwarded for further processing as per RFCL's procedure to obtain approval for award of work.
- 5. The rates to be quoted by the party should be inclusive of all duties, taxes, levies, entry tax etc. but excluding GST. The GST will be extra and as applicable.
- 6. Evaluation of the price bids shall be on overall basis and work shall be awarded to L-1 bid.
- 7. RFCL may ask form 16A/26AS in support of work completion certificate for work orders submitted in response to BQC.
- 8. RFCL reserves the right to accept or reject any tender including the lowest one, in part or full, without assigning any reason whatsoever.
- 9. Splitting of Contract is not applicable.
- 10. In case period of work executed for the work order submitted by the bidder is more than one year then the value of work executed shall be proportionately calculated for one year. However, if the period of work executed is less than one year, then the executed value shall be considered as it is i.e. shall not be extrapolated for one year.

s. Broadly

BID SECURITY (EMD) FORMAT

N CONSIDERATION OF Ramagundam Fertilizers and Chemical Limited (RFCL), HAVING ITS REGISTERED
OFFICE AT Scope Complex, Core No. III,7, Institutional Area, Lodhi Road, New Delhi-110003
(HEREINIAFTER CALLED RECL WHICH EXPRESSION SHALL UNLESS REPUGNANT TO THE SUBJECT OR CONTEXT
INCLUDES ITS SUCCESSORS AND ASSIGNS) HAVING AGREED TO EXEMPT(HEREINAFIER CALLED
THE THE SAID TENDERER(S) WHICH EXPRESSION SHALL UNLESS REPUGNANT TO THE SUBJECT OR CONTEXT
MIGHIDES HIS SUCCESSORS AND ASSIGNS) FROM THE DEMAND LINDER THE TERMS AND CONDITIONS OF TENDER
NO FOR HEREINAFTER CALLED "THE SAID TENDERER OF SUCH BID
SECURITY DEPOSIT FOR THE DUE FULFILMENT BY THE SAID TENDERER(S) OF THE TERMS AND CONDITIONS
CONTAINED IN THE SAID TENDERFORON PRODUCTION OF BANK GUARANTEE FOR
RS(RUPEES /USDONLY).
RS
1. WEBANK HEREINAFTER REFERRED TO AS 'THE BANK' DO HEREBY UNDERTAKE TO PAY
TO BECLAN AMOUNT NOT EXCEEDING RS. (RUPLESONLY)
AGAINST ANY LOSS OR DAMAGE CAUSED TO OR SUFFERED BY 'RFCL' REASON OF ANY BREACH BY THE SAID
TENDERER(S) OF ANY OF THE TERMS AND CONDITIONS CONTAINED IN THE SAID TENDER (THE DECISION OF THE
COMPANY AS TO ANY SUCH BREACH HAVING BEEN COMMITTED AND LOSS SUFFERED SHALL BE BINDING ON US.
COMPANY AS TO ANY SOCIEDICACITY AVING SELECT SOCIEDING PROPERTY OF THE PROPERT
2. WEBANK DO HEREBY UNDERTAKE TO PAY THE AMOUNTS DUE AND PAYABLE UNDER THIS
GUARANTEE WITHOUT ANY DEMUR MERELY OR A DEMAND FROM 'RFCL' STATING THAT THE AMOUNT CLAIMED
IS DUE BY WAY OF LOSS OR DAMAGE CAUSED TO OR WOULD CAUSE TO OR SUFFERED BY 'RFCL' BY REASON OF
ANY BREACH BY THE SAID TENDERER(S) OF ANY OF THE TERMS OR CONDITIONS CONTAINED IN THE SAID TENDER
OR BY REASON OF THE SAID TENDERER'S FAILURE TO KEEP THE TENDER OPEN. ANY SUCH DEMAND MADE ON THE
BANK SHALL BE CONCLUSIVE AS REGARDS THE AMOUNT DUE AND PAYABLE BY THE BANK UNDER THIS
BANK SHALL BE CONCLUSIVE AS REGARDS THE AIVIDON'T DOE AND FATABLE BY THE BANK SHOULD NOT
GUARANTEE. HOWEVER, OUR LIABILITY UNDER THIS GUARANTEE SHALL BE RESTRICTED TO AN AMOUNT NOT
EXCEEDING (RSONLY).
3. WEBANK FURTHER AGREE THAT THE GUARANTEE HEREIN CONTAINED SHALL REMAIN
IN FULL FORCE AND EFFECT DURING THE PERIOD THAT WOULD BE TAKEN FOR THE FINALISATION OF THE SAID
TENDER AND THAT IT SHALL CONTINUE TO BE ENFORCEABLE TILL THE SAID TENDER IS FINALLY DECIDED AND
TENDER AND THAT IT SHALL CONTINUE TO BE ENFORCEABLE THE THE SAID TENDER OF RECLUMDER OR BY VIRTUE OF
ORDER PLACED ON THE SUCCESSFUL TENDERER AND/ OR TILL ALL THE DUES OF RFCL UNDER/OR BY VIRTUE OF
THE SAID TENDER HAVE BEEN FULLY PAID AND ITS CLAIMS SATISFIED OR DISCHARGED OR TILL A DULY
AUTHORISED OFFICER OF RFCL CERTIFIED THAT THE TERMS AND CONDITIONS OF THE SAID TENDER HAVE BEEN
FULLY AND PROPERLY CARRIED OUT BY THE SAID TENDERER(S) AND ACCORDINGLY DISCHARGES THE GUARANTEE.
UNLESS A DEMAND OR CLAIM UNDER THIS GUARANTEE IS MADE ON US IN WRITING ON OR BEFORE
THETO INCLUDE 3 MONTHS CLAIM OVER AND ABOVE THE PERIOD MENTIONED IN THE
PARAGRAPH FOR THE VALIDITY OF THE BANK GUARANTEE IN THE TENDER WE SHALL BE DISCHARGED FROM ALL
LIABILITY UNDER THIS GUARANTEE THEREAFTER.
AND THE PARTY OF T
4. WEBANK, LASTLY UNDERTAKE NOT TO REVOKE THIS GUARANTEE DURING
ITS CURRENCY EXCEPT WITH THE PREVIOUS CONSENT OF 'RFCL' IN WRITING, DATEDDAY
OF
CORPORATE SEAL FOR BANK.

A. Bagrath