

**TECHNICAL AMENDMENT**

**CORRIGENDUM NO: - RFCL /SITE/CIVIL-PROJ/SPC-TSHIP/2019/01/TA -01 DATED 21.01.2020**

**TENDER DOCUMENT NO: - RFCL /SITE/CIVIL-PROJ/SPC-TSHIP/2019/01 DATED 07.01.2020**

The terms, conditions and specifications of Tender Document mentioned above, stand modified to the extent indicated under column "MODIFICATIONS/ADDITIONS/DELETIONS". All other terms, conditions, stipulations etc. of Tender Document shall remain unaltered.

S No.	Document Reference	Page No.	Clause No.	Subject	MODIFICATIONS/ADDITIONS/DELETIONS
1	ANNEXURE-D (SCHEDULE OF RATES)	50	New Clause No. 6 inserted	Notes to Schedule of Rates	<b>6. The LSTK Price quoted for Detailed Design &amp; Engineering (excluding GST) at Sr No. 1 above shall not in any case exceed more than 5% of the Total LSTK Price(Sr No. 1 + Sr No. 2), excluding GST.</b>
2	ANNEXURE-C  INDICATIVE REQUIREMENTS, SPECIFICATIONS AND ENGINEERING INPUTS	07	Clause-II, Sub Clause-A	INDICATIVE REQUIREMENTS, SPECIFICATIONS AND ENGINEERING INPUTS	<p>A) <b>SWIMMING POOL:</b> -Tentatively, the proposed Swimming Pool shall be 20mx8.5m in size with depth of 3 feet at Shallower Sections and 6 feet at deepest section, main Pool Basin shall be Constructed in RCC. Along with Main Pool, a Kid's Pool is also proposed. Further, rest of the complex shall include allied facilities to be constructed like Reception/Office Area, Change cum Locker Rooms (Ladies &amp; Gents), Shower Rooms cum Toilets (Ladies &amp; Gents), Covered Seating Area with Shed, Filtration/Re-circulation Plant Room, and Chemical Store Room, Ozone Generator Room &amp; Electrical System Room, if required as per design requirement. In addition, in &amp; around Lighting &amp; Landscaping for the Swimming Pool Complex is also required. <b><u>The entire complex is to be barricaded to ensure privacy of the Pool users as detailed in Annexure-L of this Tender Document.</u></b></p> <p>The tentative Plot Size proposed for Construction is 37mx25m (Approx.). An indicative layout showing General Arrangement of the above requirement is attached with this Tender document(Annexure-J). However, it is merely indicative and may be altered by the LSTK Contractor to suit design requirements subject to RFCL's approval.</p> <p><i>Further, a tentative schedule of Finishes, Fittings &amp; Fixtures for Swimming Pool &amp; Allied Facilities mentioned above is attached as Annexure-L.</i></p>

(SIGNATURE & STAMP OF BIDDER)

Name \_\_\_\_\_  
Date \_\_\_\_\_  
Place \_\_\_\_\_

For and On Behalf of RFCL

*HS*  
HS KAMATH

General Manager(Construction)

Email:- [satishkamath@rfcl.co.in](mailto:satishkamath@rfcl.co.in)